

---

This is an electronic reprint of the original article.  
This reprint may differ from the original in pagination and typographic detail.

Tavakoli, Sasan; Khojasteh, Danial ; Haghani, Milad; Hirdaris, Spyros

## A review on the progress and research directions of ocean engineering

*Published in:*  
Ocean Engineering


*DOI:*  
[10.1016/j.oceaneng.2023.113617](https://doi.org/10.1016/j.oceaneng.2023.113617)

Published: 15/03/2023

*Document Version*  
Publisher's PDF, also known as Version of record

*Published under the following license:*  
CC BY

*Please cite the original version:*  
Tavakoli, S., Khojasteh, D., Haghani, M., & Hirdaris, S. (2023). A review on the progress and research directions of ocean engineering. *Ocean Engineering*, 272, Article 113617. <https://doi.org/10.1016/j.oceaneng.2023.113617>



## A review on the progress and research directions of ocean engineering

Sasan Tavakoli<sup>a</sup>, Danial Khojasteh<sup>b</sup>, Milad Haghani<sup>c</sup>, Spyros Hirdaris<sup>a,\*</sup>

<sup>a</sup> Department of Mechanical Engineering, Aalto University, Espoo, 0073, Finland

<sup>b</sup> Water Research Laboratory, School of Civil and Environmental Engineering, UNSW, Sydney, NSW, Australia

<sup>c</sup> Research Centre for Integrated Transport Innovation (rCITI), School of Civil and Environmental Engineering, The University of New South Wales, UNSW, Sydney, NSW, Australia

### ARTICLE INFO

Handling Editor: Prof. A.I. Incevik

**Keywords:**

Ocean engineering  
Global demands and concerns  
Future challenges  
Ocean hydrodynamics  
Risk assessment and safety  
Ocean climate and geophysics  
Control and automation in the ocean  
Structural engineering and manufacturing for the ocean  
Ocean renewable energy

### ABSTRACT

This paper reviews research in ocean engineering over the last 50+ years with the aim to (I) understand the technological challenges and evolution in the field, (II) investigate whether ocean engineering studies meet present global demands, (III) explore new scientific/engineering tools that may suggest pragmatic solutions to problems, and (IV) identify research and management gaps, and the way forward. Six major research divisions are identified, namely (I) Ocean Hydrodynamics, (II) Risk Assessment and Safety, (III) Ocean Climate and Geophysics: Data and Models, (IV) Control and Automation in the Ocean, (V) Structural Engineering and Manufacturing for the Ocean, and (VI) Ocean Renewable Energy. As much as practically possible research subdivisions of the field are also identified. It is highlighted that research topics dealing with ocean renewable energy, control and path tracking of ships, as well as computational modelling of wave-induced motions are growing. Updating and forecasting energy resources, developing computational methods for wave generation, and introducing novel methods for the optimised control of energy converters are highlighted as the potential research opportunities. Ongoing studies follow the global needs for environmentally friendly renewable energies, though engineering-based studies often tend to overlook the longer-term potential influence of climate change. Development and exploitation of computational engineering methods with focus on continuum mechanics problems remain relevant. Notwithstanding this, machine learning methods are attracting the attention of researchers. Analysis of COVID-19 transmission onboard is rarely conducted, and 3D printing-based studies still need more attention from researchers.

### 1. Introduction

Oceans are the birthplace of life and water waves (Luo et al., 2013; Maruyama et al., 2013). They are also the habitat of more than two million aquatic species (Mora et al., 2011). The first human settlements were largely established near the deltas, where rivers meet the ocean or the sea (Dixon, 2014; Wink, 2002). Historically, humans engineered different boats and ships to navigate through the ocean and seas (Casson, 2020; Whitewright, 2007) and discover the world since thousands of years ago (Ammerman, 2020). It is therefore not a surprise that today many important cities of the world are positioned in the vicinity of these areas or by the ocean front.

Today, while the international effects of urbanisation are increasing, more than 90% of the international trade is enabled via ocean going shipping transportation (UNCTAD, 2021). Oil and gas industries are heavily dependent on the ocean as petroleum resources form at the sea

bottom over a period of million years (Levin et al., 2019). Floating or standing platforms are established to extract oil and gas reserves (McLean et al., 2020). The oceans offer relatively untapped opportunities to generate renewable, low-carbon, environmentally friendly energy from waves, tides, salinity, and temperature (Melikoglu, 2018).

Over the last 50 years the above-mentioned demands pushed engineers and ocean modellers to provide solutions for different "Ocean Engineering" problems. To date studies have been attempting to answer questions of relevance to ship operations, the engineering of marine structures, as well as the overall exploration and exploitation of resources. Inaugural studies were led by mathematicians interested in understanding the influence of fluid flow from water waves on ship dynamics (e.g. Bertin, 1905). More recently, globalisation and climate change pushed forward societal expectations for improved utilisation of renewable energies, the advanced prediction of ocean climate (wind, wave, ice extent, sea level rise, etc.), the exploitation of fossil fuels and

\* Corresponding author.

E-mail address: [syros.hirdaris@aalto.fi](mailto:syros.hirdaris@aalto.fi) (S. Hirdaris).

their transfer across the supply chain, the efficient use of aquaculture and dredging.

According to the Organisation for Economic Co-operation and Development (OECD, 2016), employment in ocean-based industries will grow significantly by year 2030, reaching two-times in comparison to 2016. Significant part of this growth may primarily relate to fisheries, the extraction of oil and gas offshore, the development and implementation of modern maritime equipment, coastal tourism and port activities, shipbuilding and maintenance of innovative ships or floating offshore installations (FOI) (Brent et al., 2020). As such, to provide a sustainable economic growth and boost the long-term development prospects of emerging ocean industries, policy makers must appreciate the benefits emerging from ocean engineering research.

In line with these expectations, the United Nations (UN) proclaimed 2021–2030 as the “Decade of Ocean Science for Sustainable Development” (Intergovernmental Oceanographic Commission, 2020). Ocean engineering developments are expected to influence (i) the resilience of communities to ocean hazards, (ii) the expansion of the global ocean observation systems, (iii) the creation of ocean digital twins, (iv) sharing data, knowledge and technology worldwide, and (v) human perceptions of the ocean environment. These trends may in turn lead to the development of national ocean policies, new R&D strategies, novel regional and national capacity development and emergency response planning.

The social and economic role of ocean engineering scientists is to reflect upon emerging challenges and develop solutions. The UN expectations for environmental sustainability of relevance to shipping and the adverse impact of COVID-19 pandemic reflect the mounting concerns on our ability to respond to extreme events on a global scale. Recently, examples of developing specific risk mitigation measures for shipping were felt onboard cruise ships and ferries for which it is now acknowledged that the air circulation onboard should be managed by state of the art air transmission systems (Azimi et al., 2021). Alternatively, a floating asset herself may also be used for quarantine purposes complying for international safety management provisions (Codreanu et al., 2021). Extreme ocean climate events namely strong wind and waves, sea-level rise or loss of ice extents may also necessitate adaptive and mitigative measures. For example, the design of ships and offshore structures under climate change effects are discussed by Bitner-Gregersen et al., 2013.

Global organisations, regional agencies, and countries spent a huge amount of research funding to support research, development, and education in the broader field of ocean engineering. Prime examples of funding bodies with specific research interests in this field are the “National Natural Science Foundation of China”, the “Ministry of Education of the People’s Republic of China”, the “European Commission”, and the “Office of Naval Research (USA)”. According to Gunes (2021), from the 1880s - 2021, nearly 49,000 published journal/conference papers that related to the ocean engineering field have been funded by these agencies. Recent bibliometric analyses, highlighting selected progress of relevance to the field of ocean engineering is presented by di Giacomo and Troisi, 2021; Gil et al., 2020; Gunes, 2021; Sun and Hua, 2015. These studies primarily focus on the number of publications, author names, countries and institutions where the research is conducted. For example, Sun and Hua (2015) compared the annual output (number of published papers) from China against those of other countries such as the USA and UK. However, to evaluate whether ocean engineering research reflects societal demands and follows progress in technology and computer science, detailed knowledge of the structure of the field, how research topics are interlinked and developed over time, and fundamental research introduced over the years are also necessary.

This paper attempts an in-depth analysis on the research conducted in the ocean engineering field over the last 50+ years. The aim is to describe (1) the structure of the field, including its major divisions, and sub-divisions and their temporal progression, (2) the alignment of research with global technological and socioeconomic demands (e.g. clean and affordable energy Popescu, 2021), sustainability, climate

change and pandemics (Barouki et al., 2021; IPCC, 2013), (3) the methods that are widely used for finding solutions to problems, (4) administrative or knowledge gaps and (5) future research directions.

The search methodology is presented in Section 2. Results from the method applied including strategic research threads and gaps are presented in Section 3. At first, the major divisions of ocean engineering are identified. Then through analysing the most occurred terms (as they appear in abstracts and the titles of papers), it is investigated whether ongoing studies reflect global demands. Throughout analysing the similarity between all published papers gaps are identified, and future research directions are suggested. After possible sub-divisions of the field are introduced, fundamental research directions based on key available references are discussed. Concluding remarks are presented in Section 4.

## 2. Methodology for search

The data used in this paper were identified via an elaborated “term-based” search carried out by using the “Web of Science Classic Mode”. The terms used for the search are based on a very general review of the field of ocean engineering and its applications, published by leading journals namely “*Ocean Engineering*”, “*Applied Ocean Research*”, “*Coastal Engineering*”, “*Marine Structures*”, “*Frontiers in Marine Science*”, “*Journal of Ship Research*”, “*Ships and Offshore Structures*”, “*IEEE Journal of Oceanic Engineering*”, and an early search of the phrase “ocean engineering” in the “scopus” platform.

A combination-based Boolean approach (i.e., “and”, “or”) was used to limit the search to the field of ocean engineering. For some phrases that are likely to give false positives, the search was set to be limited to the title of the papers. For some others where false results were less likely to appear the search was done more broadly, and abstracts and keywords of the documents were analysed. No time limit was set for the dataset generated. The results of the search were refined after checking the output to ensure that false results are excluded. To do so, 100 documents of the data were randomly reviewed, and the ones identified as false results were selected. Then, the keywords of the data with the false results were excluded from the search query. Refining the dataset was done until no false results were identified.


## 3. Data analysis

Throughout the search, nearly 51,000 documents were found. These cover different ocean engineering topics, ranging from the hydrodynamics of ships to the engineering of marine structures, and to the exploration of the ocean. Studies spanned from the early 20th century to today. The ideas presented in literature have grown exponentially over recent decades. Back in the first three decades of the 20th century studies were often carried out by mathematicians (e.g. Green, 1918). Researchers were mostly concerned with the dynamics and the stability of ships and submarines (e.g. Bertin, 1905; Lorenz, 1904; Siemann, 1909; White, 1906), ship resistance (e.g. Haack, 1903a, 1903b; Havelock, 1909; Lorenz, 1907), and propulsion (e.g. Ahlborn, 1905; Berg, 1918; Helling, 1907; Hildebrandt, 1903; Kaemmerer, 1914; Lorenz, 1907; Lucke, 1921; Riehn, 1919). In the following sub-sections, the emergence of major divisions and sub-divisions of the vast field of ocean engineering are identified and discussed.

### 3.1. Divisions of the field

In this section the patterns of co-occurred terms cited in the titles and abstracts documented are analysed, and the major divisions of ocean engineering field are identified. The co-occurred terms formed different clusters, marked with different colours, that are similar thematically to those presented in Fig. 1.

The size of the nodes as depicted in Fig. 1a indicates the number of term occurrences within each cluster. Overall, six major clusters which



**Fig. 1.** Co-occurred terms in the field of ocean engineering depicting the major divisions of the field (a). Spatial maps of average publication year (b) and average citation (c). An interactive map is accessible from: [https://app.vosviewer.com/?json=https://drive.google.com/uc?id=1UbV6LviTp7SPkacHHGjZ\\_rtwo7q3zteB](https://app.vosviewer.com/?json=https://drive.google.com/uc?id=1UbV6LviTp7SPkacHHGjZ_rtwo7q3zteB).

represent the main divisions of the field of ocean engineering were identified namely (1) “*Ocean Hydrodynamics*”, (2) “*Risk Assessment and Safety*”, (3) “*Ocean Climate and Geophysics: Field Data and Models*”, (4) “*Control and Automation in the Ocean*”, (5) “*Structural Engineering and Manufacturing for the Ocean*” and (6) “*Ocean Renewable Energy*”.

Cluster (1) deals with research of relevance to experimental, numerical, and theoretical modelling of fluid dynamic problems. It covers ship performance (e.g. Belibassis et al., 2013), interaction of water waves with structures (e.g. Das et al., 2018; Huang et al., 2022a; Meng and Zou, 2013; Meylan and Sturova, 2009; Zheng et al., 2020), the hydrodynamics of propellers (e.g. Behera and Sahoo, 2015), sea loads and responses (Hirdaris et al., 2014; Meylan, 2001) including fluid-structure interactions (FSI) of ships or any other floating objects (Behera and Sahoo, 2015; Hirdaris et al., 2003; Hosseinzadeh and Tabri, 2021; Hu et al., 2022; Lin and Lu, 2013). In cluster (1), “*equation*”, “*fluid*”, “*cfd*”, “*turbulence*”, and “*regular wave*” are the most repeated terms. This suggests that CFD (Computational Fluid Dynamics) methods are a hydrodynamic modelling tool that in recent years has been favoured by many ocean engineers and researchers who increasingly work toward SBD (Simulation Based Design; see Stern et al., 2015). From a fundamental engineering science perspective, the term “*turbulence*” is mostly linked to research performed using CFD (Pena and Huang, 2021a). This term is also evident in studies dealing with the breaking of

water waves (e.g. Augier et al., 2019; Babanin, 2006; Babanin and Haus, 2009; BADULIN et al., 2007; Deane et al., 2016; Ghantous and Babanin, 2014; Li et al., 2022; Nazarenko and Lukaschuk, 2016).

Cluster (2) comprises of scholarly documents addressing risk assessment in the ocean domain (e.g. Brandsater, 2002) including the exploitation of modern nuclear technology (Hirdaris et al., 2014), decision making (e.g. Shaobo et al., 2020; Wang et al., 2020; Xue et al., 2019), ship navigation (e.g. Fang et al., 2018), safety of ships and other marine structures (e.g. Bareiss and van den Berg, 2015), and ship traffic management (e.g. Zhou et al., 2019). The terms “*safety*”, “*industry*”, and “*activity*” characterise this cluster. This reflects that the output largely discusses industrial activities, and targets suppliers, companies, and ocean managers.

Cluster (3) highlights the geophysical aspects of the ocean that are linked to the ocean engineering space. This research division revolves around wave and wind data and modelling (e.g. Freeman et al., 2019; Hasager et al., 2011; Houser and Bluestein, 2011; Li et al., 2016; Najafzadeh et al., 2021; Thomas et al., 2005). Research in this area may be potentially used for the design of marine structures under concurrent or selected extreme events. More recently, research on sea ice motions and their effects on wave statistics grows (e.g. Najafzadeh et al., 2022; Zhao and Zhang, 2021). “*Observation*” is the most repeated term. This signifies that most research is conducted through physical observations

(b)




Fig. 1. (continued).

in a way that is usually understood by earth scientists and/or geophysicists (Sharp, 1988).

Cluster (4) covers research of relevance to the control of floating objects and vehicles in the ocean. Understanding directional control processes is useful for manoeuvring, dynamic positioning and navigational pathing of ships and FOI (e.g. Çimen and Banks, 2004; Nguyen et al., 2007; Perez and Donaire, 2009; Shih et al., 2012; Talha et al., 2017; Wang and Liu, 2021; Xia et al., 2019). Recently, studies relate more with the automation of unmanned surface or underwater vehicles (e.g. García-Valdovinos et al., 2014; Gu et al., 2019; Hou and Cheah, 2011; Liu et al., 2016; Ngatini et al., 2017; Ojha et al., 2020; Villa et al., 2016; Xiang et al., 2012; Yang and Gu, 2007), and the control of wave/wind/tidal energy converters (e.g. Deng et al., 2019; Gu et al., 2019; Wang et al., 2020). The design of controller systems, and their effects on dynamic stability of objects are studied in this cluster (e.g. Gu et al., 2019). “Control”, “controller”, “navigation” and “AUV” are the most frequently used subtopics.

Cluster (5) addresses ship structural design, ship strength including accidental loading (e.g. collisions and groundings) ship impact in waves and the overall ship building process (e.g. Akpan et al., 2002; Bhandari et al., 2015; Chen et al., 2003; Ehlers and Østby, 2012; Friis-Hansen and

Simonsen, 2002; Gordo and Soares, 2009; Guedes Soares et al., 2011; Kim et al., 2022a, 2022b; Mantari and Guedes Soares, 2012; Otto et al., 2002; Petry et al., 2022; Saad-Eldene et al., 2011a, 2011b; Soares and Teixeira, 2000; Tanaka et al., 2015; Yu and Amdahl, 2016; Zayed et al., 2018). “Plates”, “Steel”, “Joint” and “Collision” are the most repeated terms in this research division. This indicates that research is mostly focused on the mechanics of “thin wall structures”. However, both computational and experimental methods are utilised by researchers as much as practically possible.

Cluster (6) describes the accumulation of documents that investigate marine and offshore renewable energies. Insights into the potential sources (present day and future conditions) of renewable energy are presented in (e.g. Carballo et al., 2009; Castro-Santos et al., 2016; Fusco and Ringwood, 2010; Gonçalves et al., 2014a, 2014b; Iglesias et al., 2009; Iglesias and Carballo, 2010a, 2010b; Iglesias and Carballo, 2011, 2009; Ramos et al., 2013; Ribal et al., 2020; Rusu and Soares, 2009, 2012a; Silva et al., 2018; Veigas and Iglesias, 2013). Research in this area also focuses on methods that may be used for the extraction of ocean energy (e.g. Allen et al., 2016; Astariz and Iglesias, 2016; Babarit, 2015; Bergillos et al., 2019; Calvário et al., 2020; Chen et al., 2015; Depalo et al., 2022; Gaspar et al., 2018; Kamarlouei et al., 2022; López

(c)




Fig. 1. (continued).

et al., 2019; Rezanejad et al., 2019; Rezanejad and Guedes Soares, 2021, 2018; Veigas and Iglesias, 2015; Xiao et al., 2016; Xu et al., 2020; Zheng et al., 2019) and the environmental impact of renewable energy devices (e.g. Iglesias et al., 2018; Rusu and Soares, 2013). The keywords “wave energy converter”, “turbine” and “electricity” are the most widely used terms. This underscores that researchers primarily focus on the analysis of the performance of different ocean energy converters (OWC), the feasibility of developing these technologies and their potential environmental (operational) impact.

Fig. 1b and c presents two colour-coded maps that illustrate the average publication year of the papers and the average citation of documents respectively. The map presented in Fig. 1b is based on static data. This means that, there is no temporal progression and hence, no time history could be presented to assess the progress in each cluster. An exception to this is sub-section 3.3, for which the time history of its subdivisions (field sub-clusters) are presented.

In cluster (1) namely “Ocean Hydrodynamics”, the terms “*cfd*”, “*sph*”, “*bluff body*”, “*vof*”, “*fsi*” and “*large eddy simulations*” became increasingly evident in recent years (Fig. 1b). The term “*sph*” refers to “Smoothed Particle Hydrodynamics - *SPH*”, a computational method used for solving free surface flows that was introduced in early 1990s (Monaghan, 1994). The term “*vof*” refers to the well-known “Volume of


*Fluid – VOF*” method. This method is used to formulate air-water (or two-phase) flows. The term “*fsi*” stands for “*Fluid-Structure Interaction – FSI*” (also known as fluid-solid interaction). The terms “*Green function*”, “*water wave*”, “*free surface*” and “*equation*” are old terms from cluster (1). In recent years progress in the broader area of computational modelling of fluids, and more specifically FSI, led to a paradigm shift from theoretical to computational mechanics (e.g., Boundary Element for linear and weakly nonlinear hydrodynamics and CFD methods for nonlinear hydrodynamics). However, this does not mean that purely theoretical/analytical models are not important as they provide the fundamental background for research. Interestingly, papers including the terms “*water waves*”, “*nonlinear effects*”, “*sph*” are the most cited ones. This demonstrates the importance of advanced wave physics, and their interactions. It also suggests that SPH modelling of water waves and their effects on marine structures is a dynamic subfield of research. Overall, researchers dealing with cluster (1) have been very successful in the development of engineering science and new solutions (models), that may be used to optimize the design and/or operational performance of ships and FOIs. The development of computational models and tools (e.g. Bonnet, 2022; Cary et al., 2022; Mahfuz et al., 2021), the enhancement of engineering science of relevance to fluid dynamics, turbulence, free surface flows, and marine hydrodynamics, the

development of experimental methods that can measure fluid dynamic properties (e.g., Particle image velocimetry - PIV), and their effects (loads and fluid-induced dynamic motions) are only some examples. Researchers have not considered the influence of climate change effects on the design of ocean engineering artefacts. Perhaps a fundamental reason for this has been the traditional notional distancing between marine engineering and climate sciences.

In cluster (2) namely “*Risk Assessment and Safety*”, “*ais*”, “*preventing collision*” and “*data mining*” are the most recent co-occurrence terms. The terms “*server*”, “*image*” and “*radar*” are considered old. This implies that the researchers interested in cluster (2) are increasingly adopting machine learning methods and big data analyses techniques to address problems of significance (e.g. Sawada et al., 2021). Progress is supported by recent advances in Artificial Intelligence (AI) and the available AIS (Automatic Identification System) data. Some additional terms namely, “*fuel consumption*”, “*fuel saving*”, “*emissions*”, “*emission reductions*”, “*greenhouse gas emissions*”, “*NOx emission*” and “*sustainable*” strongly emerge in recently published papers, though they are not significantly occurred in the titles of publications and the abstracts of this cluster. These observations suggest that cluster (2) is gradually advancing toward sustainability which can be achieved by achieving improved operational expenditure (less cost for fuel assumption) by ships and improved adaptation to climate change targets (reduction of CO<sub>2</sub>, NOx and greenhouses emissions). Researchers dealing with cluster (2) have been successful in risk assessment and safety of relevance to ships and ocean engineering structures (e.g. Abaei et al., 2022, 2021; Bahoo-Toroody et al., 2022; Basnet et al., 2022; Chaal et al., 2022; Zhang et al., 2023; Zhang et al., 2022), offshore technology (e.g. Abaei et al., 2019; BahooToroody et al., 2016; Biehl and Lehmann, 2006; Gkoumas, 2010; Hallowell et al., 2018; Li et al., 2021; Meng et al., 2019; Ni et al., 2022; Toroody et al., 2016a, 2016b; Wang et al., 2022), and pipping (e.g. Arzaghi et al., 2018a, 2018b, 2017; Song et al., 2020). This is because

risk and safety models can be based on concepts of statistical and big data sciences. Some of the research and innovation presented in this area has similarities with other fields of engineering (e.g., safety science). Notwithstanding this, safety models have not been yet coupled with functional safety multiphysics models of relevance to the design and operation of ships and FOIs (e.g., wave loading, resistance in waves and seakeeping analysis models). The latter could be attributed to engineering and science complexity. In this area of work coupling numerical models with risk assessment methods remains difficult.

In cluster (3) namely “*Ocean Climate and Geophysics: Field data and Models*”, the most recent co-occurrence terms are “*dataset*”, “*wind data*”, “*wave energy resource*”, “*baltic sea*”, “*decline*” (Fig. 1c). The former three terms reflect the pressing need to mitigate climate change impacts by updating the wave and wind climate datasets. Accordingly, recent studies include the keywords “*dataset*”, “*wind data*”, and “*wave energy resource*”. Continuous reference to the “*baltic sea*” reflects the importance of this operational area for navigation under heavy marine traffic and ice infested conditions. The most cited papers mention key words such as “*observation*”, “*sea ice*”, “*arctic ocean*”, “*Antarctica*”, “*salinity*” and “*ice edges*”. This trend that has not been observed in clusters (1) and (2). It highlights that research performed in cluster (3) is of multidisciplinary scientific value (e.g., climate, geography, geophysics, meteorology, etc.). Studies falling under cluster (3), have been successful in terms of introducing methods for monitoring and modelling climate data (e.g., wave climate, sea level rise, extreme events, loss of ice extent, etc). Climate models focus mostly on wave modelling using parametrised equations (e.g. Arduin et al., 2010; Babanin et al., 2010; Banner et al., 2000; Cavalieri et al., 2007; Stora et al., 2016). However, climate modelling also depends on wind, bathymetry, ice extent, etc. data provided by earth - and geo - scientists. To date computational simulations of relevance to ice thinning and loss of ice extents are not that accurate primarily because of the very complicated mechanical



**Fig. 2.** A map showing all documents of the field of ocean engineering (data found through the search), generated by considering the bibliographic coupling.

properties of sea ice (Jeffries et al., 2013; Overland and Wang, 2013). Ice - water - flow interactions have been understood only within the context of linearity (Squire, 2018). With these challenges in mind, further work along the lines of research encompassed by clusters (1) and (5) may be considered advantageous. For example, experts of cluster (1) can provide more complicated models for nonlinear ice motions (e.g., Huang et al., 2019; Kostikov et al., 2022, 2021; Tavakoli et al., 2022a; Tran-Duc et al., 2020). On the other hand, researchers dealing with problems under cluster (5) may help deepen our understanding on the mechanical behaviour of ice (e.g. He et al., 2022; Lilja et al., 2021; Polojärvi, 2022; Juan Wang et al., 2020).

Most terms emerging under cluster (4) namely “*Control and Automation in the Ocean*” are found in recently published literature. Research in this area primarily supports the UN agenda for sustainable development and lower anthropogenic emissions by 2050. Terms such as “*energy efficiency*”, “*unmanned surface vehicles*” and “*optimization problems*” appear in the abstracts and titles of recently published documents under this cluster. This confirms that control engineers dealing with the ocean have been concerned with (1) reducing ship fuel consumption, (2) the automation of surface vehicles and (3) the overall optimisation of the performance of marine vehicles. Problems (1) and (3) are interconnected. This is because optimization of the hull form of a marine vehicle may reduce fuel consumption and improve environmental sustainability (Dashtimanesh et al., 2022). “*Automation of surfaced vehicles*” has also been recognised as the “*Next Revolution of Maritime Transportation*” (Wall Street Journal, 2016). In this field papers that received good number of citations include the terms “*control loop*”, “*control design*”, “*guidance law*”, and “*feedback law*”. Studies carried out in cluster (4) have been successful in terms of ship automation and control (e.g. Veitch et al., 2022). This is principally because control theories matured. However, this is not the case for the specialist case of fluid control around ships and FOIs. Examples are related to cases for which air bubbles (see air lubrication systems) are generated near the ship wall to minimize resistance forces (leading to drag reduction) or slamming loads (e.g. Elhimer et al., 2017; Ma et al., 2016; Wang et al., 2022). The possible reason is that such studies are mostly carried out by researchers dealing with cluster (1), and focus on the fluid motions.

In cluster (5) namely “*Structural Engineering and Manufacturing for the Ocean*”, most documents are relatively old. The most recent research used term is “*fea*” (Finite Element Analysis - FEA), a method that is mature and can be broadly used for computational modelling of structures. Other key words are “*abaqus*” (which is a very specific yet broadly accepted general FEA based code), “*fracture*”, and “*microstructure*”. The first two terms are related to coding and computational models used for solving solid dynamic problems and are being constantly updated. Interestingly, the terms related to meshless methods do not emerge as significant research trend. This is dissimilar to what was observed for cluster (1), in which research in meshless methods (e.g., SPH models) has been strongly evident. Papers that encompass the term “*microstructure*” emerge because of the advancement of technologies that allow for higher quality manufacturing methods (Wang et al., 2021; Zhang et al., 2022). It is recognised that state of the art manufacturing methods such as “*3D printing*” may lead to the production of lighter propulsion systems (e.g., propellers, structures and equipment as reported by Sandrine Ceurstemont, 2021). However, research intensity in this area is not evident and contradicts growing applications in other fields of engineering (Ngo et al., 2018). A reason could be the complicated structural topology of ship hulls and associated shipbuilding capital expenditure.

In cluster (6) namely “*Ocean Renewable Energy*”, the co-occurrence terms “*wave energy converter*”, “*offshore wind turbine*”, “*tidal turbine*”, “*wave farm*” and “*wind farm*” are broadly mentioned in abstracts and titles of recent papers. Research attempts to address new types of energy converters, the design of systems for efficient extraction of marine renewable energies, and the overall performance of energy production devices (e.g., converters, wind or tidal turbines). The terms “*wave energy*”, “*wave power*” and “*power density*” can be found in the abstracts and

titles of the papers that received the highest citations. Research papers and reports including these terms mostly discuss the concept of extraction of wave energy and examine the potential of wave and wind energy resources. Cluster (6) has been successful in terms of addressing different methods for energy extraction from the ocean along with the prediction of the future energy resources. This is mainly because the tools that can be potentially used for forecasting energy resources or for the estimation of power extraction are well developed and employed by researchers studying ocean renewable energy. Another possible reason for the success of this research cluster may be related to the fact that the performance of energy converters is often simulated using mathematical and numerical hydrodynamic models, which are well developed in cluster (1). Presently, it is hard to comment whether studies in this field have successfully considered environmental impact.

Similarity analysis for papers/reports found through the search was carried out as depicted in Fig. 2. The research documents that can be seen on the left corner of Fig. 2 cover “*Ocean Renewable Energy*” - cluster (6). The ones in the top corner of the same figure are papers that highlight “*Ocean Climate and Geophysics: Field data and Models*” - cluster (3). The two branches located at the right corner include documents that address: “*Risk Assessment and Safety*” - cluster (2) and “*Control and Automation in the Ocean*” - cluster (4). On the other hand, the documents that are in the centre and on the branches of the lower corner fall in the division of “*Ocean Hydrodynamics*” - cluster (1). The rest of documents that are in one of the branches of the lower corner relate to “*Structural Engineering and Manufacturing for the Ocean*” - cluster (5). It is noted that close topology of co-occurrence clusters implies similarity in terms of aims, findings, or the methods employed. Dashed lines (marked with a number under Fig. 2), highlight notional coincidences. The following key points should be highlighted:

- Documents presenting the performance of OWC, tidal energy turbines, and hydrodynamics of floating or fixed offshore wind turbines (e.g. Antonini et al., 2016; Benites-Munoz et al., 2020; Bourgoin et al., 2020; Delauré and Lewis, 2003; Gaurier et al., 2015; Hunter et al., 2015; Lisboa et al., 2018; Liu et al., 2011; Lloyd et al., 2021; Ma et al., 2018; Nguyen et al., 2020; Oikonomou et al., 2020; Renzi and Dias, 2012; Sun et al., 2021) are where clusters (1) - “*Ocean Hydrodynamics*” and (6) - “*Ocean Renewable Energy*” notionally coincide (see marker 1 in Fig. 2). The likely reason for this occurrence is that the study of different energy converters requires hydrodynamic modelling and analyses.
- Research papers and reports presenting wave, wind and tidal energy resources are where clusters (3) - “*Ocean Climate and Geophysics: Field data and Models*” and (6) - “*Ocean Renewable Energy*” meet (see marker 2, Fig. 2 and Khojasteh et al., 2022a, 2022b, 2018a, 2018b; Khojasteh and Kamali, 2016; Kirinus et al., 2018; Korotenko et al., 2020; Mirzaei et al., 2015; O’Hara Murray and Gallego, 2017; Robins et al., 2015; Rusu and Onea, 2017, 2013; Silva et al., 2015; Smith et al., 2017; Stopa et al., 2011; Tang et al., 2014a, 2014b; Ward et al., 2018). The reason for this co-occurrence is that some of the studies concerned with ocean energy require predictions of wave and wind climate to analyse the effects of climate change on energy resources.
- There is a big gap in the middle of the map presented in Fig. 2. This is because research papers dealing with fluid motion around objects are mostly related to environmental applications (e.g., mutual effects of human made structure/ships and the environment), and nature-related disciplines (e.g., mutual interaction of fluid flow and a viscoelastic ice layer) are positioned on the left edge of this gap (marked with number 3 in Fig. 2). These studies often focus on:
  - Wave-ice interactions (Bennetts and Squire, 2012; Santu Das et al., 2018; Huang and Thomas, 2019; Kohout et al., 2007, 2014, 2015; Kohout and Meylan, 2008; McGovern and Bai, 2014; Melsom, 1992; Nzokou et al., 2011; Rabault et al., 2016; Rogers et al., 2016; Squire, 2011, 2020; Voermans et al., 2021; Wu et al., 2021);

- Ship/ferries wake waves (Bellafiore et al., 2018; Ellingsen, 2014; Fujimura et al., 2010; Lin and Kuang, 2004; Machicoane et al., 2018; Moisy and Rabaud, 2014; Noblesse et al., 2014; Parnell et al., 2015; Pethiyagoda et al., 2014; Rabaud and Moisy, 2014; Reed and Milgram, 2002; SHEN et al., 2002; Tavakoli et al., 2022b; Tings, 2021; Torsvik et al., 2015; ZHU et al., 2008; Zilman et al., 2015);
  - Effects of fouling and antifouling on the performance of ships, propellers, and turbines (Andersson et al., 2020; Niebles Atencio and Chernoray, 2019; Owen et al., 2018; Schultz, 2007, 2004; Sezen et al., 2021b; Song et al., 2020; Ünal, 2015; Yeginbayeva and Atlar, 2018), and
  - Noise emission from propulsion systems and tidal turbines (Guo et al., 2021; Ku et al., 2020; Lidtke et al., 2016; Rosli et al., 2020; Sezen et al., 2021a).
- Research documents that use mathematical models, big data analysis techniques, empirical methods, and AI to study the interaction between ships and the environment are located on the right edge of the gap (see marker 4, Fig. 2). These documents fall into two categories namely:
- Reduction of ship emissions (e.g., Adland et al., 2020; Coraddu et al., 2017; Gkerekos et al., 2019; Li et al., 2020; Wang et al., 2018; Yan et al., 2018) and
  - Safer shipping in ice-covered waters (Bergström and Kujala, 2020; Browne et al., 2020; Jiang et al., 2018; Lehtola et al., 2019; Zhiyuan Li et al., 2020; Zhuang Li et al., 2020).
- Research documents on the third edge of this gap deal with Arctic routs, climate change and its effects on navigation and traffic in the Arctic as depicted by marker 5, Fig. 2 (e.g. Bennett et al., 2020; Cai et al., 2021; Chen et al., 2020; Drewniak et al., 2021; Gritsenko and Kiiski, 2016; Kotovirta et al., 2009; Ngo et al., 2018; Smith and Stephenson, 2013; Stopa et al., 2013; Stevenson et al., 2019; Wei et al., 2020).
- Research documents dealing with structural/reliability loading analysis of ships at sea (Gaspar et al., 2016; Halswell et al., 2016; Hoo Fatt and Sirivolu, 2017; Liang et al., 2002; Peng et al., 2019; Shi et al., 2016; Zayed et al., 2013; Zhu and Frangopol, 2013a), vibration (or shock response) of marine structures due to underwater explosions (Gannon, 2019; Geers and Hunter, 2002; Jin et al., 2019; Motley et al., 2011; Tran et al., 2021; Zhang and Yao, 2008), slamming and green water on decks (Chen et al., 2018; Faltinsen et al., 2004; Greco et al., 2014; Greco and Lugni, 2012; Hernández-Fontes et al., 2018, 2019, 2020; Jalalisendi et al., 2017; Korobkin, 2013; Korobkin and Iafrati, 2005; Korobkin and Khabakhpasheva, 2006; Reinhard et al., 2013; Shabani et al., 2018; Shams et al., 2015; Tassin et al., 2014; Temarel et al., 2016; Xue et al., 2021; Yan et al., 2022; Zekri et al., 2021), and the hydrodynamics of planing hulls (Biland et al., 2021, 2020; Dashtimanesh et al., 2020, 2019; Esfandiari et al.,

2020; Ghadimi et al., 2019, 2018, 2016a, 2016b; Hou et al., 2019; Judge et al., 2020; Kim et al., 2013; Kim and Kim, 2017; Morabito, 2015; Razola et al., 2016; Roshan et al., 2021; Sun and Faltinsen, 2011, 2007; Tavakoli et al., 2020, 2018a, 2018b; Tavakoli and Dashtimanesh, 2019, 2018) are located where clusters (1) - “*Ocean Hydrodynamics*” and (4) - “*Structural Engineering and Manufacturing for the Ocean*” meet (see marker 6 in Fig. 2). These studies describe the sea or explosion loads acting on marine structures or use those loads to analyse the response of these structures. The hydrodynamics of planning hulls are studied by classic slamming theory. Therefore, research concerned with the hydrodynamics of planning hulls is positioned in way of the borders of cluster 1 (“*Ocean Hydrodynamics*”) and 4 (“*Structural Engineering and Manufacturing for the Ocean*”).

- Research on ship manoeuvring (e.g. Battista et al., 2020; Alejandro M. Castro et al., 2011; Shen et al., 2015; Taimuri et al., 2020; Yoon et al., 2015), the hydrodynamics of ships equipped with motion stabilization devices (e.g. Böckmann and Steen, 2016; Ertogan et al., 2016; Huang et al., 2018; Lee et al., 2020; Ram et al., 2015), and the control of energy converters (e.g. Ding et al., 2020; Giorgi et al., 2020; Thomsen et al., 2017; Xu et al., 2021) is positioned on the border of clusters (5) - “*Control and Automation in the Ocean*” and (1) - “*Ocean Hydrodynamics*” marked with number (7) in Fig. 2. This is because some of the hydrodynamic models established to simulate dynamic motions of ships, underwater vehicles, and energy converters may be used by control engineers for different purposes (e.g., to control ship motions in waves while reducing fuel consumption).
- Research addressing collision avoidance methods/models is positioned at the intersection of cluster (2) - “*Risk Assessment and Safety*” and (5) - “*Control and Automation in the Ocean*” (e.g. Baldauf et al., 2017; Du et al., 2020; Ha et al., 2021; Huang et al., 2019; Johansen et al., 2016; Perera et al., 2015, 2011; Shah et al., 2016; Yang et al., 2019; Zaccone and Martelli, 2020). This suggests that control methods and algorithms may be applied to reduce the risk of ship collisions.

### 3.2. Gap analysis

The following research gaps were identified:

- 1) *Coupling of climate models with available models used for the design of ships and offshore structures.* The gaps in the similarity map (e.g., see cluster (3) in Fig. 2) show that the hydrodynamic-based studies (e.g., research dealing with ship performance and loads acting on marine structures), ship controls, and risk assessment of ships are of limited relevance to climate-based studies. Climate change effects can be linked to the decline of the ice extents (Stammerjohn et al., 2012; Wang and Overland, 2009), breaking of the ice shelves (Kim et al.,





Fig. 3. Suggested plan for future research in ocean engineering. Small boxes show some examples.



**Fig. 4.** A network view of document subclusters identified for ocean engineering. The figure illustrates key research sub-divisions. The title of each subcluster is chosen by the computer code and could not be changed in the map.

2015; Massom et al., 2018), and may result in sea-level rise (Fredrikse et al., 2020; Hooijer and Vernimmen, 2021; Kireci et al., 2020; Weber et al., 2021), or the emergence of more energetic wind and waves (Menéndez et al., 2008; Meucci et al., 2020a, 2020b; Stopa et al., 2013; Wang et al., 2012; Young et al., 2011, 2012; Young and Ribal, 2019). Climate change effects can cause larger waves, described by highly non-linear Gaussian Seas, leading to rogue waves (Akhmediev et al., 2009; Dudley et al., 2019; Dysthe et al., 2008a; Ma et al., 2022; Onorato et al., 2013). An example is the “New Year Wave” recorded on January 1st, 1995 (Clauss and Klein, 2011). In such conditions wave-induced motions on any floating object become strongly nonlinear (Miguel Onorato et al., 2013), can influence strength and significant speed loss may occur. Research that couples climate models and the existing models that are used to predict ship performance, or to design marine structures is limited (Aung and Umeda, 2020; Bitner-Gregerse et al., 2016a, 2016b; Gu et al., 2019; Jing et al., 2021; Lee et al., 2017; Mao and Rychlik, 2017; Orihara and Tsujimoto, 2018; Paravisi et al., 2019; Sasa et al., 2017, 2015; Taskar and Andersen, 2020).

2) *Wider use of machine learning in ocean engineering problems.* To date, machine learning methods boosted studies concerned with ship collision (“Risk Assessment and Safety” cluster), though it has not been broadly used in ocean engineering. The likely reason is that sufficient high-quality data are required to use different algorithms to train machines to predict different processes (see Jordan and Mitchell, 2015), such as ship motions in waves (Romero-Tello et al., 2022), and ship design (Çelik et al., 2021). Notwithstanding this, ship traffic data are constantly updated, and can be used to predict collision and grounding risk avoidance (e.g. Kong et al., 2016; Zhang et al., 2019). Some recent research studies adopted machine learning to predict fluid motions (Kim and Lee, 2020; Kou and Zhang, 2021; Lee and You, 2019; Pena and Huang, 2021b; Tracey et al., 2015), ship motions (Liu et al., 2020; Marlantes and Maki, 2022; Nie et al., 2020; Silva and Maki, 2022; Sun et al., 2022), marine traffic flow (Liu et al., 2022a, 2022b), wave/wind climate (Alexandre et al., 2015; Feltink

et al., 2022; Feng et al., 2017; Gopinath and Dwarakish, 2015; James et al., 2018; Ni and Ma, 2020; Peres et al., 2015; Rüttgers et al., 2019), climate change (Rolinck et al., 2023), and mechanical behaviour of thin-walled structures (Bui et al., 2014; Khatir et al., 2019; Truong et al., 2021; Wang et al., 2021). These studies suggest that machine learning methods can be applied more broadly in the field of safe and sustainable shipping (Huang et al., 2022b).

3) *The application of 3D printing in the maritime industry.* 3D printing methods are absent in between the co-occurrence terms (Fig. 1). Studies of relevance to the manufacturing of propellers and boats have been reported only recently (Bayramoğlu et al., 2019; Grammatikopoulos et al., 2021). These methods may be beneficial to (i) construct prototypes used in model testing (tank tests or open-water tests for measuring performance of propellers, (related to the “Ocean Hydrodynamics” cluster) and (ii) study the mechanical behaviour of materials used in marine structures and ships (related to the “Structural Engineering and Manufacturing for the Ocean” cluster).

4) *Aerosol transmissions onboard ships.* The emergence of COVID19 pandemic affected the economy, our lifestyle, education, energy consumption, health systems, food security (Giuntella et al., 2021; Kim, 2021; Yazir et al., 2020) and shipping (Wang et al., 2022). To date, research has been carried out with the aim to investigate the aerosol transmission in confined areas such as buildings (Chien et al., 2022; Pease et al., 2021), urban buses and trains (Ahmadzadeh and Shams, 2021). Aerosol transmissions in ships, especially cruise ships where hundreds of passengers reside onboard remains limited (Almilaji, 2021; Huang et al., 2022c).

5) *Application of meshfree methods.* Meshfree methods are useful for the solution of partial differential equations. As shown in Fig. 1, today they are widely used for solving free surface flows (e.g., wave breaking phenomena). In Fig. 2, a circle is drawn, marking papers that used the SPH method. These papers mostly deal with wave modelling and wave loads on fixed structures. Meshfree methods

**Table 1**

Details of subclusters of ocean engineering, including fundamental references and papers with highest coverage.

- subcluster id	- title	influential references	highest coverage citing articles
		highest local citation count	strongest citation burst (strength, duration)
- size			
- silhouette score			
- mean year (ref)			
- year range (ref)			
- mean year (citing)			
- subcluster 0	<i>Renewable energy of Ocean: Conceptualization</i>	<ol style="list-style-type: none"> <li>1. (Falcão, 2010) (715)</li> <li>2. (Falnes, 2002) (623)</li> <li>3. (Drew et al., 2009) (315)</li> <li>4. (Clément et al., 2002) (308)</li> <li>5. (Falnes, 2007) (304)</li> <li>6. (Babarit et al., 2012) (247)</li> <li>7. (Booij et al., 1999) (217)</li> <li>8. (Cummins et al., 1962) (206)</li> <li>9. (Cruz, 2008) (202)</li> <li>10. (Evans, 1976) (199)</li> <li>11. (Henderson, 2006) (190)</li> <li>12. (López et al., 2013) (173)</li> <li>13. (Dee et al., 2011) (151)</li> <li>14. (Babarit and Clément, 2006) (151)</li> <li>15. (Salter, 1974) (148)</li> <li>16. (Kofoed et al., 2006) (127)</li> <li>17. (Gunn and Stock-Williams, 2012) (125)</li> <li>18. (BUDAR and FALNES, 1975) (124)</li> </ol>	<ol style="list-style-type: none"> <li>1. (Cummins et al., 1962) (0.07)</li> <li>2. (Falcão, 2010) (0.04)</li> <li>3. (Falnes, 2002) (0.04)</li> <li>4. (Hasselmann et al., 1988) (0.02)</li> <li>5. (Evans, 1976) (0.02)</li> <li>6. (Clément et al., 2002) (0.02)</li> <li>7. (Booij et al., 1999) (0.02)</li> <li>1. (Clément et al., 2002) (31)</li> <li>2. (Faedo et al., 2017) (29)</li> <li>3. (Day et al., 2015) (28)</li> <li>4. (Ahamed et al., 2020) (26)</li> <li>5. (Crespo et al., 2017) (22)</li> <li>6. (Davidson and Costello, 2020) (21)</li> <li>7. (Göteman et al., 2020) (18)</li> <li>8. (Henriques et al., 2016b) (18)</li> <li>9. (Carballo et al., 2015) (17)</li> <li>10. (Gomes et al., 2016) (17)</li> <li>11. (Aderinto and Li, 2019) (17)</li> <li>12. (Fadaenejad et al., 2014) (17)</li> <li>13. (Falcão, 2010) (17)</li> <li>14. (Carballo et al., 2015) (17)</li> <li>15. (Gonçalves et al., 2014c) (16)</li> <li>16. (Henriques et al., 2016a) (16)</li> <li>17. (Carballo et al., 2014) (16)</li> <li>18. (Henriques et al., 2016b) (16)</li> <li>1. (Huang et al., 2020a) (25)</li> <li>2. (Do and Pan, 2009) (13)</li> <li>4. (Do, 2015a) (13)</li> <li>5. (Do, 2015b) (13)</li> <li>6. (Herman and Adamski, 2017) (12)</li> <li>7. (Li et al., 2015) (11)</li> <li>8. (Fredriksen and Pettersen, 2004) (10)</li> <li>9. (Do, 2015c) (10)</li> <li>10. (Do and Pan, 2004) (10)</li> <li>11. (Przemysław Herman and Adamski, 2017) (10)</li> </ol>
- subcluster 1	<i>Dynamic control and path tracking of marine vehicles</i>	<ol style="list-style-type: none"> <li>1. (Fossen, 1994) (778)</li> <li>2. (Fossen, 2011) (518)</li> <li>3. (Newman, 1977) (472)</li> <li>4. (Fossen, 2002) (394)</li> <li>5. (Faltinsen, 1993) (380)</li> <li>6. (Khalil, 2002) (220)</li> <li>7. (Fossen and Strand, 1999) (136)</li> <li>8. (Healey and Lienard, 1993) (124)</li> <li>9. (Sørensen, 2011) (102)</li> <li>10. (Krstic et al., 1995) (100)</li> <li>11. (Jiang, 2002) (98)</li> </ol>	<ol style="list-style-type: none"> <li>1. (Fossen, 1994) (65.04, 1996–2012)</li> <li>2. (Fossen, 2002) (54.04, 2005–2014)</li> <li>3. (Krstic et al., 1995) (31.13, 1998–2010)</li> <li>4. (Newman, 1977) (29.88, 1995–2012)</li> <li>5. (Fossen, 2011) (26.32, 2016–2019)</li> <li>6. (Healey and Lienard, 1993) (19.4, 2000–2011)</li> <li>7. (Faltinsen, 1993) (18.45, 2004–2013)</li> <li>8. (Khalil, 2002) (18.14, 2002–2015)</li> <li>9. (Jiang, 2002) (16.53, 2009–2016)</li> <li>10. (Perez, 2006) (15.76, 2008–2015)</li> <li>11. (Lefebvre et al., 2003) (15.44, 2009–2016)</li> <li>12. (Sfakiotakis et al., 1999) (13.82, 2006–2011)</li> <li>13. (Tee and Ge, 2006) (13.62, 2004–2017)</li> <li>14. (Ashrafioun et al., 2008) (13.4, 2012–2017)</li> <li>15. (Do and Pan, 2005) (10.42, 2012–2016)</li> </ol>

(continued on next page)

**Table 1 (continued)**

- subcluster id	- title	influential references			highest coverage citing articles
		highest local citation count	strongest citation burst (strength, duration)	highest centrality	
- size					
- silhouette score					
- mean year (ref)					
- year range (ref)					
- mean year (citing)					
- subcluster 2	<i>Hydroelastic motion of floating objects and marine vehicles</i>	1. ( <a href="#">Salvesen et al., 1970</a> ) (208) 2. ( <a href="#">Bishop and Price, 1979</a> ) (138) 3. ( <a href="#">Wehausen and Laitone, 1960</a> ) (129) 4. ( <a href="#">Watanabe et al., 2004</a> ) (87) 5. ( <a href="#">Hirdaris et al., 2014</a> ) (76) 6. ( <a href="#">Newman, 1994</a> ) (73) 7. ( <a href="#">Squire, 2007</a> ) (72) 8. ( <a href="#">Fox and Squire, 1994</a> ) (54) 9. ( <a href="#">Molin, 2001</a> ) (41)	1. ( <a href="#">Salvesen et al., 1970</a> ) (26.08, 2001–2011) 2. ( <a href="#">Wehausen and Laitone, 1960</a> ) (20.94, 1988–2008) 3. ( <a href="#">Watanabe et al., 2004</a> ) (20.19, 2005–2010) 4. ( <a href="#">John, 1950</a> ) (17.55, 1992–2011) 5. ( <a href="#">Squire, 2007</a> ) (17.44, 2009–2013) 6. ( <a href="#">Hess and Smith, 1964</a> ) (15.21, 2002–2011) 7. ( <a href="#">Newman, 1994</a> ) (15.07, 2006–2014) 8. ( <a href="#">Bishop and Price, 1979</a> ) (14.12, 1998–2012) 9. ( <a href="#">Fox and Squire, 1994</a> ) (10.72, 2006–2013) 10. ( <a href="#">Newman, 1979</a> ) (10.66, 1991–2007) 11. ( <a href="#">Dawson, 1977</a> ) (10.62, 1998–2005) 12. ( <a href="#">Linton and McIver, 2001</a> ) (9.99, 2012–2016)	1. ( <a href="#">Salvesen et al., 1970</a> ) (0.04) 2. ( <a href="#">Wehausen and Laitone, 1960</a> ) (0.04) 3. ( <a href="#">Fonseca and Soares, 1998</a> ) (0.02) 4. ( <a href="#">Bishop and Price, 1979</a> ) (0.01) 5. ( <a href="#">Watanabe et al., 2004</a> ) (0.01) 6. ( <a href="#">Newman, 1994</a> ) (0.01) 7. ( <a href="#">Fox and Squire, 1994</a> ) (0.01) 8. ( <a href="#">John, 1950</a> ) (0.01) 9. ( <a href="#">Chwang, 1983</a> ) (0.01) 10. ( <a href="#">Chen et al., 2006</a> ) (0.01) 11. ( <a href="#">Abramowitz and Stegun, 1965</a> ) (0.01)	1. ( <a href="#">Xing, 2019</a> ) (18) 2. ( <a href="#">Squire, 2008</a> ) (12) 3. ( <a href="#">Squire, 2008</a> ) (12) 4. ( <a href="#">Chen et al., 2006</a> ) 5. ( <a href="#">Senjanovic et al., 2008</a> ) (10) 6. ( <a href="#">Kyoung et al., 2005</a> ) (9) 7. ( <a href="#">Senjanovic et al., 2008</a> ) (9)
- S = 165					
- SS = 0.863					
- MY(ref) = 1989					
- YR(ref) = 1908–2018					
- MY(citing) = 2010					
- subcluster 3	<i>CFD modelling of processes in upper oceanic boundary layer</i>	1. ( <a href="#">Hirt and Nichols, 1981</a> ) (460) 2. ( <a href="#">MENTER, 1994</a> ) (396) 3. ( <a href="#">Jacobsen et al., 2012</a> ) (174) 4. ( <a href="#">Celik et al., 2008</a> ) (107) 5. ( <a href="#">Tezdogan et al., 2015</a> ) (102) 6. ( <a href="#">Carrica et al., 2007</a> ) (90) 7. ( <a href="#">Stern et al., 2001</a> ) (90) 8. ( <a href="#">LONGUETHIGGINS and COKELET, 1976</a> ) (85) 9. ( <a href="#">Weller et al., 1998</a> ) (83) 10. ( <a href="#">Issa, 1986</a> ) (81) 11. ( <a href="#">Ferziger and Peric, 2012</a> ) (79) 12. ( <a href="#">Carlton, 2012</a> ) (66) 13. ( <a href="#">Higuera et al., 2013</a> ) (63) 14. ( <a href="#">Penalba et al., 2017</a> ) (63)	1. ( <a href="#">Jacobsen et al., 2012</a> ) (14.96, 2017–2021) 2. ( <a href="#">LONGUETHIGGINS and COKELET, 1976</a> ) (14.7, 2008–2014) 3. ( <a href="#">Young, 2008</a> ) (13.17, 2010–2014) 4. ( <a href="#">Carlton, 2012</a> ) (12.76, 2017–2021) 5. ( <a href="#">Carrica et al., 2007</a> ) (11.93, 2007–2013) 6. ( <a href="#">Lin and Liu, 1998</a> ) (10.02, 2006–2014)	1. ( <a href="#">Hirt and Nichols, 1981</a> ) (0.04) 2. ( <a href="#">Ferziger and Peric, 2012</a> ) (0.03) 3. ( <a href="#">Celik et al., 2008</a> ) (0.02) 4. ( <a href="#">LONGUETHIGGINS and COKELET, 1976</a> ) (0.02) 5. ( <a href="#">Jacobsen et al., 2012</a> ) (0.01) 6. ( <a href="#">Carrica et al., 2007</a> ) (0.01) 7. ( <a href="#">Issa, 1986</a> ) (0.01) 8. ( <a href="#">Osher and Sethian, 1988</a> ) (0.01) 9. ( <a href="#">Chorin, 1968</a> ) (0.01) 10. ( <a href="#">Young, 2008</a> ) (0.01) 11. ( <a href="#">Windt et al., 2018</a> ) (0.01) 12. ( <a href="#">Chase and Carrica, 2013</a> ) (0.01) 13. ( <a href="#">Alejandro M Castro et al., 2011</a> ) (0.01) 14. ( <a href="#">LIN and LIU, 1998</a> ) (0.01) 15. ( <a href="#">FELLI et al., 2011</a> ) (0.01) 16. ( <a href="#">DONG et al., 1997</a> ) (0.01) 17. ( <a href="#">Orlanski, 1976</a> ) (0.01) 18. ( <a href="#">Kerwin and Lee, 1978</a> ) (0.01) 19. ( <a href="#">Chakrabarti, 2001</a> ) (0.01)	1. ( <a href="#">Gomes et al., 2020</a> ) (18) 2. ( <a href="#">Huang and Huang, 2021</a> ) (16) 3. ( <a href="#">Deng et al., 2021</a> ) (15) 4. ( <a href="#">Chen et al., 2021</a> ) (14) 5. ( <a href="#">Deng et al., 2019</a> ) (13) 6. ( <a href="#">Davidson and Costello, 2020</a> ) (13) 7. ( <a href="#">Deng et al., 2020</a> ) (12) 8. ( <a href="#">Green et al., 2021</a> ) (10) 9. ( <a href="#">Chow et al., 2019</a> ) (10)
- S = 150					
- SS = 0.849					
- MY(ref) = 2002					
- YR(ref) = 1960–2020					
- MY(citing) = 2010					
- subcluster 4	<i>Freak waves and wave statistics</i>	1. ( <a href="#">Lamb, 1932</a> ) (190) 2. ( <a href="#">Zakharov, 1968</a> ) (101) 3. ( <a href="#">Kharif and Pelinovsky, 2003</a> ) (65) 4. ( <a href="#">Hasselmann, 1962</a> ) (64) 5. ( <a href="#">Zakharov et al., 1992</a> ) (56) 6. ( <a href="#">Janssen, 2003</a> ) (53) 7. ( <a href="#">Komen et al., 1994</a> ) (44) 8. ( <a href="#">Benjamin and Feir, 1967</a> ) (38)	1. ( <a href="#">Hasselmann, 1962</a> ) (20.93, 1992–2010) 2. ( <a href="#">Janssen, 2003</a> ) (20.18, 2004–2015) 3. ( <a href="#">Zakharov et al., 1992</a> ) (18.18, 2002–2015) 4. ( <a href="#">Kharif and Pelinovsky, 2003</a> ) (17.08, 2006–2011) 5. ( <a href="#">Zakharov, 1968</a> ) (16.4, 2007–2011) 6. ( <a href="#">Socquet-Juglard et al., 2005</a> ) (15.46, 2007–2011) 7. ( <a href="#">Lamb, 1932</a> ) (15.06, 1992–2010)	1. ( <a href="#">Lamb, 1932</a> ) (0.09) 2. ( <a href="#">Hasselmann, 1962</a> ) (0.02) 3. ( <a href="#">Janssen, 2003</a> ) (0.01) 4. ( <a href="#">Komen et al., 1994</a> ) (0.01) 5. ( <a href="#">Benjamin and Feir, 1967</a> ) (0.01) 6. ( <a href="#">Phillips, 1977</a> ) (0.01) 7. ( <a href="#">Mei, 1989</a> ) (0.01) 8. ( <a href="#">Plant, 1982</a> ) (0.01) 9. ( <a href="#">Harlow and Welch, 1965</a> ) (0.01)	1. ( <a href="#">Toffoli et al., 2010</a> ) (14) 2. ( <a href="#">Ruban, 2010a</a> ) (14) 3. ( <a href="#">Ruban, 2010b</a> ) (13) 4. ( <a href="#">Toffoli et al., 2009</a> ) (12) 5. ( <a href="#">Jenkins, 1993</a> ) (11) 6. ( <a href="#">Kharif et al., 2009</a> ) (10) 7. ( <a href="#">Adcock and Taylor, 2009</a> ) (10) 8. ( <a href="#">Zhou and Mendoza, 1993</a> ) (10)
- S = 137					
- SS = 0.903					
- MY(ref) = 1987					
- YR(ref) = 1932–2014					
- MY(citing) = 2007					

(continued on next page)

**Table 1 (continued)**

- subcluster id	- title	influential references	highest coverage citing articles	
		highest local citation count	strongest citation burst (strength, duration)	highest centrality
- size				
- silhouette score				
- mean year (ref)				
- year range (ref)				
- mean year (citing)				
- subcluster 5	<i>Hydrodynamic of OWC</i>			
- S = 132				
- SS = 0.948				
- MY(ref) = 2000				
- YR(ref) = 1965–2020				
- MY(citing) = 2017				
- subcluster 6	<i>Wave breaking and internal gravity waves</i>			
- S = 130				
- SS = 0.961				
- MY(ref) = 1984				
- YR(ref) = 1871–2003				
- MY(citing) = 1998				
- subcluster 7	<i>Smoothed Particle Hydrodynamics</i>			
- S = 124				
- SS = 0.951				
- MY(ref) = 2000				
- YR(ref) = 1929–2019				
- MY(citing) = 2015				
8. ( <a href="#">Mei, 1989</a> ) (14.98, 2001–2011)	10. ( <a href="#">McWilliams et al., 1997</a> ) (0.01)	9. ( <a href="#">Chalikov, 2005</a> ) (10)		
9. ( <a href="#">Phillips, 1977</a> ) (14.8, 1994–2006)	11. ( <a href="#">Belcher and Hunt, 1993</a> ) (0.01)	10. ( <a href="#">Belcher et al., 1994</a> ) (10)		
10. ( <a href="#">Komen et al., 1994</a> ) (12.81, 2003–2014)	12. ( <a href="#">Andrews and McIntyre, 1978</a> ) (0.01)			
11. ( <a href="#">Benjamin and Feir, 1967</a> ) (10.94, 2000–2011)				
12. ( <a href="#">Dysthe et al., 2008b</a> ) (10.84, 2010–2016)				
13. ( <a href="#">Plant, 1982</a> ) (10.01, 1991–2002)				
1. ( <a href="#">Falcão and Henriques, 2016</a> ) (202)	1. ( <a href="#">Torre-Enciso et al., 2009</a> ) (15.26, 2016–2019)	1. ( <a href="#">Falcão and Henriques, 2016</a> ) (21)		
2. ( <a href="#">Sarmento and Falcão, 1985</a> ) (128)	2. ( <a href="#">López et al., 2013</a> ) (14.26, 2016–2019)	2. ( <a href="#">Wang and Zhang, 2021a</a> ) (20)		
3. ( <a href="#">Evans, 1982</a> ) (128)	3. ( <a href="#">Ning et al., 2016</a> ) (13.07, 2017–2021)	3. ( <a href="#">Wang et al., 2021</a> ) (19)		
4. ( <a href="#">Falcão and Justino, 1999</a> ) (111)	4. ( <a href="#">McCormick, 2007</a> ) (11.81, 2010–2017)	4. ( <a href="#">Elhanafi et al., 2017b</a> ) (19)		
5. ( <a href="#">He et al., 2013</a> ) (85)	5. ( <a href="#">Abramowitz and Stegun, 1965</a> ) (11.68, 1999–2012)	5. ( <a href="#">Zhao et al., 2021</a> ) (19)		
6. ( <a href="#">Raghunathan, 1995</a> ) (83)	6. ( <a href="#">Raghunathan, 1995</a> ) (11.15, 1999–2006)	6. ( <a href="#">Ning et al., 2020</a> ) (18)		
7. ( <a href="#">Heath, 2012</a> ) (82)	7. ( <a href="#">Setoguchi et al., 2001</a> ) (10.38, 2004–2007)	7. ( <a href="#">Wang and Zhang, 2021b</a> ) (17)		
8. ( <a href="#">Mustapa et al., 2017</a> ) (79)	8. ( <a href="#">He and Huang, 2014</a> ) (10.36, 2017–2021s)	8. ( <a href="#">Chen et al., 2021</a> ) (17)		
9. ( <a href="#">Falcão and Henriques, 2014</a> ) (73)		9. ( <a href="#">Wang and Zhang, 2021a</a> ) (17)		
10. ( <a href="#">Setoguchi and Takao, 2006</a> ) (73)		10. ( <a href="#">B. Guo et al., 2021</a> ) (16)		
11. ( <a href="#">Ning et al., 2016</a> ) (72)		11. ( <a href="#">A. J.C. Crespo et al., 2017</a> ) (15)		
		12. ( <a href="#">Elhanafi et al., 2017a</a> ) (15)s		
		13. ( <a href="#">He et al., 2017</a> )		
1. ( <a href="#">Gill, 1982</a> ) (49)	1. ( <a href="#">Gill, 1982</a> ) (23.75, 1992–2008)	1. ( <a href="#">Wurtele et al., 1996</a> ) (15)		
2. ( <a href="#">Fritts and Alexander, 2003</a> ) (43)	2. ( <a href="#">Fritts and Alexander, 2003</a> ) (21.36, 2005–2013)	2. ( <a href="#">Thorpe, 2005</a> ) (14)		
3. ( <a href="#">Mellor and Yamada, 1982</a> ) (41)	3. ( <a href="#">Lindzen, 1981</a> ) (18.33, 1987–1997)	3. ( <a href="#">Andreasen et al., 1998</a> ) (14)		
4. ( <a href="#">Jeong and Hussain, 1995</a> ) (36)	4. ( <a href="#">Mellor and Yamada, 1982</a> ) (13.28, 2010–2014)	4. ( <a href="#">Fritts et al., 1996</a> ) (13)		
5. ( <a href="#">Lindzen, 1981</a> ) (28)	5. ( <a href="#">Fritts et al., 1994</a> ) (10.43, 1996–2005)	5. ( <a href="#">Fritts et al., 1998</a> ) (12)		
6. ( <a href="#">Miles, 1961</a> ) (18)	6. ( <a href="#">Andreassen et al., 1994</a> ) (10.43, 1996–2005)	6. ( <a href="#">Embid and Majda, 1998</a> ) (11)		
		7. ( <a href="#">Majda and Embid, 1998</a> ) (10)		
		8. ( <a href="#">Lin et al., 1998</a> ) (10)		
1. ( <a href="#">Gingold and Monaghan, 1977</a> ) (220)	1. ( <a href="#">Batchelor, 2000</a> ) (0.04)	1. ( <a href="#">Liu and Zhang, 2019</a> ) (23)		
2. ( <a href="#">Monaghan, 1994</a> ) (206)	2. ( <a href="#">Zhao and Faltinsen, 1993</a> ) (0.03)	2. ( <a href="#">Cheng et al., 2019</a> ) (15)		
3. ( <a href="#">Wagner, 1932</a> ) (200)	3. ( <a href="#">Monaghan, 1992</a> ) (0.02)	3. ( <a href="#">Gotoh et al., 2021</a> ) (15)		
4. ( <a href="#">Lucy, 1977</a> ) (163)	4. ( <a href="#">Cole, 1948</a> ) (0.02)	4. ( <a href="#">Khayyer et al., 2021b</a> ) (14)		
5. ( <a href="#">Zhao and Faltinsen, 1993</a> ) (162)	5. ( <a href="#">Mei et al., 1999</a> ) (13.07, 2013–2017)	5. ( <a href="#">He et al., 2021</a> ) (13)		
6. ( <a href="#">Monaghan, 1992</a> ) (160)	6. ( <a href="#">Smagorinsky, 1963</a> ) (11.13, 2006–2012)	6. ( <a href="#">Rakhsha et al., 2019</a> ) (13)		
7. ( <a href="#">Faltinsen, 2006</a> ) (150)	7. ( <a href="#">Howison et al., 1991</a> ) (11.23, 2000–2013)	7. ( <a href="#">P.N. Sun et al., 2019</a> ) (14)		
8. ( <a href="#">Colagrossi and Landrini, 2003</a> )		8. ( <a href="#">Tagliafierro et al., 2021</a> ) (13)		
9. ( <a href="#">Savitsky, 1964</a> ) (118)				
10. ( <a href="#">Monaghan, 2005</a> ) (111)				
		(continued on next page)		

**Table 1 (continued)**

- subcluster id	- title	influential references	highest coverage citing articles	
		highest local citation count	strongest citation burst (strength, duration)	highest centrality
- size				
- silhouette score				
- mean year (ref)				
- year range (ref)				
- mean year (citing)				
- subcluster 8	<i>Collision Risk and Marine Traffic</i>	<p>8. (<a href="#">Cummins and Rudman, 1999</a>) (10.82, 2013–2016)</p> <p>9. (<a href="#">Koshizuka et al., 1998</a>) (10.64, 2014–2017)</p> <p>10. (<a href="#">Wendland, 1995</a>) (10.53., 2017–2021)</p>	<p>9. (<a href="#">Vandamme et al., 2011</a>) (13)</p> <p>10. (<a href="#">Liu and Zhang, 2019</a>)</p> <p>11. (<a href="#">Khayyer and Gotoh, 2011</a>) (12)</p> <p>12. (<a href="#">Khayyer et al., 2021b</a>) (12)</p>	
- S = 106				
- SS = 0.982				
- MY(ref) = 2011				
- YR(ref) = 1971–2020				
- MY(citing) = 2019				
- subcluster 9	<i>Sea ice motion</i>	<p>1. (<a href="#">Fujii and Tanaka, 1971</a>) (116)</p> <p>2. (<a href="#">Goodwin, 1975</a>) (109)</p> <p>3. (<a href="#">Mou et al., 2010</a>) (76)</p> <p>4. (<a href="#">Silveira et al., 2013</a>) (67)</p> <p>5. (<a href="#">Montewka et al., 2010</a>) (65)</p> <p>6. (<a href="#">Szlapczynski and Szlapczynska, 2017</a>) (62)</p> <p>7. (<a href="#">Qu et al., 2011</a>) (62)</p> <p>8. (<a href="#">Statheros et al., 2008</a>) (60)</p> <p>9. (<a href="#">Goerlandt and Montewka, 2015</a>) (55)</p>	<p>1. (<a href="#">Kuwata et al., 2014</a>) (9.94, 2016–2019)</p> <p>2. (<a href="#">Goerlandt and Kujala, 2011</a>) (9.29, 2012–2015)</p> <p>3. (<a href="#">Montewka et al., 2010</a>) (8.71, 2011–2015)</p> <p>4. (<a href="#">Tsou et al., 2010</a>) (5.96, 2014–2017)</p> <p>5. (<a href="#">Davis et al., 1980</a>) (5.15, 2016–2019)</p>	<p>1. (<a href="#">Montewka et al., 2010</a>) (0.04)</p> <p>2. (<a href="#">Kuwata et al., 2014</a>) (0.03)</p> <p>3. (<a href="#">Soares and Teixeira, 2001</a>) (0.03)</p> <p>4. (<a href="#">Statheros et al., 2008</a>) (0.01)</p> <p>5. (<a href="#">Tam et al., 2009</a>) (0.01)</p> <p>6. (<a href="#">Valdez Banda et al., 2015</a>) (0.01)</p> <p>7. (<a href="#">Huntsberger et al., 2011</a>) (0.01)</p>
- S = 105				
- SS = 0.988				
- MY(ref) = 1992				
- YR(ref) = 1958–2009				
- MY(citing) = 2002				
- subcluster 10	<i>Theoretical and Statistical Analyses of Response of Structures to waves</i>	<p>1. (<a href="#">Karl et al., 1996</a>) (88)</p> <p>2. (<a href="#">Hibler, 1979</a>) (69)</p> <p>3. (<a href="#">Thorndike and Colony, 1982</a>) (52)</p> <p>4. (<a href="#">Kwok et al., 1998</a>) (48)</p> <p>5. (<a href="#">Rothrock et al., 1999</a>) (35)</p> <p>6. (<a href="#">Aagaard and Carmack, 1989</a>) (27)</p>	<p>1. (<a href="#">Hibler, 1979</a>) (27.8, 1989–2011)</p> <p>2. (<a href="#">Thorndike and Colony, 1982</a>) (24.46, 1989–2008)</p> <p>3. (<a href="#">Kwok, 2000</a>) (23.57, 2000–2012)</p> <p>4. (<a href="#">Rothrock et al., 2000</a>) (20.38, 2001–2009)</p> <p>5. (<a href="#">Karl et al., 1996</a>) (17.19, 1999–2014)</p> <p>6. (<a href="#">Aagaard and Carmack, 1989</a>) (11.23, 1996–2008)</p> <p>7. (<a href="#">Agnew et al., 1997</a>) (11.23, 2000–2006)</p>	<p>1. (<a href="#">Karl et al., 1996</a>) (0.03)</p> <p>2. (<a href="#">Hibler, 1979</a>) (0.03)</p> <p>3. (<a href="#">Thorndike and Colony, 1982</a>) (0.02)</p> <p>4. (<a href="#">Rothrock et al., 1999</a>) (0.02)</p>
- S = 80				
- SS = 0.933				
- MY(ref) = 1984				
- YR(ref) = 1944–2011				
- MY(citing) = 2009				
- subcluster 11	<i>Wind and wave interactions</i>	<p>1. (<a href="#">Morison et al., 1950</a>) (218)</p> <p>2. (<a href="#">Pierson Jr. and Moskowitz, 1964</a>) (148)</p> <p>3. (<a href="#">Sarpkaya and Isaacson, 1981a</a>) (110)</p> <p>4. (<a href="#">France et al., 2003</a>) (53)</p> <p>5. (<a href="#">Chakrabarti, 1987</a>) (52)</p> <p>6. (<a href="#">Fenton, 1985</a>) (45)</p>	<p>1. (<a href="#">Sarpkaya and Isaacson, 1981a</a>) (23.24, 1999–2011)</p> <p>2. (<a href="#">Sarpkaya and Isaacson, 1981b</a>) (15.83, 1991–1996)</p> <p>3. (<a href="#">Falzarano et al., 1992</a>) (14.19, 1999–2010)</p> <p>4. (<a href="#">France et al., 2003</a>) (11.02, 2006–2012)</p>	<p>1. (<a href="#">Pierson Jr. and Moskowitz, 1964</a>) (0.07)</p> <p>2. (<a href="#">Sarpkaya and Isaacson, 1981a</a>) (0.05)</p> <p>3. (<a href="#">Morison et al., 1950</a>) (0.01)</p> <p>4. (<a href="#">Chakrabarti, 1987</a>) (0.01)</p> <p>5. (<a href="#">Thompson, 1997</a>) (0.01)</p>
- S = 75				
- SS = 0.928				
- MY(ref) = 1974				
- YR(ref) = 1934–2011				
- MY(citing) = 2008				
- subcluster 12	<i>Marine hydrokinetic energy conversion</i>	<p>1. (<a href="#">Bergman et al., 2010</a>) (10.2)</p> <p>2. (<a href="#">Bergman et al., 2011</a>) (9.2)</p> <p>3. (<a href="#">Bergman et al., 2012</a>) (8.2)</p> <p>4. (<a href="#">Bergman et al., 2013</a>) (7.2)</p> <p>5. (<a href="#">Bergman et al., 2014</a>) (6.2)</p> <p>6. (<a href="#">Bergman et al., 2015</a>) (5.2)</p>	<p>1. (<a href="#">Bergman et al., 2010</a>) (0.07)</p> <p>2. (<a href="#">Bergman et al., 2011</a>) (0.06)</p> <p>3. (<a href="#">Bergman et al., 2012</a>) (0.05)</p> <p>4. (<a href="#">Bergman et al., 2013</a>) (0.04)</p> <p>5. (<a href="#">Bergman et al., 2014</a>) (0.03)</p> <p>6. (<a href="#">Bergman et al., 2015</a>) (0.02)</p>	<p>1. (<a href="#">Bergman et al., 2010</a>) (10.2)</p> <p>2. (<a href="#">Bergman et al., 2011</a>) (9.2)</p> <p>3. (<a href="#">Bergman et al., 2012</a>) (8.2)</p> <p>4. (<a href="#">Bergman et al., 2013</a>) (7.2)</p> <p>5. (<a href="#">Bergman et al., 2014</a>) (6.2)</p> <p>6. (<a href="#">Bergman et al., 2015</a>) (5.2)</p>
- S = 70				
- SS = 0.923				
- MY(ref) = 1973				
- YR(ref) = 1933–2011				
- MY(citing) = 2007				

(continued on next page)

**Table 1 (continued)**

- subcluster id	- title	influential references			- highest coverage citing articles
		highest local citation count	strongest citation burst (strength, duration)	highest centrality	
- size					
- silhouette score					
- mean year (ref)					
- year range (ref)					
- mean year (citing)					
- subcluster 11	<i>Hydrodynamic of tidal turbines</i>	1. ( <a href="#">Bahaj et al., 2007b</a> ) (156) 2. ( <a href="#">Mycek et al., 2014</a> ) (75) 3. ( <a href="#">Bahaj et al., 2007a</a> ) (61) 4. ( <a href="#">Pelc and Fujita, 2002</a> ) (55) 5. ( <a href="#">Pope, 2000</a> ) (50) 6. ( <a href="#">Turner et al., 2002</a> ) (47) 7. ( <a href="#">Batten et al., 2008</a> ) (47) 8. ( <a href="#">Garrett and Cummins, 2007</a> ) (46) 9. ( <a href="#">Khan et al., 2009</a> ) (45)	1. ( <a href="#">Bahaj et al., 2007a</a> ) (12.61, 2012–2016) 2. ( <a href="#">Khan et al., 2009</a> ) (12.61, 2012–2016) 3. ( <a href="#">Rourke et al., 2010</a> ) (11.91, 2013–2017) 4. ( <a href="#">Bahaj et al., 2007b</a> ) (11.24, 2012–2015)	1. ( <a href="#">Bahaj et al., 2007b</a> ) (0.03) 2. ( <a href="#">Pelc and Fujita, 2002</a> ) (0.01) 3. ( <a href="#">Turner et al., 2002</a> ) (0.01) 4. ( <a href="#">Lewis et al., 2015</a> ) (0.01)	8. ( <a href="#">Najafian, 2007e</a> ) (7) 9. ( <a href="#">Jiang et al., 2000</a> ) (7) 1. ( <a href="#">Ng et al., 2013</a> ) (17) 2. ( <a href="#">Zhang et al., 2020</a> ) (15) 3. ( <a href="#">Thiébot et al., 2020</a> ) (10) 4. ( <a href="#">Io Brutto et al., 2016a</a> ) (9) 5. ( <a href="#">Edmunds et al., 2020</a> ) (9) 6. ( <a href="#">Nachtane et al., 2020</a> ) (9) 7. ( <a href="#">Io Brutto et al., 2016b</a> ) (9) 8. ( <a href="#">Michelet et al., 2020</a> ) (8) 9. ( <a href="#">Hill et al., 2020</a> ) (8) 10. ( <a href="#">Thiébaut et al., 2020</a> ) (8)
- S = 68					
- SS = 0.982					
- MY(ref) = 2009					
- YR(ref) = 1983–2019					
- MY(citing) = 2017					
- subcluster 12	<i>Hydrodynamic of offshore wind turbines</i>	1. ( <a href="#">Jonkman et al., 2009</a> ) (216) 2. ( <a href="#">Roddier et al., 2010</a> ) (109) 3. ( <a href="#">Jonkman, 2010</a> ) (71) 4. ( <a href="#">Robertson et al., 2014</a> ) (59) 5. ( <a href="#">IEC, 2009</a> ) (43) 6. ( <a href="#">Coulling et al., 2013</a> ) (43) 7. ( <a href="#">Robertson et al., 2017</a> ) (42)		1. ( <a href="#">Schilling et al., 2012</a> ) (0.02) 2. ( <a href="#">Roddier et al., 2010</a> ) (0.01) 3. ( <a href="#">Jonkman et al., 2009</a> ) (0.01)	1. ( <a href="#">Yuri Bazilevs et al., 2012</a> ) (23) 2. ( <a href="#">Akkerman et al., 2012</a> ) (19) 3. ( <a href="#">Y. Bazilevs et al., 2012a</a> ) (19) 4. ( <a href="#">Y. Bazilevs et al., 2012b</a> ) (19) 5. ( <a href="#">Akkerman et al., 2011</a> ) (16) 6. ( <a href="#">Schilling et al., 2012</a> ) (9) 7. ( <a href="#">Schilling et al., 2012</a> ) (8)
- S = 54					
- SS = 0.978					
- MY(ref) = 2007					
- YR(ref) = 1981–2020					
- MY(citing) = 2017					
- subcluster 13	<i>Ship structure</i>	1. ( <a href="#">Paik and Thayamballi, 2003</a> ) (76) 2. ( <a href="#">Alsos et al., 2009</a> ) (42) 3. ( <a href="#">Hughes et al., 2010</a> ) (39) 4. ( <a href="#">Minorsky, 1958</a> ) (36) 5. ( <a href="#">Smith, 1977</a> ) (30) 6. ( <a href="#">Alsos and Amdahl, 2009</a> ) (29) 7. ( <a href="#">Caldwell, 1965</a> ) (27)	1. ( <a href="#">Paik and Thayamballi, 2003</a> ) (17.54, 2007–2015) 2. ( <a href="#">Alsos et al., 2009</a> ) (14.58, 2012–2015) 3. ( <a href="#">Smith, 1977</a> ) (8.8, 2003–2016) 4. ( <a href="#">Alsos and Amdahl, 2009</a> ) (8.37, 2013–2016) 5. ( <a href="#">Caldwell, 1965</a> ) (7.92, 2003–2016)	1. ( <a href="#">Minorsky, 1958</a> ) (0.06) 2. ( <a href="#">Pedersen, 2010</a> ) (0.05) 3. ( <a href="#">Smith, 1977</a> ) (0.02) 4. ( <a href="#">Caldwell, 1965</a> ) (0.02) 5. ( <a href="#">Alsos et al., 2009</a> ) (0.01) 6. ( <a href="#">Jones, 1989</a> ) (0.01) 7. ( <a href="#">Mouritz et al., 2001</a> ) (0.01) 8. ( <a href="#">Gordo et al., 1996</a> ) (0.01)	1. ( <a href="#">Decò and Frangopol, 2013</a> ) (7) 2. ( <a href="#">Villavicencio et al., 2013</a> ) (6) 3. ( <a href="#">Liu et al., 2015</a> ) (6) 4. ( <a href="#">Samuelides, 2015</a> ) (6) 5. ( <a href="#">Ehlers et al., 2011</a> ) (5) 6. ( <a href="#">Yao, 2003</a> ) (5) 7. ( <a href="#">D. K. Kim et al., 2013a</a> ) (5) 8. ( <a href="#">D. K. Kim et al., 2013b</a> ) (5) 9. ( <a href="#">Ehlers et al., 2015</a> ) (5) 10. ( <a href="#">Zhu and Frangopol, 2013b</a> ) (5)
- S = 46					
- SS = 0.985					
- MY(ref) = 2004					
- YR(ref) = 1959–2018					
- MY(citing) = 2012					
- subcluster 14	<i>Hydrodynamic of tidal currents</i>	1. ( <a href="#">Shchepetkin and McWilliams, 2005</a> ) (37) 2. ( <a href="#">Davies, 1991</a> ) (12) 3. ( <a href="#">Davies and Jones, 1990</a> ) (9) 4. ( <a href="#">Davies and Gerritsen, 1994</a> ) (8) 5. ( <a href="#">Galperin et al., 1988</a> ) (7) 6. ( <a href="#">Davies, 1986</a> ) (7)	1. ( <a href="#">Shchepetkin and McWilliams, 2005</a> ) (11.2, 2010–2017) 2. ( <a href="#">Davies, 1991</a> ) (7.69, 1993–2001) 3. ( <a href="#">Davies and Jones, 1990</a> ) (6.03, 1993–2007) 4. ( <a href="#">Davies and Gerritsen, 1994</a> ) (5.22, 1996–2001)	1. ( <a href="#">Davies, 1991</a> ) (0.02) 2. ( <a href="#">Galperin et al., 1988</a> ) (0.01)	1. ( <a href="#">Xing and Davies, 1996a</a> ) (15) 2. ( <a href="#">Davies and Jones, 1996</a> ) (14) 3. ( <a href="#">Davies, 1993</a> ) (13) 4. ( <a href="#">Aldridge and Davies, 1993</a> ) (13) 5. ( <a href="#">Xing and Davies, 1996b</a> ) (10) 6. ( <a href="#">Xing and Davies, 1996c</a> ) (10) 7. ( <a href="#">Davies et al., 1997a</a> ) (9) 8. ( <a href="#">Davies et al., 1997b</a> ) (9)
- S = 34					
- SS = 0.991					
- MY(ref) = 1988					
- YR(ref) = 1959–2005					
- MY(citing) = 1997					

(continued on next page)

**Table 1** (continued)

- subcluster id	- title	influential references			highest coverage citing articles
- size		highest local citation count	strongest citation burst (strength, duration)	highest centrality	
- silhouette score					
- mean year (ref)					
- year range (ref)					
- mean year (citing)					
- subcluster 15	<i>Vortex Induced Vibrations: Modelling and Application</i>	1. (Williamson and Govardhan, 2004) (122) 2. (Sarpkaya, 2004) (99) 3. (Bernitsas et al., 2008) (78) 4. (Blevins, 1990) (71) 5. (Lauder and Spalding, 1974) (59) 6. (Khalak and Williamson, 1999) (54) 7. (Bearman, 2011) (49) 8. (Shih et al., 1995) (25)	1. (Bathe, 1996) (9.85, 2007–2013) 2. (Bearman, 2011) (8.89, 2011–2016) 3. (Gabbai and Benaroya, 2005) (6.15, 2013–2017) 4. (Williamson and Govardhan, 2004a) (5.28, 2017–2021) 5. (Williamson and Govardhan, 2008) (5.18, 2017–2021)	1. (Blevins, 1990) (0.01) 2. (Bathe, 1996) (0.01) 3. (Gabbai and Benaroya, 2005) (0.01)	1. (Zhu et al., 2018) (10) 2. (Ding et al., 2017) (8) 3. (Hongjun and Gao, 2018) (8) 4. (Wong et al., 2017) (7) 5. (Jia-song Wang et al., 2020) (7) 6. (Sun et al., 2018) (7) 7. (Ding et al., 2018) (7)
- S = 28					
- SS = 0.992					
- MY(ref) = 2001					
- YR(ref) = 1950–2020					
- MY(citing) = 2018					

may also be used for analysing the mechanics thin-walled structures (e.g., Barbieri et al., 2019; Bui et al., 2011; Thai et al., 2016) and fluid-structure interaction problems (e.g. Antoci et al., 2007; Gotoh et al., 2021; Khayyer et al., 2021a, 2021b; Liu et al., 2013; Sun et al., 2019). Recently Meng et al. (2022) pointed out that “meshless solvers can be coupled in a consistent manner, and potentially produce proper fluid-structure interface boundary conditions”. Yet, studies using SPH to test the performance of energy converters remain limited (Chang et al., 2015; Marrone et al., 2019; Tagliafierro et al., 2022; Wen et al., 2018).

An informative graph on future research is depicted in Fig. 3. Two global challenges namely climate change and pandemic and their possible consequences are highlighted. The LHS (left hand side) of the graph summarises current and emerging models. On the RHS (right hand side) of the graph, technology tools that can be used in ocean engineering are displayed. The lower part summarises ocean engineering problems related to marine structures and health and safety. It is expected that over the medium to long term concurrent and emerging models (e.g., finite discretization and machine learning methods), will be coupled and updated. In addition, environmentally friendly human-made artefacts will be designed and installed in an attempt to decrease our fingerprints on climate change. Technology can help with (i) data collection (climate data, ship and fluid motions, etc.); (ii) the manufacturing of objects in small or real scales; (iii) automation which can decrease human errors of marine vehicles and may lead to efficient performance of different devices (e.g., energy converters, may accelerate the construction progress, and enable cleaner recycling); (iv) digitalization and cyber security for communication in shipyards, offshore structures and onboard ships or FOIs. These trends may boost Industry 4.0 priorities for the benefit of ocean engineering (Sullivan et al., 2020).

### 3.3. Sub-divisions of the field


A co-citation analysis was carried out using the methodology introduced by Chen, 2004. This analysis classified documents that co-cite thematically similar references and present key sub-divisions in the field of ocean engineering (Fig. 4). A general view of the results for the period from 1970 to 2021 is depicted in Fig. 4. The 16 sub-divisions (co-citation clusters) identified are based on the important references that ocean engineering articles cited. The term “subcluster” is used to refer to “subdivisions”. It is noted that other bibliographical studies tend to name “subdivisions” as “co-citation clusters”.

Subclusters are ranked based on the number of influential references (also called “size of cluster”). Each subcluster is termed using the most

repeated phrase found in the title of citing papers weighted by the total coverage of the citing articles where the term was extracted from (i.e., by giving heavier weight to articles that have cited more references of that subcluster, and are thus, are more relevant). The identified sub-clusters are “Renewable energy of Ocean: Conceptualization” (subcluster 0), “Dynamic control and path tracking of marine vehicles” (subcluster 1), “Hydroelastic motion of floating objects and marine vehicles” (subcluster 2), “CFD modelling of processes in the upper oceanic boundary layer” (sub-cluster 3), “Freak waves and wave statistics” (subcluster 4), “Hydrodynamics of OWC” (subcluster 5, here OWC stands for Ocean Wave Converters), “Wave breaking and internal gravity waves” (subcluster 6), “Smoothed Particle Hydrodynamics” (subcluster 7), “Collision Risk and Marine Traffic” (subcluster 8), “Sea ice motions” (subcluster 9), “Theoretical and Statistical Analyses of Response of Structures to waves” (sub-cluster 10), “Hydrodynamics of tidal turbines” (subcluster 11), “Hydrodynamics of offshore wind turbines” (subcluster 12), “Ship structures” (subcluster 13), “Hydrodynamic of tidal currents” (subcluster 14), “Vortex Induced Vibrations: Modelling and Application” (subcluster 15).

In Fig. 4, each node represents a fundamental reference that may be either a paper, a report, or a book. Each colour represents a subcluster. The size of each node represents its burst strength. This means that the document has suddenly attracted the attention of researchers publishing papers in that subcluster over a specific period (see Table 1). Nodes of different subclusters are seen to be linked to each other. This indicates that they may share many citing articles. Based on results depicted in Fig. 4, the following observations can be made:

- I) “Renewable energy of Ocean: Conceptualization” (subcluster 0), “Hydroelastic motion of floating objects and marine vehicles” (sub-cluster 2), “CFD modelling of processes in upper oceanic boundary layer” (subcluster 3), “Freak waves and wave statistics” (subcluster 4), “Hydrodynamics of OWC” (subcluster 5), “Smoothed Particle Hydrodynamics” (subcluster 7), “Theoretical and Statistical Analyses of Response of Structures to waves” (subcluster 10) are linked to each other to a higher level, compared to other subclusters. These subclusters mostly deal with fluid dynamics, hydrodynamic modelling of floating objects (in calm and rough water conditions) and ocean renewable energy (but mostly the wave energy). This suggests that studies related to the hydrodynamics of floating objects, marine structures, and ships (modelling of their motions and environmental forces acting on them) are highly interconnected with the fundamental studies related to the ocean wave energy and wave statistics, all of which together form a large body of studies in the field of ocean engineering. Logically, this is due to the pressing need to model energy conversion



**Fig. 5.** Time histories of citations of fundamental references of subclusters (dashed) and number of citing documents of subclusters (solid).

(subcluster 5), forecast climate (subclusters 0 and 4), and develop solvers which can be used for theoretical solutions as well as CFD based and hydroelastic simulations (subclusters 2, 3 and 7).

II) References of relevance to the “control and path tracking of marine vehicles” (subcluster 1) and “Collision Risk and Marine Traffic” (subcluster 8) are sharing connections. That suggests that the research streams of positioning, control and path tracking of ships share fundamental background. This is mostly due to the need to control of ships and track their position for collision avoidance.

Time history plots of citations under all subclusters are shown in Fig. 5 by dashed curves. The number of citing papers under different subclusters are displayed by solid curves. This suggests how research up-taking or downturns may relate with each subcluster. Expectedly, citation and citing plots follow each other. The following interesting points can be observed from Fig. 5:

- Subclusters 0 (“Renewable energy of Ocean: Conceptualization”), 5 (“Hydrodynamics of OWC”), 11 (“Hydrodynamics of tidal turbine”) and 12 (“Hydrodynamics of offshore wind turbines”) emerged and started to grow in the late 2000s. This is possibly because of the energy crisis and the need to reduce the fossil fuel emissions (environmental sustainability demands), which initiated in 1990s (Esteban, 2009). They all relate to “Ocean Renewable Energy” cluster (6). It is also interesting to note that research in “Vortex Induced Vibrations: Modelling and Application” (subcluster 15) started to grow in late 2000s. A paper published by Bernitsas et al., 2008 that presented a new mechanism for the extraction of clean energy from vortex induced vibrations instigated significant interest in this field.
- Research related to subclusters 1 (“Dynamic control and path tracking of marine vehicles”) and 3 (“CFD modelling of processes in upper oceanic boundary layer”) accelerated in the late 1990s and they are still growing. The main reason can be the sudden advancement in computational fluid dynamics (Stern et al., 2015) and of the emergence of integrated navigation systems (Matikka, 2021). These advances may be considered fundamental in terms of influencing research of relevance to subclusters 1 and 3.
- Two subclusters that slowed down recently are “Freak waves, wave statistics” and “ship structures”. The former provides a general idea about ocean physics and the statistical properties of waves (e.g. Canard et al., 2022; Jiang et al., 2022; Kirezci et al., 2021a, 2021b; Onorato et al., 2006, 2004; Petrova et al., 2022). However, within the context of ocean engineering it becomes very important when it is linked to the dynamics of ship structures and offshore platforms (e.g. Miguel Onorato et al., 2013; Zhang and Guedes Soares, 2016). The decline of research in coupling computational solid and fluid dynamic solvers and the broader acceptance of studying structural responses of ships within the context of hydroelastic analysis has profound impact on the research conducted in this area. Advances may well fall into the subcluster namely “Hydroelastic motion of floating objects and marine vehicles” (Hirdaris and Temarel, 2009; Korobkin et al., 2011; Wang et al., 2010). Another reason for the decline may relate with the maturity of the subject and the strong emergence of materials science. For example, today many researchers work more on lightweight materials engineering topics and the use of 3D printing (Jandyal et al., 2022; Lee et al., 2017; Singh et al., 2020). Such research may not be traditionally linked to the field of ocean engineering. Yet, the number of practical applications becomes increasingly relevant.
- The subcluster of research related to “Theoretical and Statistical Analyses of Response of Structures to Waves” reached an early peak in the late 1980s and grew again in the mid-2010s. Research back in the 1980s was primarily based on classical hydrodynamics (e.g., see Sarpkaya and Isaacson, 1981a, 1981b) and was gradually replaced by computational studies from 2000s onwards with renewed focus on nonlinear dynamics and the statistical analyses of energy

converters (Abbasnia and Guedes Soares, 2018; Dou et al., 2020; Gomes et al., 2020), fish cages (Huang et al., 2018), ships (Abu Husain et al., 2019) and other floating or submerged bodies (Zhu and Chen, 2019).

- The subcluster termed “Collision Risk and Marine Traffic” emerged in the mid-2010s. The reason for this emergence is likely to be the shift of researchers from theoretical (or mathematical) methods towards using machine learning methods. This attracted the renewed attention of researchers in different fields of science and engineering (Greene, 2020).

**Table 1** presents the most influential references of each subcluster and the citing papers with the highest coverage of those. For each subcluster the notations namely “year duration of fundamental references (YR (ref))”, “mean year of fundamental references (MY (ref))”, and “mean year of citing papers (MY (citing))” are presented. In addition, a “Silhouette Score (SS)”, which describes the clustering quality is also presented. Here 1.0 is the highest value that SS can take.

The influential references for subclusters “Renewable energy of Ocean: Conceptualization”, “Hydrodynamic of OWC”, “Hydrodynamics of tidal turbines” and “Hydrodynamics of offshore wind turbines” are those presenting a general overview of ocean energy conversion devices, or a review of ocean energy resources (e.g., Clément et al., 2002; Coulling et al., 2013; Falcão, 2010; Falcão and Henriques, 2016; Falnes, 2002; Jonkman, 2010; Jonkman et al., 2009; Khan et al., 2009; Robertson et al., 2014, 2017; Roddier et al., 2010; Rourke et al., 2010; Setoguchi et al., 2001; Setoguchi and Takao, 2006; Torre-Enciso et al., 2009).

References of relevance to the subclusters on “Dynamic control and path tracking of marine vehicles”, “Hydroelastic motion of floating objects and marine vehicles”, “CFD modelling of processes in upper oceanic boundary layer”, “Freak waves and wave statistics”, “Wave breaking and internal gravity waves”, and “Theoretical and Statistical Analyses of Response of Structures to waves”, are seminal papers or books that provide theories or developed methods for modelling physical problems. These references may not be originally related to the field of ocean engineering. For example Hirt and Nichols, 1981 is one of the most important references of subcluster 2 namely “CFD modelling of processes in upper oceanic boundary layer”. In this article, authors have presented the Volume of Fluid (VoF) method which is commonly used for simulating the air-water flow in CFD studies.

In the subcluster “Hydrodynamics of tidal currents”, the focus of published papers is largely on tidal hydrodynamics. Most important references discuss models developed for ocean turbulence and tidal flows used for simulation of Earth processes and coastal region climate (e.g. Davies, 1991; Shchepetkin and McWilliams, 2005).

Citation bursts can demonstrate when and how significantly a fundamental reference may be cited in a subcluster over the years. Readers interested in the method used for calculation of the burst may refer to Kleinberg, 2003. Analysing a burst can show when a specific study attracts the attention of other researchers. In turn, this may help us to (i) understand the structure of the of the ocean engineering field, and (ii) predict whether any specific research in the future can potentially attract the attention of researchers. In this paper only bursts related to the subclusters that are steadily growing are analysed. On this basis the following observations can be drawn:

- Cruz, 2008 - burst strength, 20.5, over 2010–2014, Iglesias et al., 2009, - burst strength 16.74, over 2010–2015 Waters et al., 2009, - burst strength 16.32, over 2010–2015, de O. Falcão, 2007 - burst strength 15.58, over 2009–2016, Uihlein and Magagna, 2016, - burst strength 15.26, over 2016–2021 Magagna and Uihlein, 2015, - burst strength 14.4 over 2017–2021, Ringwood et al. (2014) - burst strength 13.88 over 2017–2021 are the fundamental references with the strongest burst in subcluster 0 (“Renewable energy of Ocean: Conceptualization”). These studies mostly forecast or present ocean renewable energy resources. As seen the earliest burst occurred in

2009. This relates to a paper that presents analysis on performance of an OWC (de O. Falcão, 2007). It matches with what was observed in Fig. 5 (e.g., subcluster 0 was seen to grow in 2000s). Interestingly, bursts of two documents are still on: Magagna and Uihlein, 2015 and Ringwood et al., 2014. The former presents an overview of the wave and tidal energy resources, and the latter presents a control method for optimization of the performance of wave energy converters. This shows how important the control of a wave energy device is as it may lead to optimization of the performance of a converter. *It is believed that the optimization of the performance of energy converters through control methods may turn into a subcluster in the future.*

- Fossen, 1994 - burst strength 65.04 over 1996–2012, Fossen, 2002, - burst strength 54.04 over 2005–2014, Krstic et al., 1995, - burst strength 31.13 over 1998–2010, Newman, 1977, - burst strength 29.88 over 1995–2012, Fossen, 2011, - burst strength 26.32 over 2016–2019 present fundamental research with the strongest burst in subcluster 1 (“*Dynamic control and path tracking of marine vehicles*”). All these references are textbooks presenting control methods for marine vehicles (Fossen, 1994, Fossen, 2002, Fossen, 2011), marine hydrodynamics (Newman, 1977), and theory of controls (Krstic et al., 1995). Except Fossen, 2011, bursts of these references started in the late 1990s. Presently, the burst of all documents in this cluster is over.
- Salvesen et al., 1970 - burst strength 26.08 over 2001–2011, Wehausen and Laitone, 1960, -burst strength 20.94, over 1988–2008, Watanabe et al., 2004, - burst strength 20.19, over 2005–2010, John, 1950, - burst strength 17.55 over 1992–2011 and Squire, 2007 - burst strength 17.44, over 2009–2013 are fundamental references with the strongest burst in subcluster 2 (“*Hydroelastic motion of floating objects and marine vehicles*”). The burst of all of them is over. Interestingly, two of these references are old; Salvesen et al., 1970 and Wehausen and Laitone, 1960. They present theories of water waves and ship motions (the burst of which did not last after 2011) and do not present any information on hydroelectricity theory of objects in the ocean. This indeed shows that this subcluster is basically built around the water wave motion theories and rigid body motion theories. Two of the other references (Watanabe et al., 2004 and Squire, 2007) present review studies on fluid-structure interactions of ice and very large floating structures (VLFS). Note that hydroelastic motions of these two floating objects are very similar (Squire, 2008a). The main motivation of researchers to study hyperelastic motion of VLFS is related to their growing development in late 1990s (e.g., Mega-Floats from Japan in 2000 discussed in Lamas-Pardo et al. (2015), and recent retreat of ice extent in Arctic discussed by Stroeve et al. (2008)).
- Jacobsen et al., 2012 - burst strength 14.96 over 2017–2021, Longuetiggins and Coker, 1976 - burst strength 14.7, over 2008–2014, Young, 2008, - burst strength 13.17, over 2010–2014, Carlton, 2012, - burst strength 12.76, over 2017–2021, Carrica et al., 2007, - burst strength 11.93, over 2007–2013 and Lin and Liu, 1998 - burst strength 10.02, over 2006–2014 are references with the strongest burst of subcluster 3 (“*CFD modelling of processes in upper oceanic boundary layer*”). Two of these references are addressing methods for wave generation in a computational domain. This clearly signals that there is a pressing need to carry out wave modelling by CFD simulations. The burst of the book of Carlton (2012) on marine propellers started in 2017 and is still ongoing. This shows that in recent years ocean engineering researchers using CFD methods have maintained interest in the traditional hydrodynamic modelling of propeller flows.
- Torre-Enciso et al., 2009 - burst strength 15.26 over 2016–2019, López et al., 2013 - burst strength 14.26 over 2016–2019, Ning et al., 2016, – burst strength 13.07, over 2017–2021, McCormick, 2007, - burst strength 11.81, over 2010–2017, Abramowitz and Stegun, 1965, - Burst strength 11.68 over 1999–2012, Raghunathan, 1995, - burst strength 11.15 over 1999–2006 are some of the fundamental

references of subcluster 5 that have the strongest burst. Most of these references present the general idea of wave energy conversion (Torre-Enciso et al., 2009, López et al., 2013, McCormick, 2007) and were bursting until 2019. Perhaps this demonstrates that the idea of wave energy conversion is reaching maturity and accordingly authors find of lower importance to refer to studies on wave energy conversion. Ning et al., 2016 and Raghunathan, 1995, present analysis for wave energy conversion technologies. The latter presents an analysis on how a “*Wells Air Turbine*” can be used for of wave energy conversion. The burst of this reference is over. The former presents experimental analysis on an energy converter and its burst is still on. This suggests that researchers dealing with tidal turbines are now more interested to have benchmark data for their studies or are inspired by recent and novel studies to better understand their performance. The paper of Abramowitz and Stegun (1965) experienced a strong burst in between 1999 and 2006. This reference presents mathematical functions and is mostly used when theoretical methods are used to solve wave-structure interaction problems. As the burst of this document is over, one can conclude that researchers studying the hydrodynamics of OWC start showing less interest into the use of theoretical methods.

- Faltinsen and Timokha, 2009 - burst strength 15.19 over 2011–2015 Monaghan, 2005, - burst strength 14.88, over 2010–2015, Faltinsen, 2006, - burst strength 14.67, over 2009–2015 Cole, 1948, - burst strength 13.14, over 2008–2014) Mei et al., 1999, - burst strength 13.07, over 2013–2017, and Smagorinsky, 1963 - burst strength 11.13, over 2006–2012 are fundamental references of subcluster 7 with the strongest burst. This subcluster, is dominated by studies that use the SPH methods to solve the free surface (water wave propagation) problem. Amongst these fundamental studies, the burst of only one namely Monaghan, 2005 is over. The other references are textbooks or research papers presenting free surface problems, with emphasis mostly on water entry and sloshing (e.g. Faltinsen, 2006; Faltinsen and Timokha, 2009) or the computation of sea loads (e.g. Cao et al., 2014; Gotoh et al., 2014; Marsh et al., 2011; Shao et al., 2012). This observation fairly matches with what was observed in Fig. 2. The reference by Wendland, 1995 shown in Table 1 presents SPH related mathematical formulations and suggests that marine related work in this area starts becoming more rational and focused.
- The papers by Kuwata et al., 2014 - burst strength 9.94 over 2016–2019, Goerlandt and Kujala, 2011, - burst strength 9.29 over 2012–2015, Montewka et al., 2010, - burst strength 8.71, over 2011–2015, Tsou et al., 2010, - burst strength 5.96, over 2014–2017, Davis et al. (1980) - burst strength 5.15, over 2016–2019 present the strongest burst cases for subcluster 8. All these studies present methods or algorithms for the analysis of ship collision avoidance. The trend of this subcluster may depend on the emergence of AI algorithms many of which are constantly updated. It can be concluded that development of new methods for the analysis of ship collision avoidance may receive more attention by researchers.
- Bahaj et al., 2007a - burst strength 12.61, over 2012–2016, Khan et al., 2009, – burst strength 12.61, over 2012–2016, Rourke et al., 2010, - burst strength 11.91, over 2013–2017 and Bahaj et al., 2007b - burst strength 11.24, over 2012–2015 are fundamental references with the strongest burst in subcluster 11. Two of these references, present analysis on the performance of turbines that can be used for energy extraction (Bahaj et al., 2007a, 2007b). One of the other references reviews the literature (Khan et al., 2009) and the other presents an update on tidal energy (Rourke et al., 2010). The burst of all these references is over. This may signal that a new update of tidal energy and its use may be required. New analysis on performance of hybrid energy converters (extracting energy of tides and waves) may receive further attention by researchers in the near future (ES-Wave, 2021).
- Bathe, 1996 - burst strength 9.85 over 2007–2013, Bearman, 2011, - burst strength 8.89 over 2011–2016, Gabbai and Benaroya, 2005, -

burst strength 6.15 over 2013–2017, Williamson and Govardhan, 2004a, - burst strength 5.28, over 2017–2021 and Williamson and Govardhan, 2008 - burst strength 5.18 over 2017–2021 are the references with the strongest burst in subcluster 15. Some of these references (Bearman, 2011; Gabai and Benaroya, 2005; Williamson and Govardhan, 2004a, 2008) present reviews on the problem of vortex-induced vibrations. The bursts of two of these review papers are still on (Williamson and Govardhan, 2004a, 2008), although they were published in 2000s. In the future, there may be a need to update their review and accordingly present progress that made over the last two decades.

An indicator, named, “centrality” is also presented in Table 1. This indicator shows how a node (i.e., a cited reference) representing fundamental research (see Fig. 5) can be cited broadly across various topics. For example, the classic references by Newman, 1977, Lamb, 1932, Pierson Jr. and Moskowitz, 1964, Cummins et al., 1962, Minorsky, 1958 and Gill, 1982 have the highest centrality amongst papers. The following points should be highlighted:

- The *Marine Hydrodynamics* book (Newman, 1977) and the *Hydrodynamics* book by Lamb, 1932 are fundamental references used in most of the ocean engineering studies. They may serve as key references for many researchers dealing with the physics of water waves, ship motions, fluid forces acting on a body in an unbounded fluid domain etc. It is therefore very reasonable that they enjoy the highest centrality in the field.
- Pierson Jr. and Moskowitz, 1964 in their article entitled “*A Proposed Spectral Form for Fully Developed Wind Seas Based on the Similarity Theory of S. A. Kitaigorodskii*” introduced the first wave spectrum representing the randomized sea. The method is still in use for reproducing the wave forcing condition by many researchers dealing with motions of objects in the ocean or wave propagation (Carlton, 2018).
- Cummins et al., 1962 in their study entitled “*The Impulse Response Function and Ship Motions*” introduced a method for analysing ship responses in the frequency domain, which has been turned into a fundamental method applied for seakeeping analysis of any floating object or marine vehicle. This research gained very noticeable centrality among all subclusters.
- Minorsky, 1958 presented an analysis for collision prediction of ships, which is one of the oldest ones in the whole field of ocean engineering. This reference received the attention of researchers dealing with “*Control and path tracking of Marine Vehicles*” (subcluster 1) and “*Collision Risk and Marine Traffic*” (subcluster 8).
- Gill, 1982 entitled “*Atmosphere-Ocean Dynamics*” authored a book that presents general formulation and theories related to ocean and atmosphere and the way their interact. The latter is very important in wave modelling, wave climate, wave statistics and energy dissipation, and it has reached a very high level in subclusters dealing with ocean waves (e.g., see subcluster 6 - “*wave breaking and internal gravity waves*”).

Assuming that research in any of the growing co-citation clusters follows an exponential function, it is predicted that studies falling into subclusters 0 (“*Renewable energy of Ocean: Conceptualization*”), 1 (“*Dynamic control and path tracking of marine vehicles*”), 2 (“*Hydroelastic motion of floating objects and marine vehicles*”), 3 (“*CFD modelling of processes in the upper oceanic boundary layer*”), 5 (“*Hydrodynamics of OWC*”), 7 (“*Smoothed Particle Hydrodynamics*”), 8 (“*Collision Risk and Marine Traffic*”), 10 (“*Theoretical and Statistical Analyses of Response of Structures to waves*”), 11 (“*Hydrodynamics of tidal turbines*”), 12 (“*Hydrodynamics of offshore wind turbines*”) and 15 (“*Vortex Induced Vibrations: Modelling and Application*”) increasingly grows. This is reasonable because of the pressing need to consider renewable energies and research on ship autonomy that interrelates to marine hydrodynamics (e.g. (Zheng et al.,

2022)). Subclusters dealing with “*the control theory of energy conversion*” and “*marine hydrodynamics using data-driven models*” may emerge strongly in the future.

#### 4. Conclusions

Ocean engineering is a vast and growing field of research with impact on our daily lives. Global trends and climate change imply the need to fully understand the structure and temporal progression of research undertaken in the field. With the latter in mind this paper attempted a review of the entire field of ocean engineering research over the last 50+ Years. Knowledge and management gaps, future challenges and the way forward were identified. Studying the evolution of research helped identify strategic research streams and how they evolved over decades. The discussion attempted to highlight which of the methods developed contributed to the pragmatic solutions of problems that emerged over time. They also questioned whether research topics are in line with societal expectations for a safer and sustainable world.

The bibliometric perspectives presented helped highlight six major ocean engineering divisions including “*Ocean Hydrodynamics*”, “*Risk Assessment and Safety*”, “*Ocean Climate and Geophysics: Field data and Models*”, “*Control and Automation in the Ocean*”, “*Structural Engineering and Manufacturing for the Ocean*”, and “*Ocean Renewable Energy*”. “*Renewable Energy of the Ocean*” emerges strongly as a theme in recently published papers. On the other hand, publications under the theme “*Climate: Field data and Models*” were seen to relate to past research. Computational models are visible in traditional streams of work related with “*Ocean Hydrodynamics*” and “*Structural Engineering and Manufacturing for the Ocean*”. Terms such as “*3D printing*” and “*pandemics*” including COVID-19 did not emerge strongly. This suggests that well devoted studies are not evident. The former relates with new manufacturing methods that can be used for printing propellers, and ship elements as well as ship model tests, leading to more sustainable marine life. The latter highlights an emerging topic of cross-cutting research relevance (Haghani, 2022) that so far has not been at all in the focus of ocean engineering. Machine learning methods are an emerging topic. However, so far, they are largely used for finding solutions to problems linked to “*Risk Assessment and Safety*”. Evident research dealing with the emerging topics of “*Structural Engineering for Manufacturing for the Ocean*” is somehow limited to concurrent methods.

The possible reason for the success of studies dealing with “*Ocean Hydrodynamics*” is mainly the progress of the science underlying computational models and the emergence of modern experimental techniques. In addition, studies falling under the “*Risk Assessment and Safety*” cluster have been recently very successful in terms of introducing AI models for ship safety assessment. The parametrised equations (based on available big data records) used in climate modelling and the methods used for tracking climate evolution are believed to be the main reasons for the success of research dealing with ocean climate modelling and observation. The emergence of “*Control and Automation in the Ocean*” is possible because of advances in ship automation. Research studies under the cluster “*Structural Engineering and Manufacturing for the Ocean*” have been very successful in terms of modelling marine structures. As computational, analytical, and experimental methods become more mature and accurate for the analysis of structural responses it is expected that research in this field will become more impactful. A large body of research under the cluster of “*Renewable Energy of the Ocean*” is becoming increasingly more and more evident. This is because of the pressing need for clean energy. It is expected that in the years to come improved hydrodynamic models and the availability of climate data from field measurements will make even more possible the advancement of technologies for energy extraction from the ocean.

Analysis of the similarity map of all papers under the ocean engineering field highlighted a big gap between research dealing with “*Ocean Climate and Geophysics: Field data and Models*” and the studies related to “*Ocean Hydrodynamics*”, “*Risk Assessment and Safety*”,

"Control and Automation in the Ocean", and "Structural Engineering and Manufacturing for the Ocean". This shows that most models used to analyse engineering processes relate to the ocean (e.g., shipping, installation of offshore platforms, etc.) do not address ocean climate. Thus, climate change effects are often overlooked throughout the design process of ships and floating offshore installations.

There is huge potential to use machine learning techniques in ocean engineering. Presently studies are somehow concentrated on ship collision avoidance that relates to "Risk Assessment and Safety". "3D printing in the maritime industry", "mesh-free methods for structural analysis and hydroelastic simulations", and "the use of SPH in studying the performance of wave energy converters" are suggested as potential research that can be done in the future. Research in advanced ventilation systems and air circulation processes for the avoidance of transmission of diseases onboard ships was identified as another emergent topic because of the COVID-19 pandemic.

Fundamental references, resulted in sixteen subclusters, named as the key sub-divisions of the field. Amongst those, "Renewable energy of Ocean: Conceptualization", "Hydrodynamics of OWC", "Hydrodynamics of tidal turbines", "Hydrodynamics of offshore wind turbines" and "Vortex Induced Vibrations: Modelling and Application" peaked up in late 2000s. This trend could be attributed to the growing demand for affordable and clean energy. The subclusters namely "Dynamic control and path tracking of marine vehicles" and "CFD modelling of processes in upper oceanic boundary layer" grew since 1990s. The latter could be attributed to the development of computational models for simulation of fluid problems and the rise of integrated navigation systems in the late 20th century. Growing interest in the use of machine learning in mid-2010s has been hypothesized to be the main reason behind intensifying research on "Collision Risk and Marine Traffic". The subcluster "Theoretical and Statistical Analyses of Response of Structures to waves" was seen to re-grow during the first decade of the 21st century. This could be attributed to its cross-cutting relevance.

Research and technology development or exploitation in the field of ocean engineering is expected to exponentially grow over time. Whereas growth may continue being significant within the subclusters identified in this paper new trends may also emerge. The application of neural networks in marine hydrodynamics, the emergence of control theory concepts for application in autonomous floating ships and FOI concepts, and the development of energy converters are possible examples. Extreme events with high societal impact (e.g., global warming patterns, wars and pandemics), may also highly affect strategic research trends. In any case, research justifying and enabling the utilisation of clean and renewable energy is expected to increase, and in particular research dealing with ocean renewable energy may bust leading to research sub-clusters beyond those currently foreseen.

Overall, research in the field of ocean engineering is in line with general demands such as environmental sustainability, clean and affordable energy, and absolute safety. Notwithstanding this the conceptual implementation of emerging technology capabilities (e.g., AI and 3D printing) and the potential impact of extreme events including pandemics ocean engineering and the society at large should be researched further. Development of computational based models (e.g., idealising fluids, solids and their interactions) in the late 20th century triggered research dealing with hydromechanics, hydroelasticity and wave modelling. Emerging model scale experiments based on 3D printed models and machine learning methods are not yet broadly used. Yet, their utilisation and development in the years to come is expected to have profound effects on the enhancement and validation of traditional methods.

The authors acknowledge that in the future, more bibliographic studies may be carried out with the aim to improve our technological and scientific know how. For example, research progress in the areas of "Renewable Energy of the Ocean" and "Risk Assessment and Safety" has been limited to the last two decades. Therefore, analyses of progress and research directions of these two clusters over the last 15 years may

provide a meaningful understanding of additional strategic avenues for ocean engineering research.

## CRediT authorship contribution statement

**Sasan Tavakoli:** Conceptualization, Investigation, Formal analysis, Visualization, Project administration, Writing – original draft. **Daniel Khojasteh:** Conceptualization, Investigation, Formal analysis, Writing – original draft. **Milad Haghani:** Conceptualization, Visualization, Resources, Methodology, Writing – review & editing. **Spyros Hirdaris:** Conceptualization, Supervision, Resources, Writing – review & editing.

## Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

## Data availability

No data was used for the research described in the article.

## Acknowledgment

Sasan Tavakoli and Spyros Hirdaris acknowledge the financial support by Aalto University and the Finnish Maritime Foundation (Merenkulun säätiö).

## Appendix A. Supplementary data

Supplementary data to this article can be found online at <https://doi.org/10.1016/j.oceaneng.2023.113617>.

## References

- Aagaard, K., Carmack, E., 1989. The role of sea ice and other fresh water in the arctic circulation. *J. Geophys. Res.* 94 (14), 414–485. <https://doi.org/10.1029/JC094iC10p14485>, 498.
- Abaei, M.M., Abbassi, R., Garaniya, V., Arzaghi, E., Bahoo Toroody, A., 2019. A dynamic human reliability model for marine and offshore operations in harsh environments. *Ocean Eng.* 173, 90–97. <https://doi.org/10.1016/j.oceaneng.2018.12.032>.
- Abaei, M.M., Hekkenberg, R., BahooToroody, A., 2021. A multinomial process tree for reliability assessment of machinery in autonomous ships. *Reliab. Eng. Syst. Saf.* 210, 107484 <https://doi.org/10.1016/J.RESS.2021.107484>.
- Abaei, M.M., Hekkenberg, R., BahooToroody, A., Banda, O.V., van Gelder, P., 2022. A probabilistic model to evaluate the resilience of unattended machinery plants in autonomous ships. *Reliab. Eng. Syst. Saf.* 219, 108176 <https://doi.org/10.1016/J.RESS.2021.108176>.
- Abbasnia, A., Guedes Soares, C., 2018. Fully nonlinear simulation of wave interaction with a cylindrical wave energy converter in a numerical wave tank. *Ocean Eng.* 152, 210–222. <https://doi.org/10.1016/j.oceaneng.2018.01.009>.
- Abramowitz, M., Stegun, I.A., 1965. *Handbook of Mathematical Functions: with Formulas, Graphs, and Mathematical Tables, Applied Mathematics Series*. Dover Publications.
- Abu Husain, M.K., Mohd Zaki, N.I., Najafian, G., 2019. Efficient time simulation method for predicting the 100-year extreme responses of an offshore platform. *Ships Offshore Struct.* 14, 401–409. <https://doi.org/10.1080/17445302.2019.1623970>.
- Adcock, T.A.A., Taylor, P.H., 2009. Focusing of unidirectional wave groups on deep water: an approximate nonlinear Schrödinger equation-based model. *Proc. Math. Phys. Eng. Sci.* 465, 3083–3102. <https://doi.org/10.1098/rspa.2009.0224>.
- Aderinto, T., Li, H., 2019. Review on power performance and efficiency of wave energy converters. *Energies*. <https://doi.org/10.3390/en12244329>.
- Adland, R., Cariou, P., Wolff, F.C., 2020. Optimal ship speed and the cubic law revisited: empirical evidence from an oil tanker fleet. *Transp Res E Logist Transp Rev* 140, 101972 <https://doi.org/10.1016/J.TRE.2020.101972>.
- Agnew, T.A., Le, H., Hirose, T., 1997. Estimation of large-scale sea-ice motion from SSM/I 85.5 GHz imagery. *Ann. Glaciol.* 25, 305–311. <https://doi.org/10.3189/S0260305500014191>.
- Ahamed, R., McKee, K., Howard, I., 2020. Advancements of wave energy converters based on power take off (PTO) systems: a review. *Ocean Eng.* 204, 107248 <https://doi.org/10.1016/j.oceaneng.2020.107248>.
- Ahlborn, F., 1905. Concerning the swirling formation in the resistance mechanism and the effect of the ship propeller on water. *Phys. Z.* 6, 22–23.

- Ahmazadeh, M., Shams, M., 2021. Passenger exposure to respiratory aerosols in a train cabin: effects of window, injection source, output flow location. *Sustain. Cities Soc.* 75, 103280 <https://doi.org/10.1016/j.scs.2021.103280>.
- Akhmediev, N., Ankiewicz, A., Taki, M., 2009. Waves that appear from nowhere and disappear without a trace. *Phys. Lett.* 373, 675–678. <https://doi.org/10.1016/j.physleta.2008.12.036>.
- Akkerman, I., Bazilevs, Y., Benson, D.J., Farthing, M.W., Kees, C.E., 2011. Free-surface flow and fluid-object interaction modeling with emphasis on ship hydrodynamics. *J. Appl. Mech.* 79 <https://doi.org/10.1115/1.4005072>.
- Akkerman, I., Dunaway, J., Kvandal, J., Spinks, J., Bazilevs, Y., 2012. Toward free-surface modeling of planing vessels: simulation of the Fridsma hull using ALE-VMS. *Comput. Mech.* 50 <https://doi.org/10.1007/s00466-012-0770-2>.
- Akpan, U.O., Koko, T.S., Ayyub, B., Dunbar, T.E., 2002. Risk assessment of aging ship hull structures in the presence of corrosion and fatigue. *Mar. Struct.* 15, 211–231. [https://doi.org/10.1016/S0951-8339\(01\)00030-2](https://doi.org/10.1016/S0951-8339(01)00030-2).
- Alldridge, J.N., Davies, A.M., 1993. A high-resolution three-dimensional hydrodynamic tidal model of the Eastern Irish sea. *J. Phys. Oceanogr.* 23, 207–224. [https://doi.org/10.1175/1520-0485\(1993\)023<0207:AHRTDH>2.0.CO;2](https://doi.org/10.1175/1520-0485(1993)023<0207:AHRTDH>2.0.CO;2).
- Alexandre, E., Cuadra, L., Nieto-Borge, J.C., Candil-García, G., del Pino, M., Salcedo-Sanz, S., 2015. A hybrid genetic algorithm—extreme learning machine approach for accurate significant wave height reconstruction. *Ocean Model.* 92, 115–123. <https://doi.org/10.1016/j.ocemod.2015.06.010>.
- Alexandrov, V., Martin, T., Kolatschek, J., Eicken, H., Kreyscher, M., Makshitas, A., 2000. Sea ice circulation in the Laptev Sea and ice export to the Arctic Ocean: results from satellite remote sensing and numerical modeling. *J. Geophys. Res.* 105, 17143 <https://doi.org/10.1029/2000JC000029>.
- Allen, J., Sampanis, K., Wan, J., Greaves, D., Miles, J., Iglesias, G., 2016. Laboratory tests in the development of WaveCat. *Sustainability* 8, 1339. <https://doi.org/10.3390/su8121339>.
- Almilaji, O., 2021. Air recirculation role in the spread of COVID-19 onboard the diamond princess cruise ship during a quarantine period. *Aerosol Air Qual. Res.* 21 <https://doi.org/10.4209/aaqr.200495>.
- Alsos, H.S., Amdahl, J., 2009. On the resistance to penetration of stiffened plates, Part I – Experiments. *Int. J. Impact Eng.* 36, 799–807. <https://doi.org/10.1016/J.IJIMPENG.2008.10.005>.
- Alsos, H.S., Amdahl, J., Hopperstad, O.S., 2009. On the resistance to penetration of stiffened plates, Part II: numerical analysis. *Int. J. Impact Eng.* 36, 875–887. <https://doi.org/10.1016/J.IJIMPENG.2008.11.004>.
- Ammerman, A.J., 2020. On the ocean: the Mediterranean and the Atlantic from prehistory to AD 1500. *Mediterr. Hist. Rev.* 35 <https://doi.org/10.1080/09518967.2020.1739839>.
- Andreasen, Ø., Hvidsten, P.O., Fritts, D.C., Arendt, S., 1998. Vorticity dynamics in a breaking internal gravity wave. Part 1. Initial instability evolution. *J. Fluid Mech.* 367, 27–46. <https://doi.org/10.1017/S0022112098001645>.
- Andersson, J., Oliveira, D.R., Yeginbayeva, I., Leer-Andersen, M., Bensow, R.E., 2020. Review and comparison of methods to model ship hull roughness. *Appl. Ocean Res.* 99, 102119 <https://doi.org/10.1016/J.APOR.2020.102119>.
- Andreassen, O., Wasberg, C.E., Fritts, D.C., Isler, J.R., 1994. Gravity-wave breaking in 2 and 3 dimensions. I. Model description and comparison of 2-dimensional evolutions. *J. Geophys. Res. Atmos.* 99, 8095–8108. <https://doi.org/10.1029/93JD03435>.
- Andrews, D.G., McIntyre, M.E., 1978. An exact theory of nonlinear waves on a Lagrangian-mean flow. *J. Fluid Mech.* 89, 609–646. <https://doi.org/10.1017/S0022112078002773>.
- Antoci, C., Gallati, M., Sibilla, S., 2007. Numerical simulation of fluid-structure interaction by SPH. *Comput. Struct.* 85, 879–890. <https://doi.org/10.1016/j.compstruc.2007.01.002>.
- Antonini, A., Lamberti, A., Archetti, R., Miquel, A.M., 2016. Dynamic overset rans simulation of a wave-driven device for the oxygenation of deep layers. *Ocean Eng.* 127, 335–348. <https://doi.org/10.1016/J.OCEANENG.2016.10.016>.
- Ardhuin, F., Rogers, E., Babanin, A.V., Filipot, J.-F., Magne, R., Roland, A., van der Westhuyzen, A., Queffeuilou, P., Lefevre, J.-M., Aouf, L., Collard, F., 2010. Semiempirical dissipation source functions for ocean waves. Part I: definition, calibration, and validation. *J. Phys. Oceanogr.* 40, 1917–1941. <https://doi.org/10.1175/2010JPO4324.1>.
- Arzaghi, E., Abaei, M.M., Abbassi, R., Garaniya, V., Chin, C., Khan, F., 2017. Risk-based maintenance planning of subsea pipelines through fatigue crack growth monitoring. *Eng. Fail. Anal.* 79, 928–939. <https://doi.org/10.1016/j.englfailanal.2017.06.003>.
- Arzaghi, E., Abbassi, R., Garaniya, V., Binns, J., Chin, C., Khakzad, N., Reniers, G., 2018a. Developing a dynamic model for pitting and corrosion-fatigue damage of subsea pipelines. *Ocean Eng.* 150, 391–396. <https://doi.org/10.1016/j.oceaneng.2017.12.014>.
- Arzaghi, E., Abbassi, R., Garaniya, V., Binns, J., Khan, F., 2018b. An ecological risk assessment model for Arctic oil spills from a subsea pipeline. *Mar. Pollut. Bull.* 135, 1117–1127. <https://doi.org/10.1016/j.marpolbul.2018.08.030>.
- Ashrafiuon, H., Muske, K.R., McNinch, L.C., Soltan, R.A., 2008. Sliding-Mode tracking control of surface vessels. *IEEE Trans. Ind. Electron.* 55, 4004–4012. <https://doi.org/10.1109/TIE.2008.2005933>.
- Astariz, S., Iglesias, G., 2016. Selecting optimum locations for co-located wave and wind energy farms. Part I: the Co-Location Feasibility index. *Energy Convers. Manag.* 122, 589–598. <https://doi.org/10.1016/J.ENCONMAN.2016.05.079>.
- Åström, K.J., Källström, C.G., 1976. Identification of ship steering dynamics. *Automatica* 12, 9–22. [https://doi.org/10.1016/0005-1098\(76\)90064-9](https://doi.org/10.1016/0005-1098(76)90064-9).
- Augier, P., Mohanan, A.V., Lindborg, E., 2019. Shallow water wave turbulence. *J. Fluid Mech.* 874, 1169–1196. <https://doi.org/10.1017/jfm.2019.375>.
- Aung, M.Z., Umeda, N., 2020. Manoeuvring simulations in adverse weather conditions with the effects of propeller and rudder emergence taken into account. *Ocean Eng.* 197, 106857. <https://doi.org/10.1016/j.oceaneng.2019.106857>.
- Azimi, P., Keshavarz, Z., Cedeno Laurent, J.G., Stephens, B., Allen, J.G., 2021. Mechanistic transmission modeling of COVID-19 on the Diamond Princess cruise ship demonstrates the importance of aerosol transmission. *Proc. Natl. Acad. Sci. USA* 118. <https://doi.org/10.1073/pnas.2015482118>.
- Babanin, A.v., 2006. On a wave-induced turbulence and a wave-mixed upper ocean layer. *Geophys. Res. Lett.* 33, L20605 <https://doi.org/10.1029/2006GL027308>.
- Babanin, A.v., Haus, B.K., 2009. On the existence of water turbulence induced by nonbreaking surface waves. *J. Phys. Oceanogr.* 39, 2675–2679. <https://doi.org/10.1175/2009JPO4202.1>.
- Babanin, A.v., Tsagareli, K.N., Young, I.R., Walker, D.J., 2010. Numerical investigation of spectral evolution of wind waves. Part II: dissipation term and evolution tests. *J. Phys. Oceanogr.* 40, 667–683. <https://doi.org/10.1175/2009JPO4370.1>.
- Babarit, A., 2015. A database of capture width ratio of wave energy converters. *Renew. Energy* 80, 610–628. <https://doi.org/10.1016/J.RENENE.2015.02.049>.
- Babarit, A., Clément, A.H., 2006. Optimal latching control of a wave energy device in regular and irregular waves. *Appl. Ocean Res.* 28, 77–91. <https://doi.org/10.1016/j.apor.2006.05.002>.
- Babarit, A., Hals, J., Muliawan, M.J., Kurniawan, A., Moan, T., Kroksstad, J., 2012. Numerical benchmarking study of a selection of wave energy converters. *Renew. Energy* 41, 44–63. <https://doi.org/10.1016/j.renene.2011.10.002>.
- Badulin, S.I., Babanin, A.v., Zakharov, V.E., Resio, D., 2007. Weakly turbulent laws of wind-wave growth. *J. Fluid Mech.* 591, 339–378. <https://doi.org/10.1017/S0022112007008282>.
- Bahaj, A.S., Batten, W.M.J., McCann, G., 2007a. Experimental verifications of numerical predictions for the hydrodynamic performance of horizontal axis marine current turbines. *Renew. Energy* 32, 2479–2490. <https://doi.org/10.1016/J.RENENE.2007.10.001>.
- Bahaj, A.S., Molland, A.F., Chaplin, J.R., Batten, W.M.J., 2007b. Power and thrust measurements of marine current turbines under various hydrodynamic flow conditions in a cavitation tunnel and a towing tank. *Renew. Energy* 32, 407–426. <https://doi.org/10.1016/J.RENENE.2006.01.012>.
- BahooTorroody, A., Abaiee, M.M., Gholamnia, R., Torrody, M.B., Nejad, N.H., 2016. Developing a risk-based approach for optimizing human reliability assessment in an offshore operation. *Open J. Saf. Sci. Technol.* 6, 25–34. <https://doi.org/10.4236/ojsst.2016.61003>.
- BahooTorroody, A., Abaiee, M.M., Banda, O.V., Kujala, P., de Carlo, F., Abbassi, R., 2022. Prognostic health management of repairable ship systems through different autonomy degree; from current condition to fully autonomous ship. *Reliab. Eng. Syst. Saf.* 221, 108355 <https://doi.org/10.1016/J.RESS.2022.108355>.
- Baldau, M., Mehdi, R., Fischer, S., Gluch, M., 2017. A Perfect Warning to Avoid Collisions at Sea?, vol. 52 *Scientific Journals of the Maritime University of Szczecin*.
- Banner, M.L., Babanin, A.v., Young, I.R., 2000. Breaking probability for dominant waves on the sea surface. *J. Phys. Oceanogr.* 30, 3145–3160. [https://doi.org/10.1175/1520-0485\(2000\)030<3145:BPFDWO>2.0.CO;2](https://doi.org/10.1175/1520-0485(2000)030<3145:BPFDWO>2.0.CO;2).
- Barbieri, E., Ventura, L., Grignoli, D., Bilotti, E., 2019. A meshless method for the nonlinear von Kármán plate with multiple folds of complex shape. *Comput. Mech.* 64, 769–787. <https://doi.org/10.1007/s00466-019-01671-w>.
- Bareiss, D., van den Berg, J., 2015. Generalized reciprocal collision avoidance. *Int. J. Robot. Res.* 34, 1501–1514. <https://doi.org/10.1177/0278364915576234>.
- Barouki, R., Kogevinas, M., Audouze, K., Belesova, K., Bergman, A., Birnbaum, L., Boekhold, S., Denys, S., Desseille, C., Drakvik, E., Frumkin, H., Garric, J., Destounieaux-Garzon, D., Haines, A., Huss, A., Jensen, G., Karakitsios, S., Klanova, J., Koskela, I.M., Laden, F., Marano, F., Franziska Matthies-Wiesler, E., Morris, G., Nowacki, J., Paloniemi, R., Pearce, N., Peters, A., Rekola, A., Sarigiannis, D., Šebková, K., Slama, R., Staatsen, B., Tonne, C., Vermeulen, R., Vineis, P., 2021. The COVID-19 pandemic and global environmental change: emerging research needs. *Environ. Int.* 146, 106272 <https://doi.org/10.1016/J.ENVINT.2020.106272>.
- Basnet, S., Bahootoroody, A., Chaal, M., Valdez Banda, O.A., Lahtinen, J., Kujala, P., 2022. A decision-making framework for selecting an MBSE language—A case study to ship pilotage. *Expert Syst. Appl.* 193, 116451 <https://doi.org/10.1016/J.ESWA.2021.116451>.
- Batchelor, G.K., 2000. In: *An Introduction to Fluid Dynamics*. Cambridge University Press. <https://doi.org/10.1017/CBO9780511800955>.
- Bathe, K.-J., 1996. *Bathe's Prentice Hall, Pearson Education*.
- Batten, W.M.J., Bahaj, A.S., Molland, A.F., Chaplin, J.R., 2008. The prediction of the hydrodynamic performance of marine current turbines. *Renew. Energy* 33, 1085–1096. <https://doi.org/10.1016/J.RENENE.2007.05.043>.
- Battista, T., Valentini, F., Woolsey, C., 2020. A maneuvering model for an underwater vehicle near a free surface—Part I: motion without memory effects. *IEEE J. Ocean. Eng.* 45, 212–226. <https://doi.org/10.1109/JOE.2018.2871650>.
- Bayramoglu, K., Kaya, Kerim, Yilmaz, S., Goksu, B., Murato, B., 2019. Utilization of 3D printing technologies in marine applications. In: *4 Th INTERNATIONAL CONGRESS ON 3D PRINTING (ADDITIVE MANUFACTURING) TECHNOLOGIES AND DIGITAL INDUSTRY (Antalya)*.
- Bazilevs, Yuri, Hsu, M.-C., Takizawa, K., Tezduyar, T., 2012. ALE-VMS and ST-VMS methods for computer modeling of wind-turbine rotor aerodynamics and fluid-structure interaction. *Math. Model Methods Appl. Sci.* 22, 1230002 <https://doi.org/10.1142/S0218202512300025>.
- Bazilevs, Y., Hsu, M., Scott, M.A., 2012a. Fluid-structure interaction modeling of wind turbines: simulating the full machine. *Comput. Mech.* 50, 821–833. <https://doi.org/10.1007/s00466-012-0772-0>.
- Bazilevs, Y., Hsu, M.C., Scott, M.A., 2012b. Isogeometric fluid-structure interaction analysis with emphasis on non-matching discretizations, and with application to

- wind turbines. *Comput. Methods Appl. Mech. Eng.* 249–252, 28–41. <https://doi.org/10.1016/J.CMA.2012.03.028>.
- Bearman, P.W., 2011. Circular cylinder wakes and vortex-induced vibrations. *J. Fluid Struct.* 27, 648–658. <https://doi.org/10.1016/J.JFLUIDSTRUCTS.2011.03.021>.
- Behera, H., Sahoo, T., 2015. Hydroelastic analysis of gravity wave interaction with submerged horizontal flexible porous plate. *J. Fluid Struct.* 54, 643–660. <https://doi.org/10.1016/J.JFLUIDSTRUCTS.2015.01.005>.
- Belcher, S.E., Hunt, J.C.R., 1993. Turbulent shear flow over slowly moving waves. *J. Fluid Mech.* 251, 109–148. <https://doi.org/10.1017/S0022112093003350>.
- Belcher, S.E., Harris, J.A., Street, R.L., 1994. Linear dynamics of wind waves in coupled turbulent air—water flow. Part 1. Theory. *J. Fluid Mech.* 271, 119–151. <https://doi.org/10.1017/S0022112094001710>.
- Belfassakis, K.A., Gerostathis, T.P., Kostas, K.v., Politis, C.G., Kaklis, P.D., Ginnis, A.I., Feurer, C., 2013. A BEM-isogeometric method for the ship wave-resistance problem. *Ocean Eng.* 60, 53–67. <https://doi.org/10.1016/J.OCEANENG.2012.12.030>.
- Bellafiore, D., Zaggia, L., Broglia, R., Ferrarin, C., Barbariol, F., Zaghi, S., Lorenzetti, G., Manfè, G., de Pasquali, F., Benetazzo, A., 2018. Modeling ship-induced waves in shallow water systems: the Venice experiment. *Ocean Eng.* 155, 227–239. <https://doi.org/10.1016/J.OCEANENG.2018.02.039>.
- Benites-Munoz, D., Huang, L., Anderlini, E., Marín-López, J.R., Thomas, G., 2020. Hydrodynamic modelling of an oscillating wave surge converter including power take-off. *J. Mar. Sci. Eng.* 8 <https://doi.org/10.3390/jmse8100771>.
- Benjamin, T.B., Feir, J.E., 1967. The disintegration of wave trains on deep water Part 1. Theory. *J. Fluid Mech.* 27, 417–430. <https://doi.org/10.1017/S002211206700045X>.
- Bennett, M.M., Stephenson, S.R., Yang, K., Bravo, M.T., de Jonghe, B., 2020. The opening of the Transpolar Sea Route: Logistical, geopolitical, environmental, and socioeconomic impacts. *Marine Pol.* 121, 104178. <https://doi.org/10.1016/j.marpol.2020.104178>.
- Bennetts, L.G., Squire, V.A., 2012. On the calculation of an attenuation coefficient for transects of ice-covered ocean. In: PROCEEDINGS OF THE ROYAL SOCIETY A-MATHEMATICAL PHYSICAL AND ENGINEERING SCIENCES, pp. 136–162. <https://doi.org/10.1098/rspa.2011.0155>, 468.
- Berg, E., 1918. Propulsion of ships. *J. Franklin Inst.* 185, 317–332. [https://doi.org/10.1016/S0016-0032\(18\)90704-0](https://doi.org/10.1016/S0016-0032(18)90704-0).
- Bergillos, R.J., Rodríguez-Delgado, C., Allen, J., Iglesias, G., 2019. Wave energy converter configuration in dual wave farms. *Ocean Eng.* 178, 204–214. <https://doi.org/10.1016/J.OCEANENG.2019.03.001>.
- Bergström, M., Kujala, P., 2020. Simulation-based assessment of the operational performance of the Finnish–Swedish winter navigation system. *Appl. Sci.* 10, 6747. <https://doi.org/10.3390/app10196747>.
- Bernitsas, M.M., Raghavan, K., Ben-Simon, Y., Garcia, E.M.H., 2008. VIVACE (vortex induced vibration aquatic clean energy): a new concept in generation of clean and renewable energy from fluid flow. *J. Offshore Mech. Arctic Eng.* 130 <https://doi.org/10.1115/1.2957913>.
- Bertin, E., 1905. The turning of ships. *COMPTES RENDUS HEBDOMADAIRE DES SEANCES DE L'ACADEMIE DES SCIENCES* 140, 337–342.
- Bhandari, J., Khan, F., Abbassi, R., Garaniya, V., Ojeda, R., 2015. Modelling of pitting corrosion in marine and offshore steel structures – a technical review. *J. Loss Prev. Process. Ind.* 37, 39–62. <https://doi.org/10.1016/J.JLIP.2015.06.008>.
- Bieth, F., Lehmann, E., 2006. Collisions of ships with offshore wind turbines: calculation and risk evaluation, in: Offshore Wind Energy. Springer Berlin Heidelberg, pp. 281–304. [https://doi.org/10.1007/978-3-540-34677-7\\_17](https://doi.org/10.1007/978-3-540-34677-7_17).
- Bilandi, R.N., Dashtimanesh, A., Tavakoli, S., 2020. Hydrodynamic study of heeled double-stepped planing hulls using CFD and 2D+T method. *Ocean Eng.* 196, 106813. <https://doi.org/10.1016/j.oceaneng.2019.106813>.
- Bilandi, R.N., Tavakoli, S., Dashtimanesh, A., 2021. Seakeeping of double-stepped planing hulls. *Ocean Eng.* 236, 109475 <https://doi.org/10.1016/j.oceaneng.2021.109475>.
- Bishop, R.E.D., Price, W.G., 1979. *Hydroelasticity of Ships*. Cambridge University Press.
- Bitner-Gregerse, E.M., Soares, C.G., Vantorre, M., 2016a. Adverse Weather Conditions for Ship Manoeuvrability. *Transp. Res. Procedia* 14, 1631–1640. <https://doi.org/10.1016/j.trpro.2016.05.128>.
- Bitner-Gregerse, E.M., Dong, S., Fu, T., Ma, N., Maisondieu, C., Miyake, R., Rychlik, I., 2016b. Sea state conditions for marine structures' analysis and model tests. *Ocean Eng.* 119, 309–322. <https://doi.org/10.1016/j.oceaneng.2016.03.024>.
- Bitner-Gregerse, E.M., Eide, L.I., Hørte, T., Skjøng, R., 2013. In: Ship and Offshore Structure Design in Climate Change Perspective. Springer Berlin Heidelberg, Berlin, Heidelberg. <https://doi.org/10.1007/978-3-642-34138-0>.
- Blevins, R.D., 1990. *Fluid-induced Vibration*. Van Nostrand Reinhold.
- Boekmann, E., Steen, S., 2016. Model test and simulation of a ship with wavefoils. *Appl. Ocean Res.* 57, 8–18. <https://doi.org/10.1016/j.apor.2016.02.002>.
- Bonnet, J.P., 2022. Experimental and computational fluid dynamics: decades of turbulent EFD/CFD complementarity. *Compt. Rendus Mec.* 350, 1–14. <https://doi.org/10.5802/crmeca.113>.
- Booij, N., Ris, R.C., Holthuijsen, L.H., 1999. A third-generation wave model for coastal regions - 1. Model description and validation. *J. Geophys. Res.-Oceans* 104, 7649–7666. <https://doi.org/10.1029/98JC02622>.
- Bourgois, A.C.L., Guillou, S.S., Thiebot, J., Ata, R., 2020. In: Turbulence Characterization at a Tidal Energy Site Using Large-Eddy Simulations: Case of the Alderney Race. *PHILOSOPHICAL TRANSACTIONS OF THE ROYAL SOCIETY A-MATHEMATICAL PHYSICAL AND ENGINEERING SCIENCES*. <https://doi.org/10.1098/rsta.2019.0499>, 378.
- Brandsater, A., 2002. Risk assessment in the offshore industry. *Saf. Sci.* 40, 231–269. [https://doi.org/10.1016/S0925-7535\(01\)00048-0](https://doi.org/10.1016/S0925-7535(01)00048-0).
- Brent, Z.W., Barbesgaard, M., Pedersen, C., 2020. The Blue Fix: what's driving blue growth? *Sustain. Sci.* 15, 31–43. <https://doi.org/10.1007/s11625-019-00777-7>.
- Browne, T., Taylor, R., Veitch, B., Kujala, P., Khan, F., Smith, D., 2020. A framework for integrating life-safety and environmental consequences into conventional arctic shipping risk models. *Appl. Sci.* 10, 2937. <https://doi.org/10.3390/app10082937>.
- Budar, K., Falnes, J., 1975. A resonant point absorber of ocean-wave power. *Nature* 256, 478–479. <https://doi.org/10.1038/256478a0>.
- Bui, T.Q., Nguyen, M.N., Zhang, C., 2011. An efficient meshfree method for vibration analysis of laminated composite plates. *Comput. Mech.* 48, 175–193. <https://doi.org/10.1007/s00466-011-0591-8>.
- Bui, T.Q., Tran, A.V., Shah, A.A., 2014. Improved knowledge-based neural network (KBNN) model for predicting spring-back angles in metal sheet bending. *Int. J. Model. Simulat. Sci. Comput.* 5, 1350026. <https://doi.org/10.1142/S1793962313500268>.
- Cai, M., Zhang, J., Zhang, D., Yuan, X., Soares, C.G., 2021. Collision risk analysis on ferry ships in Jiangsu Section of the Yangtze River based on AIS data. *Reliab. Eng. Syst. Saf.* 215, 107901. <https://doi.org/10.1016/J.RESS.2021.107901>.
- Caldwell, J.B., 1965. Ultimate longitudinal strength. *Transact. Royal Institut. Naval Architects* 107, 411–430.
- Calvário, M., Gaspar, J.F., Kamarlouei, M., Hallak, T.S., Guedes Soares, C., 2020. Oil-hydraulic power take-off concept for an oscillating wave surge converter. *Renew. Energy* 159, 1297–1309. <https://doi.org/10.1016/J.RENENE.2020.06.002>.
- Canard, M., Ducrozet, G., Bouscasse, B., 2022. Varying ocean wave statistics emerging from a single energy spectrum in an experimental wave tank. *Ocean Eng.* 246, 110375. <https://doi.org/10.1016/j.oceaneng.2021.110375>.
- Cao, X.Y., Ming, F.R., Zhang, A.M., 2014. Sloshing in a rectangular tank based on SPH simulation. *Appl. Ocean Res.* 47, 241–254. <https://doi.org/10.1016/J.APOR.2014.06.006>.
- Carballo, R., Iglesias, G., 2012. A methodology to determine the power performance of wave energy converters at a particular coastal location. *Energy Convers. Manag.* 61, 8–18. <https://doi.org/10.1016/j.enconman.2012.03.008>.
- Carballo, R., Iglesias, G., Castro, A., 2009. Numerical model evaluation of tidal stream energy resources in the Ría de Muros (NW Spain). *Renew. Energy* 34, 1517–1524. <https://doi.org/10.1016/J.RENENE.2008.10.028>.
- Carballo, R., Sánchez, M., Ramos, V., Castro, A., 2014. A tool for combined WEC-site selection throughout a coastal region rias Baixas, NW Spain. *Appl. Energy* 135, 11–19. <https://doi.org/10.1016/j.apenergy.2014.08.068>.
- Carballo, R., Sánchez, M., Ramos, V., Fraguella, J.A., Iglesias, G., 2015. The intra-annual variability in the performance of wave energy converters: a comparative study in N Galicia (Spain). *Energy* 82, 138–146. <https://doi.org/10.1016/j.energy.2015.01.020>.
- Carlton, J., 2012. *Marine Propellers and Propulsion*. Elsevier Science.
- Carlton, J., 2018. Seakeeping: waves and wave spectra. In: *Encyclopedia of Maritime and Offshore Engineering*. John Wiley & Sons, Ltd, Chichester, UK, pp. 1–7. <https://doi.org/10.1002/9781118476406.emoe206>.
- Carrica, P., Wilson, R., Noack, R., Stern, F., 2007. Ship motions using single-phase level set with dynamic overset grids. *Comput. Fluids* 36, 1415–1433. <https://doi.org/10.1016/j.compfluid.2007.01.007>.
- Cary, A., Chawner, J., Duque, E., Groppi, W., Kleb, B., Kolonay, R., Nielsen, E., Smith, B., 2022. Realizing the vision of CFD in 2030. *Comput. Sci. Eng.* 24, 64–70. <https://doi.org/10.1109/MCSE.2021.3133677>.
- Casson, L., 2020. New light on ancient SHIPS and shipping. In: *The Ancient Mariners*. <https://doi.org/10.2307/j.ctvzsmf78.20>.
- Castro, Alejandro M., Carrica, P.M., Stern, F., 2011. Full scale self-propulsion computations using discretized propeller for the KRISO container ship KCS. *Comput. Fluids* 51, 35–47. <https://doi.org/10.1016/j.compfluid.2011.07.005>.
- Castro, Alejandro M., Carrica, P.M., Stern, F., 2011. Full scale self-propulsion computations using discretized propeller for the KRISO container ship KCS. *Comput. Fluids* 51, 35–47. <https://doi.org/10.1016/j.compfluid.2011.07.005>.
- Castro-Santos, L., Martins, E., Guedes Soares, C., 2016. Cost assessment methodology for combined wind and wave floating offshore renewable energy systems. *Renew. Energy* 97, 866–880. <https://doi.org/10.1016/J.RENENE.2016.06.016>.
- Cavalieri, L., Alves, J.-H.G.M., Ardhui, F., Babanin, A., Banner, M., Belibassisakis, K., Benoit, M., Donelan, M., Groeneweg, J., Herbers, T.H.C., Hwang, P., Janssen, P.A.E.M., Janssen, T., Lavrenov, I.V., Magne, R., Monbalu, J., Onorato, M., Polnikov, V., Resio, D., Rogers, W.E., Sheremet, A., McKeown, J., Tolman, H.L., van Vledder, G., Wolf, J., Young, I., 2007. Wave modelling – the state of the art. *Prog. Oceanogr.* 75, 603–674. <https://doi.org/10.1016/j.pocean.2007.05.005>.
- Celik, I., Ghia, U., Roache, P.J., Freitas, C., Coleman, H., Raad, P., 2008. Procedure of estimation and reporting of uncertainty due to discretization in CFD applications. *J. Fluid Eng.* 130, 078001. <https://doi.org/10.1115/1.2960953>.
- Celik, C., Danışman, D.B., Khan, S., Kaklis, P., 2021. A reduced order data-driven method for resistance prediction and shape optimization of hull vane. *Ocean Eng.* 235, 109406. <https://doi.org/10.1016/J.OCEANENG.2021.109406>.
- Ceurstemont, Sandrine, 2021. In: *New Materials to Make Ships More Sustainable and Less Noisy for Marine Life [WWW Document]*. <https://ec.europa.eu/research-and-innovation/en/horizon-magazine/new-materials-make-ships-more-sustainable-and-less-noisy-marine-life#:~:text=Building%20ships%20that%20are%20less,weight%20and%20lower%20fuel%20consumption>. accessed 7.5.22.
- Chaal, M., Bahootroody, A., Basnet, S., Valdez Banda, O.A., Goerlandt, F., 2022. Towards system-theoretic risk assessment for future ships: a framework for selecting Risk Control Options. *Ocean Eng.* 259, 111797. <https://doi.org/10.1016/J.OCEANENG.2022.111797>.
- Chakrabarti, S.K., 1987. *Hydrodynamics of Offshore Structures. Computational Mechanics publication, Computational Mechanics*.

- Chakrabarti, S., 2001. Empirical calculation of roll damping for ships and barges. *Ocean Eng.* 28, 915–932.
- Chalikov, D., 2005. Statistical properties of nonlinear one-dimensional wave fields. *Nonlinear Process Geophys.* 12, 671–689. <https://doi.org/10.5194/npg-12-671-2005>.
- Chang, Y.-C., Chen, D., Chow, Y.-C., Tzang, S.-Y., Lin, C., Chen, J.-H., 2015. Theoretical analysis and sph simulation for the wave energy captured by a bottom-Hinged ows. *J. Mar. Sci. Technol.* 23, 901–908. <https://doi.org/10.6119/JMST-015-0610-8>.
- Chase, N., Carrica, P.M., 2013. Submarine propeller computations and application to self-propulsion of DARPA Suboff. *Ocean Eng.* 60, 68–80. <https://doi.org/10.1016/j.oceaneng.2012.12.029>.
- Chen, C., 2004. Searching for intellectual turning points: progressive knowledge domain visualization. *Proc. Natl. Acad. Sci. USA* 101, 5303–5310. <https://doi.org/10.1073/pnas.0307513100>.
- Chen, N.Z., Sun, H.H., Guedes Soares, C., 2003. Reliability analysis of a ship hull in composite material. *Compos. Struct.* 62, 59–66. [https://doi.org/10.1016/S0263-8223\(03\)0084-9](https://doi.org/10.1016/S0263-8223(03)0084-9).
- Chen, X., Wu, Y., Cui, W., Jensen, J.J., 2006. Review of hydroelasticity theories for global response of marine structures. *Ocean Eng.* 33, 439–457. <https://doi.org/10.1016/j.oceaneng.2004.04.010>.
- Chen, J., Yang, J., Li, Z., Fan, X., Zi, Y., Jing, Q., Guo, H., Wen, Z., Pradel, K.C., Niu, S., Wang, Z.L., 2015. Networks of triboelectric nanogenerators for harvesting water wave energy: a potential approach toward blue energy. *ACS Nano* 9, 3324–3331. <https://doi.org/10.1021/acsnano.5b00534>.
- Chen, J., Kang, S., Chen, C., You, Q., Du, W., Xu, M., Zhong, X., Zhang, W., Chen, J., 2020. Changes in sea ice and future accessibility along the Arctic Northeast Passage. *Global and Planet. Change* 195, 103319. <https://doi.org/10.1016/j.gloplacha.2020.103319>.
- Chen, C., Ma, Q., Wei, Y., Wang, C., 2018. Experimental study on the cavity dynamics in high-speed oblique water-entry. *Fluid Dyn Res* 50, 045511. <https://doi.org/10.1088/1873-7005/aac766>.
- Chen, J., Wen, H.J., Wang, Y.X., Wang, G.Y., 2021. A correlation study of optimal chamber width with the relative front wall draught of onshore OWC device. *ENERGY* 225. <https://doi.org/10.1016/j.energy.2021.120307>.
- Cheng, H., Ming, F.R., Sun, P., Wang, P.-P., Zhang, A.-M., 2019. Towards the modeling of the ditching of a ground-effect wing ship within the framework of the SPH method. *Appl. Ocean Res.* 82, 370–384. <https://doi.org/10.1016/j.apor.2018.09.014>.
- Chien, C.H., Cheng, M.D., Im, P., Nawaz, K., Fricke, B., Armstrong, A., 2022. Characterization of the indoor far-field aerosol transmission in a model commercial office building. *Int. Commun. Heat Mass Tran.* 130, 105744 <https://doi.org/10.1016/J.ICHEATMASSTRANSFER.2021.105744>.
- Chorin, A.J., 1968. Numerical solution of the Navier-Stokes equations. *Math. Comput.* 22, 745–762. <https://doi.org/10.2307/2004575>.
- Chow, A.D., Rogers, B.D., Lind, S.J., Stansby, P.K., 2019. Numerical wave basin using incompressible smoothed particle hydrodynamics (ISPH) on a single GPU with vertical cylinder test cases. *Comput. Fluids* 179, 543–562. <https://doi.org/10.1016/j.compfluid.2018.11.022>.
- Chwang, A.T., 1983. A porous-wavemaker theory. *J. Fluid Mech.* 132, 395–406. <https://doi.org/10.1017/S0022112083001676>.
- Cimen, T., Banks, S.P., 2004. Nonlinear optimal tracking control with application to super-tankers for autopilot design. *Automatica* 40, 1845–1863. <https://doi.org/10.1016/J.AUTOMATICA.2004.05.015>.
- Clauss, G.F., Klein, M., 2011. The New Year Wave in a seakeeping basin: generation, propagation, kinematics and dynamics. *Ocean Eng.* 38, 1624–1639. <https://doi.org/10.1016/j.oceaneng.2011.07.022>.
- Clément, A., McCullen, P., Falcão, A., Fiorentino, A., Gardner, F., Hammarlund, K., Lemonis, G., Lewis, T., Nielsen, K., Petroncini, S., Pontes, M.-T., Schild, P., Sjöström, B.-O., Sørensen, H.C., Thorpe, T., 2002. Wave energy in Europe: current status and perspectives. *Renew. Sustain. Energy Rev.* 6, 405–431. [https://doi.org/10.1016/S1364-0321\(02\)00009-6](https://doi.org/10.1016/S1364-0321(02)00009-6).
- Codreanu, T.A., Ngueh, S., Trewin, A., Armstrong, P.K., 2021. Successful control of an onboard COVID-19 outbreak using the cruise ship as a quarantine facility, western Australia. *Austral. Emerg. Infect. Dis.* 27, 1279–1287. <https://doi.org/10.3201/eid2705.204142>.
- Colagrossi, A., Landrini, M., 2003. Numerical simulation of interfacial flows by smoothed particle hydrodynamics. *J. Comput. Phys.* 191, 448–475. [https://doi.org/10.1016/S0021-9991\(03\)00324-3](https://doi.org/10.1016/S0021-9991(03)00324-3).
- Cole, R.H., 1948. Underwater Explosions, Dover Books on Engineering and Engineering Physics. Dover Publications.
- Coraddou, A., Oneto, L., Baldi, F., Anguita, D., 2017. Vessels fuel consumption forecast and trim optimisation: a data analytics perspective. *Ocean Eng.* 130, 351–370. <https://doi.org/10.1016/J.OCEANENG.2016.11.058>.
- Ćorić, M., Mandžuka, S., Gudelj, A., Lušić, Z., 2021. Quantitative ship collision frequency estimation models: a review. *J. Mar. Sci. Eng.* 9 <https://doi.org/10.3390/jmse9050533>.
- Coulling, A.J., Goupee, A.J., Robertson, A.N., Jonkman, J.M., Dagher, H.J., 2013. Validation of a FAST semi-submersible floating wind turbine numerical model with DeepCwind test data. *J. Renew. Sustain. Energy* 5. <https://doi.org/10.1063/1.4796197>.
- Crespo, A.J.C., Altomare, C., Domínguez, J.M., González-Cao, J., Gómez-Gesteira, M., 2017. Towards simulating floating offshore oscillating water column converters with Smoothed Particle Hydrodynamics. *Coast. Eng.* 126, 11–26. <https://doi.org/10.1016/j.coastaleng.2017.05.001>.
- Crespo, A.J.C., Altomare, C., Domínguez, J.M., González-Cao, J., Gómez-Gesteira, M., 2017. Towards simulating floating offshore oscillating water column converters with Smoothed Particle Hydrodynamics. *Coast. Eng.* 126, 11–26. <https://doi.org/10.1016/j.coastaleng.2017.05.001>.
- Smoothed Particle Hydrodynamics. *Coast. Eng.* 126, 11–26. <https://doi.org/10.1016/j.coastaleng.2017.05.001>.
- Cruz, J., 2008. In: Ocean Wave Energy. Springer Berlin Heidelberg, Berlin, Heidelberg. <https://doi.org/10.1007/978-3-540-74895-3>.
- Cummins, S.J., Rudman, M., 1999. An SPH projection method. *J. Comput. Phys.* 152, 584–607. <https://doi.org/10.1006/jcph.1999.6246>.
- Cummins, W.E., C., D.T.M.B.W.D., Basin, D.W.T.M., 1962. The Impulse Response Function and Ship Motions, Report (David W. Taylor Model Basin). Navy Department, Ship Motions, Report (David W. Taylor Model Basin).
- Dalrymple, R.A., Rogers, B.D., 2006. Numerical modeling of water waves with the SPH method. *Coast. Eng.* 53, 141–147. <https://doi.org/10.1016/j.coastaleng.2005.10.004>.
- Das, Santu, Kar, P., Sahoo, T., Meylan, M.H., 2018. Flexural-gravity wave motion in the presence of shear current: wave blocking and negative energy waves. *Phys. Fluids* 30, 106606. <https://doi.org/10.1063/1.5052228>.
- Das, S., Sahoo, T., Meylan, M.H., 2018. Flexural-gravity wave dynamics in two-layer fluid: blocking and dead water analogue. *J. Fluid Mech.* 854, 121–145. <https://doi.org/10.1017/jfm.2018.617>.
- Dashtimanesh, A., Enshaei, H., Tavakoli, S., 2019. Oblique-Asymmetric 2D+T model to compute hydrodynamic forces and moments in coupled sway, roll, and yaw motions of planing hulls. *J. Ship Res.* 63, 1–15. <https://doi.org/10.5957/JOSR.12170079>.
- Dashtimanesh, A., Tavakoli, S., Kohansal, A., Khosrovani, R., Ghassemzadeh, A., 2020. Numerical study on a heeled one-stepped boat moving forward in planing regime. *Appl. Ocean Res.* 96, 102057. <https://doi.org/10.1016/j.apor.2020.102057>.
- Dashtimanesh, A., Ghaeini, M.H., Wang, Y., Karczewski, A., Bilandi, R.N., Hirdaris, S., 2022. Digitalization of high speed craft design and operation challenges and opportunities. *Procedia Comput. Sci.* 200, 566–576. <https://doi.org/10.1016/J.PROCS.2022.01.254>.
- Davidson, J., Costello, R., 2020. Efficient nonlinear hydrodynamic models for wave energy converter design—a scoping study. *J. Mar. Sci. Eng.* <https://doi.org/10.3390/jmse8010035>.
- Davies, A.M., 1986. A three-dimensional model of the northwest European continental shelf, with application to the M 4 tide. *J. Phys. Oceanogr.* 16, 797–813. [https://doi.org/10.1175/1520-0485\(1986\)016<0797:ATDMOT>2.0.CO;2](https://doi.org/10.1175/1520-0485(1986)016<0797:ATDMOT>2.0.CO;2).
- Davies, A.M., 1991. On using turbulence energy models to develop spectral viscosity models. *Continent. Shelf Res.* 11, 1313–1353. [https://doi.org/10.1016/0278-4343\(91\)90039-9](https://doi.org/10.1016/0278-4343(91)90039-9).
- Davies, A.M., 1993. A bottom boundary layer-resolving three-dimensional tidal model: a sensitivity study of eddy viscosity formulation. *J. Phys. Oceanogr.* 23, 1437–1453. [https://doi.org/10.1175/1520-0485\(1993\)023<1437:ABBLRT>2.0.CO;2](https://doi.org/10.1175/1520-0485(1993)023<1437:ABBLRT>2.0.CO;2).
- Davies, A.M., Gerritsen, H., 1994. An intercomparison of three-dimensional tidal hydrodynamic models of the Irish Sea. *Tellus* 46, 200–221. <https://doi.org/10.1034/j.1600-0870.1994.t01-1-00008.x>.
- Davies, A.M., Jones, J.E., 1990. Application of a three-dimensional turbulence energy model to the determination of tidal currents on the northwest European Shelf. *J. Geophys. Res.* 95, 18143 <https://doi.org/10.1029/JC095iC10p18143>.
- Davies, A.M., Jones, J.E., 1996. Sensitivity of tidal bed stress distributions, near-bed currents, over tides, and tidal residuals to frictional effects in the eastern Irish sea. *J. Phys. Oceanogr.* 26, 2553–2575. [https://doi.org/10.1175/1520-0485\(1996\)026<2553:SOTBSD>2.0.CO;2](https://doi.org/10.1175/1520-0485(1996)026<2553:SOTBSD>2.0.CO;2).
- Davies, A.M., Jones, J.E., Xing, J., 1997a. Review of recent developments in tidal hydrodynamic modeling. II: turbulence energy models. *J. Hydraul. Eng.* 123, 293–302. [https://doi.org/10.1061/\(ASCE\)0733-9429\(1997\)123:4\(293\)](https://doi.org/10.1061/(ASCE)0733-9429(1997)123:4(293)).
- Davies, A.M., Jones, J.E., Xing, J., 1997b. Review of recent developments in tidal hydrodynamic modeling. I: spectral models. *J. Hydraul. Eng.* 123, 278–292. [https://doi.org/10.1061/\(ASCE\)0733-9429\(1997\)123:4\(278\)](https://doi.org/10.1061/(ASCE)0733-9429(1997)123:4(278)).
- Davis, P.V., Dove, M.J., Stockel, C.T., 1980. A computer simulation of marine traffic using domains and arenas. *J. Navig.* 33, 215–222. <https://doi.org/10.1017/S0373463300035220>.
- Dawson, C., 1977. A Practical Computer Method for Solving Ship-Wave Problems.
- Day, A.H., Babarit, A., Fontaine, A., He, Y.-P., Kraskowski, M., Murai, M., Penesis, I., Salvatore, F., Shin, H.-K., 2015. Hydrodynamic modelling of marine renewable energy devices: a state of the art review. *Ocean Eng.* 108, 46–69. <https://doi.org/10.1016/j.oceaneng.2015.05.036>.
- Deane, G.B., Stokes, D., Callaghan, A.H., 2016. Turbulence in breaking waves. *Phys. Today* 69, 86–87. <https://doi.org/10.1063/PT.3.3339>.
- Decò, A., Frangopol, D., 2013. Risk-informed optimal routing of ships considering different damage scenarios and operational conditions. *Reliab. Eng. Syst. Saf.* 119, 126–140. <https://doi.org/10.1016/j.ress.2013.05.017>.
- Dee, D.P., Uppala, S.M., Simmons, A.J., Berrisford, P., Poli, P., Kobayashi, S., Andrae, U., Balmaseda, M.A., Balsamo, G., Bauer, P., Bechtold, P., Beljaars, A.C.M., van de Berg, L., Bidlot, J., Bormann, N., Delsol, C., Dragni, R., Fuentes, M., Geer, A.J., Haimesberger, L., Healy, S.B., Hersbach, H., Holm, E. v., Isaksen, L., Kallberg, P., Kohler, M., Matricardi, M., McNally, A.P., Monge-Sanz, B.M., Morcrette, J.J., Park, B.K., Peubey, C., de Rosnay, P., Tavolato, C., Thepaut, J.N., Vitart, F., 2011. The ERA-Interim reanalysis: configuration and performance of the data assimilation system. *Q. J. Roy. Meteorol. Soc.* 137, 553–597. <https://doi.org/10.1002/qj.828>.
- Falcão, A.F. de O., 2007. Modelling and control of oscillating wave energy converters with hydraulic power take-off and gas accumulator. *Ocean Eng.* 34, 2021–2032. <https://doi.org/10.1016/j.oceaneng.2007.02.006>.
- Delaure, Y.M.C., Lewis, A., 2003. 3D hydrodynamic modelling of fixed oscillating water column wave power plant by a boundary element methods. *Ocean Eng.* 30, 309–330. [https://doi.org/10.1016/S0029-8018\(02\)00032-X](https://doi.org/10.1016/S0029-8018(02)00032-X).
- Deng, Z.Z., Wang, C., Wang, P., Higuera, P., Wang, R.Q., 2019. Hydrodynamic performance of an offshore-stationary OWC device with a horizontal bottom plate:

- experimental and numerical study. ENERGY 187. <https://doi.org/10.1016/j.energy.2019.115941>.
- Deng, Z.Z., Wang, C., Yao, Y., Higuera, P., 2020. Numerical simulation of an oscillating water column device installed over a submerged breakwater. J. Mar. Sci. Technol. 25, 258–271. <https://doi.org/10.1007/s00773-019-00645-0>.
- Deng, Z.Z., Wang, P.J., Cheng, P.D., 2021. Hydrodynamic performance of an asymmetry OWC device mounted on a box-type breakwater. Front. Mar. Sci. 8 <https://doi.org/10.3389/fmars.2021.677030>.
- Depalo, F., Wang, S., Xu, S., Guedes Soares, C., Yang, S.H., Ringsberg, J.W., 2022. Effects of dynamic axial stiffness of elastic moorings for a wave energy converter. Ocean Eng. 251, 111132 <https://doi.org/10.1016/J.OCEANENG.2022.111132>.
- di Ciaccio, F., Troisi, S., 2021. Monitoring marine environments with Autonomous Underwater Vehicles: a bibliometric analysis. Results Eng. 9, 100205 <https://doi.org/10.1016/J.RINENG.2021.100205>.
- Ding, W., Sun, H., Xu, W., Bernitas, M., 2017. Two Tandem Cylinders with Turbulence Stimulation in FIV Power Conversion: CFD with Experimental Verification of Interaction. <https://doi.org/10.1115/OMAE2017-62271>.
- Ding, L., Zou, Q., Zhang, L., Wang, H., 2018. Research on flow-induced vibration and energy harvesting of three circular cylinders with roughness strips in tandem. Energies 11. <https://doi.org/10.3390/en11112977>.
- Ding, W., Wang, K., Mao, Z., Cao, H., 2020. Layout optimization of an inertial energy harvester for miniature underwater mooring platforms. Mar. Struct. 69, 102681 <https://doi.org/10.1016/j.marstruc.2019.102681>.
- Dixon, B., 2014. First settlement of remote oceania earliest sites in the mariana islands. J. I. Coast Archaeol. 9 <https://doi.org/10.1080/15564894.2013.861546>.
- Do, K., 2010. Practical control of underactuated ships. Ocean Eng. 37, 1111–1119. <https://doi.org/10.1016/J.OCEANENG.2010.04.007>.
- Do, K., 2015a. Global path-following control of stochastic underactuated ships: a level curve approach. J. Dyn. Syst. Meas. Control 137. <https://doi.org/10.1115/1.4029885>.
- Do, K., 2015b. Robust adaptive tracking control of underactuated ODINs under stochastic sea loads. Robot. Autonom. Syst. 72, 152–163. <https://doi.org/10.1016/J.ROBOT.2015.05.007>.
- Do, K., 2015c. Control of fully actuated ocean vehicles under stochastic environmental loads in three dimensional space. Ocean Eng. 99, 34–43. <https://doi.org/10.1016/J.OCEANENG.2015.03.005>.
- Do, K.D., Pan, J., 2004. State- and output-feedback robust path-following controllers for underactuated ships using Serret–Frenet frame. Ocean Eng. 31, 587–613. <https://doi.org/10.1016/J.OCEANENG.2003.08.006>.
- Do, K.D., Pan, J., 2005. Global tracking control of underactuated ships with nonzero off-diagonal terms in their system matrices. Automatica 41, 87–95. <https://doi.org/10.1016/j.automatica.2004.08.005>.
- Do, K.D., Pan, J., 2009. Control of Ships and Underwater Vehicles: Design for Underactuated and Nonlinear Marine Systems. Advances in Industrial Control. Springer, London.
- Dong, R.R., Katz, J., Huang, T.T., 1997. On the structure of bow waves on a ship model. J. Fluid Mech. 346, 77–115. <https://doi.org/10.1017/S0022112097005946>.
- Dou, S., Pegalajar-Jurado, A., Wang, S., Bredmose, H., Stolpe, M., 2020. Optimization of floating wind turbine support structures using frequency-domain analysis and analytical gradients. J. Phys. Conf. Ser. 1618, 042028 <https://doi.org/10.1088/1742-6596/1618/4/042028>.
- Drew, B., Plummer, A.R., Sahinkaya, M.N., 2009. A review of wave energy converter technology. Proc. IME J. Power Energy 223, 887–902. <https://doi.org/10.1243/09576509JPE782>.
- Du, L., Goerlandt, F., Valdez Banda, O.A., Huang, Y., Wen, Y., Kujala, P., 2020. Improving stand-on ship's situational awareness by estimating the intention of the give-way ship. Ocean Eng. 201, 107110 <https://doi.org/10.1016/j.oceaneng.2020.107110>.
- Drewniak, M., Dalaklis, D., Christodoulou, A., Sheehan, R., 2021. Ice-Breaking Fleets of the United States and Canada: Assessing the Current State of Affairs and Future Plans. Sustainability 13 (2), 703. <https://doi.org/10.3390/su13020703>.
- Du, L., Banda, O.A.V., Huang, Y., Goerlandt, F., Kujala, P., Zhang, W., 2021. An empirical ship domain based on evasive maneuver and perceived collision risk. Reliab. Eng. Syst. Saf. 213, 107752 <https://doi.org/10.1016/J.RESS.2021.107752>.
- Dudley, J.M., Genty, G., Mussot, A., Chabchoub, A., Dias, F., 2019. Rogue waves and analogies in optics and oceanography. Nature Rev. Phys. 1, 675–689. <https://doi.org/10.1038/s42254-019-0100-0>.
- Duncan, J.H., 1981. An experimental investigation of breaking waves produced by a towed hydrofoil. In: PROCEEDINGS OF THE ROYAL SOCIETY OF LONDON SERIES A-MATHEMATICAL PHYSICAL AND ENGINEERING SCIENCES, p. 331. <https://doi.org/10.1098/rspa.1981.0127>, 377.
- Dysthe, K., Krogstad, H.E., Müller, P., 2008a. Oceanic rogue waves. Annu. Rev. Fluid Mech. 40, 287–310. <https://doi.org/10.1146/annurev.fluid.40.111406.102203>.
- Dysthe, K., Krogstad, H.E., Müller, P., 2008b. Oceanic rogue waves. Annu. Rev. Fluid Mech. 40, 287–310. <https://doi.org/10.1146/annurev.fluid.40.111406.102203>.
- Edmunds, M., Williams, A.J., Masters, I., Banerjee, A., VanZwieten, J.H., 2020. A spatially nonlinear generalised actuator disk model for the simulation of horizontal axis wind and tidal turbines. Energy 194, 116803. <https://doi.org/10.1016/J.ENERGY.2019.116803>.
- Eltink, D., Branger, H., Luneau, C., He, Y., Chabchoub, A., Kasparian, J., van den Bremer, T.S., Sapsis, T.P., 2022. Nonlinear wave evolution with data-driven breaking. Nat. Commun. 13, 2343. <https://doi.org/10.1038/s41467-022-30025-z>.
- Ehlers, S., Østby, E., 2012. Increased crashworthiness due to arctic conditions – the influence of sub-zero temperature. Mar. Struct. 28, 86–100. <https://doi.org/10.1016/J.MARSTRUC.2012.05.004>.
- Ehlers, S., Tabri, K., Varsta, P., 2011. Collision strength of ship structures-a state of the art review. Marine Technol. Eng. 2, 841–850.
- Ehlers, S., le Sourne, H., Buldgen, L., Ollero, J., Robertson, C., Rigo, P., 2015. A review of technical solutions and simulation approaches for ship collisions with lock gates. Ship Technol. Res. 62, 14–25. <https://doi.org/10.1179/093772515Z.00000000002>.
- El-Bassiouny, A.F., 2007. Nonlinear analysis for a ship with a general roll-damping model. Phys. Scripta 75, 691–701.
- Elhanafi, A., Fleming, A., Macfarlane, G., Leong, Z., 2017a. Underwater geometrical impact on the hydrodynamic performance of an offshore oscillating water column-wave energy converter. Renew. Energy 105, 209–231. <https://doi.org/10.1016/J.RENENE.2016.12.039>.
- Elhanafi, A., Macfarlane, G., Fleming, A., Leong, Z., 2017b. Experimental and numerical measurements of wave forces on a 3D offshore stationary OWC wave energy converter. Ocean Eng. 144, 98–117. <https://doi.org/10.1016/J.OCEANENG.2017.08.040>.
- Elhimer, M., Jacques, N., el Malki Alaoui, A., Gabillet, C., 2017. The influence of aeration and compressibility on slamming loads during come water entry. J. Fluid Struct. 70, 24–46. <https://doi.org/10.1016/j.jfluidstructs.2016.12.012>.
- Ellingsen, S.Å., 2014. Ship waves in the presence of uniform vorticity. J. Fluid Mech. 742, R2. <https://doi.org/10.1017/jfm.2014.28>.
- Embid, P.F., Majda, A.J., 1998. Low Froude number limiting dynamics for stably stratified flow with small or finite Rossby numbers. Geophys. Astrophys. Fluid Dynam. 87, 1–50. <https://doi.org/10.1080/03091929808208993>.
- Ertogun, M., Ertugrul, S., Taylan, M., 2016. Application of particle swarm optimized PDD 2 control for ship roll motion with active fins. IEEE ASME Trans. Mechatron. 21, 1004–1014. <https://doi.org/10.1109/TMECH.2015.2479401>.
- Es-Wave, The, 2021. In: High Performance Hybrid Wave Energy Converter and Green Grid Storage [WWW Document]. <https://ubuntoo.com/s/the-es-wave>. accessed 6.30.22.
- Esfandiari, A., Tavakoli, S., Dashtimanesh, A., 2020. Comparison between the dynamic behavior of the non-stepped and double-stepped planing hulls in rough water: a numerical study. J. Ship Product. Design 36, 52–66. <https://doi.org/10.5957/jspd.2020.36.1.52>.
- Esteban, M., 2009. In: How Things Work: Ocean Energy Making Waves [WWW Document]. <https://ourworld.unu.edu/en/ocean-energy-making-waves>. accessed 4.20.22.
- Evans, D., 1976. A theory for wave-power absorption by oscillating bodies. J. Fluid Mech. 77, 1–25. <https://doi.org/10.1017/S0022112076001109>.
- Evans, D.v., 1982. Wave-power absorption by systems of oscillating surface pressure distributions. J. Fluid Mech. 114, 481. <https://doi.org/10.1017/S0022112082000263>.
- Fadaeejad, M., Shamsipour, R., Rokni, S.D., Gomes, C., 2014. New approaches in harnessing wave energy: with special attention to small islands. Renew. Sustain. Energy Rev. 29, 345–354. <https://doi.org/10.1016/j.rser.2013.08.077>.
- Faedo, N., Olaya, S., Ringwood, J. v., 2017. Optimal control, MPC and MPC-like algorithms for wave energy systems: an overview. IFAC J. Syst. Control 1, 37–56. <https://doi.org/10.1016/j.ifacsc.2017.07.001>.
- Falcão, A.F. de O., 2010. Wave energy utilization: a review of the technologies. Renew. Sustain. Energy Rev. 14, 899–918. <https://doi.org/10.1016/j.rser.2009.11.003>.
- Falcão, A.F.O., Henriques, J.C.C., 2014. Model-prototype similarity of oscillating-water-column wave energy converters. Int. J. Marine Energy 6, 18–34. <https://doi.org/10.1016/J.IJOME.2014.05.002>.
- Falcão, A.F.O., Henriques, J.C.C., 2016. Oscillating-water-column wave energy converters and air turbines: a review. Renew. Energy 85, 1391–1424. <https://doi.org/10.1016/J.RENENE.2015.07.086>.
- Falcão, A.F.O., Justino, P.A.P., 1999. OWC wave energy devices with air flow control. Ocean Eng. 26, 1275–1295. [https://doi.org/10.1016/S0029-8018\(98\)00075-4](https://doi.org/10.1016/S0029-8018(98)00075-4).
- Falnes, J., 1980. Radiation impedance matrix and optimum power absorption for interacting oscillators in surface waves. Appl. Ocean Res. 2, 75–80. [https://doi.org/10.1016/0141-1187\(80\)90032-2](https://doi.org/10.1016/0141-1187(80)90032-2).
- Falnes, J., 2002. Ocean Waves and Oscillating Systems: Linear Interactions Including Wave-Energy Extraction. Cambridge University Press, Cambridge. <https://doi.org/10.1017/CBO9780511754630>.
- Falnes, J., 2007. A review of wave-energy extraction. Mar. Struct. 20, 185–201. <https://doi.org/10.1016/j.marstruc.2007.09.001>.
- Falnes, J., McIver, P., 1985. Surface wave interactions with systems of oscillating bodies and pressure distributions. Appl. Ocean Res. 7, 225–234. [https://doi.org/10.1016/0141-1187\(85\)90029-X](https://doi.org/10.1016/0141-1187(85)90029-X).
- Faltinsen, O., 1993. Sea Loads on Ships and Offshore Structures. Cambridge Ocean Technology Series. Cambridge University Press.
- Faltinsen, O., 2000. Hydroelastic slamming. J. Mar. Sci. Technol. 5, 49–65.
- Faltinsen, O.M., 2006. Hydrodynamics of High-Speed Marine Vehicles. Cambridge University Press, Cambridge. <https://doi.org/10.1017/CBO9780511546068>.
- Faltinsen, O., Timokha, A., 2009. Sloshing. Cambridge University Press.
- Faltinsen, O.M., Landrini, M., Greco, M., 2004. Slamming in marine applications. J. Eng. Math. 48, 187–217. <https://doi.org/10.1023/B:engl.0000018188.68304.ae>.
- Falzarano, J.M., Shaw, S.W., Troesch, A.W., 1992. Application of global methods for analyzing dynamical systems to SHIP rolling motion and capsizing. Int. J. Bifurcat. Chaos 2, 101–115.
- Fang, M.-C., Tsai, K.-Y., Fang, C.-C., 2018. A simplified simulation model of ship navigation for safety and collision avoidance in heavy traffic areas. J. Navig. 71, 837–860. <https://doi.org/10.1017/S0373463317000923>.
- Felli, M., Camussi, R., di Felice, F., 2011. Mechanisms of evolution of the propeller wake in the transition and far fields. J. Fluid Mech. 682, 5–53. <https://doi.org/10.1017/jfm.2011.150>.

- Feng, C., Cui, M., Hodge, B.-M., Zhang, J., 2017. A data-driven multi-model methodology with deep feature selection for short-term wind forecasting. *Appl. Energy* 190, 1245–1257. <https://doi.org/10.1016/j.apenergy.2017.01.043>.
- Fenton, J.D., 1985. A fifth-order Stokes theory for steady waves. *J. Waterway Port Coastal Ocean Eng.-asce* 111, 216–234.
- Perziger, J.H., Peric, M., 2012. *Computational Methods for Fluid Dynamics*. Springer Berlin Heidelberg.
- Folley, M., Whitaker, T.J.T., 2009. Analysis of the nearshore wave energy resource. *Renew. Energy* 34, 1709–1715. <https://doi.org/10.1016/j.renene.2009.01.003>.
- Fonseca, N., Soares, C.G., 1998. Time-domain analysis of large-amplitude vertical ship motions and wave loads. *J. Ship Res.* 42, 139–153. <https://doi.org/10.5957/jsr.1998.42.2.139>.
- Fossen, T.I., 1994. *Guidance and Control of Ocean Vehicles*. Wiley.
- Fossen, T.I., 2002. *Marine control systems: guidance, navigation and control of ships, rigs and underwater vehicles*. Marine Cybernetics.
- Fossen, T.I., 2011. *Handbook of Marine Craft Hydrodynamics and Motion Control*. Wiley.
- Fossen, T.I., Strand, J.P., 1999. Passive nonlinear observer design for ships using lyapunov methods: full-scale experiments with a supply vessel. *Automatica* 35, 3–16. [https://doi.org/10.1016/S0005-1098\(98\)00121-6](https://doi.org/10.1016/S0005-1098(98)00121-6).
- Fox, C., Squire, V., 1994. On the oblique reflexion and transmission of ocean waves at shore fast sea ice. *Phil. Trans. Math. Phys. Eng. Sci.* 347, 185–218. <https://doi.org/10.1098/rsta.1994.0044>.
- France, W.N., Levadou, M., Treakle, T.W., Paulling, J.R., Michel, R.K., Moore, C., 2003. An investigation of head sea parametric rolling and its influence on container lashing systems. *Marine Technol. SNAME News* 40, 1–19. <https://doi.org/10.5957/mt.2003.40.1.1>.
- Frederikse, T., Landerer, F., Caron, L., Adhikari, S., Parkes, D., Humphrey, V.W., Dangendorf, S., Hogarth, P., Zanna, L., Cheng, L., Wu, Y.-H., 2020. The causes of sea-level rise since 1900. *Nature* 584, 393–397. <https://doi.org/10.1038/s41586-020-2591-3>.
- Fredriksen, E., Pettersen, K.Y., 2004. Global/spl kappa/-exponential way-point manoeuvring of ships. In: 2004 43rd IEEE Conference on Decision and Control (CDC). IEEE Cat. No.04CH37601, pp. 5360–5367. <https://doi.org/10.1109/CDC.2004.1429660>, 5.
- Freeman, E., Kent, E.C., Brohan, P., Cram, T., Gates, L., Huang, B., Liu, C., Smith, S.R., Worley, S.J., Zhang, H.-M., 2019. The international comprehensive ocean-atmosphere data set – meeting users needs and future priorities. *Front. Mar. Sci.* 6 <https://doi.org/10.3389/fmars.2019.00435>.
- Friis-Hansen, P., Simonsen, B.C., 2002. GRACAT: software for grounding and collision risk analysis. *Mar. Struct.* 15, 383–401. [https://doi.org/10.1016/S0951-8339\(02\)00009-6](https://doi.org/10.1016/S0951-8339(02)00009-6).
- Fritts, D.C., Arendt, S., Andreassen, Ø., 1998. Vorticity dynamics in a breaking internal gravity wave. Part 2. Vortex interactions and transition to turbulence. *J. Fluid Mech.* 367, 47–65. <https://doi.org/10.1017/S0022112098001633>.
- Fritts, D.C., Alexander, M.J., 2003. Gravity wave dynamics and effects in the middle atmosphere. *Rev. Geophys.* 41 <https://doi.org/10.1029/2001RG000106>.
- Fritts, D.C., Isler, J.R., Andreassen, Ø., 1994. Gravity wave breaking in two and three dimensions: 2. Three-dimensional evolution and instability structure. *J. Geophys. Res. Atmos.* 99, 8109–8123. <https://doi.org/10.1029/93JD03436>.
- Fritts, D., Palmer, T., Andreassen, Ø., Lie, I., 1996. Evolution and breakdown of kelvin-helmholtz billows in stratified compressible flows. Part I: comparison of two and three-dimensional flows. *J. Atmos. Sci.* 53, 3173–3191. [https://doi.org/10.1175/1520-0469\(1996\)053<3173:EABOKB>2.0.CO;2](https://doi.org/10.1175/1520-0469(1996)053<3173:EABOKB>2.0.CO;2).
- Fujii, Y., Tanaka, K., 1971. Traffic capacity. *J. Navig.* 24, 543–552. <https://doi.org/10.1017/S0373463300022384>.
- Fujimura, A., Soloviev, A., Kudryavtsev, V., 2010. Numerical simulation of the wind-stress effect on SAR imagery of far wakes of ships. *Geosci. Rem. Sens. Lett. IEEE* 7, 646–649. <https://doi.org/10.1109/LGRS.2010.2043920>.
- Fusco, F., Ringwood, J. v., 2010. Short-term wave forecasting for real-time control of wave energy converters. *IEEE Trans. Sustain. Energy* 1, 99–106. <https://doi.org/10.1109/TSTE.2010.2047414>.
- Gabbai, R.D., Benaroya, H., 2005. An overview of modeling and experiments of vortex-induced vibration of circular cylinders. *J. Sound Vib.* 282, 575–616. <https://doi.org/10.1016/J.JSV.2004.04.017>.
- Galperin, B., Kantha, L., Hassid, S., Rosati, A., 1988. A quasi-equilibrium turbulent energy model for geophysical flows. *J. Atmos. Sci.* 45, 55–62. [https://doi.org/10.1175/1520-0469\(1988\)045<0055:QETEM>2.0.CO;2](https://doi.org/10.1175/1520-0469(1988)045<0055:QETEM>2.0.CO;2).
- Gannon, L., 2019. Submerged aluminum cylinder response to close-proximity underwater explosions – a comparison of experiment and simulation. *Int. J. Impact Eng.* 133, 103339. <https://doi.org/10.1016/j.ijimpeng.2019.103339>.
- Garcia-Valdovinos, L.G., Salgado-Jiménez, T., Bandala-Sánchez, M., Nava-Balanzar, L., Hernández-Alvarado, R., Cruz-Ledesma, J.A., 2014. Modelling, design and robust control of a remotely operated underwater vehicle. *Int. J. Adv. Rob. Syst.* 11, 1. <https://doi.org/10.5772/56810>.
- Garrett, C., Cummins, P., 2007. The efficiency of a turbine in a tidal channel. *J. Fluid Mech.* 588, 243–251. <https://doi.org/10.1017/S0022112007007781>.
- Gaspar, B., Teixeira, A.P., Guedes Soares, C., 2016. Effect of the nonlinear vertical wave-induced bending moments on the ship hull girder reliability. *Ocean Eng.* 119, 193–207. <https://doi.org/10.1016/j.oceaneng.2015.12.005>.
- Gaspar, J.F., Calvário, M., Kamarlouei, M., Soares, C.G., 2018. Design tradeoffs of an oil-hydraulic power take-off for wave energy converters. *Renew. Energy* 129, 245–259. <https://doi.org/10.1016/J.RENENE.2018.05.092>.
- Gaurier, B., Mainain, G., Faqc, J.V., Johnstone, C.M., Grant, A.D., Day, A.H., Nixon, E., di Felice, F., Costanzo, M., 2015. Tidal energy “Round Robin” tests comparisons between towing tank and circulating tank results. *Int. J. Marine Energy* 12, 87–109. <https://doi.org/10.1016/J.IJOME.2015.05.005>.
- Geers, T.L., Hunter, K.S., 2002. An integrated wave-effects model for an underwater explosion bubble. *J. Acoust. Soc. Am.* 111, 1584–1601. <https://doi.org/10.1121/1.1458590>.
- Ghadimi, P., Tavakoli, S., Dashtimanesh, A., 2016a. Coupled heave and pitch motions of planing hulls at non-zero heel angle. *Appl. Ocean Res.* 59, 286–303. <https://doi.org/10.1016/j.apor.2016.05.009>.
- Ghadimi, P., Tavakoli, S., Dashtimanesh, A., 2016b. An analytical procedure for time domain simulation of roll motion of the warped planing hulls. *Proc. IME M J. Eng. Marit. Environ.* 230, 600–615. <https://doi.org/10.1177/1475090215613536>.
- Ghadimi, P., Sajedi, S.M., Tavakoli, S., 2018. Experimental study of the wedge effects on the performance of a hard-chine planing craft in calm water. *Sci. Iran.* <https://doi.org/10.24200/sci.2018.20607>, 0, 0–0.
- Ghadimi, P., Panahi, S., Tavakoli, S., 2019. Hydrodynamic study of a double-stepped planing craft through numerical simulations. *J. Braz. Soc. Mech. Sci. Eng.* 41, 2. <https://doi.org/10.1007/s40430-018-1501-1>.
- Ghantous, M., Babanin, A.V., 2014. One-dimensional modelling of upper ocean mixing by turbulence due to wave orbital motion. *Nonlinear Process Geophys.* 21, 325–338. <https://doi.org/10.5194/npg-21-325-2014>.
- Gil, M., 2021. A concept of critical safety area applicable for an obstacle-avoidance process for manned and autonomous ships. *Reliab. Eng. Syst. Saf.* 214, 107806. <https://doi.org/10.1016/j.ress.2021.107806>.
- Gil, M., Wróbel, K., Montewka, J., Goerlandt, F., 2020. A bibliometric analysis and systematic review of shipboard Decision Support Systems for accident prevention. *Saf. Sci.* 128, 104717. <https://doi.org/10.1016/J.SSCI.2020.104717>.
- Gill, A.E., 1982. *Atmosphere-Ocean Dynamics, Atmosphere-Ocean Dynamics*. Elsevier Science.
- Gingold, R.A., Monaghan, J.J., 1977. Smoothed particle hydrodynamics: theory and application to non-spherical stars. *Mon. Not. Roy. Astron. Soc.* 181, 375–389. <https://doi.org/10.1093/mnras/181.3.375>.
- Giorgi, G., Gomes, R.P.F., Bracco, G., Mattiazzo, G., 2020. The effect of mooring line parameters in inducing parametric resonance on the spar-buoy oscillating water column wave energy converter. *J. Mar. Sci. Eng.* 8, 29. <https://doi.org/10.3390/jmse8010029>.
- Giuntella, O., Hyde, K., Saccardo, S., Sadoff, S., 2021. Lifestyle and mental health disruptions during COVID-19. *Proc. Natl. Acad. Sci. USA* 118. <https://doi.org/10.1073/pnas.2016632118>.
- Gkerekos, C., Lazaris, I., Theotokatos, G., 2019. Machine learning models for predicting ship main engine Fuel Oil Consumption: a comparative study. *Ocean Eng.* 188, 106282. <https://doi.org/10.1016/J.OCEANENG.2019.106282>.
- Gkoumas, K., 2010. A risk analysis framework for offshore wind turbines. In: Earth and Space 2010. American Society of Civil Engineers, Reston, VA, pp. 1965–1972. [https://doi.org/10.1061/41096\(366\)179](https://doi.org/10.1061/41096(366)179).
- Goerlandt, F., Kujala, P., 2011. Traffic simulation based ship collision probability modeling. *Reliab. Eng. Syst. Saf.* 96, 91–107. <https://doi.org/10.1016/J.RESS.2010.09.003>.
- Goerlandt, F., Montewka, J., 2015. Maritime transportation risk analysis: review and analysis in light of some foundational issues. *Reliab. Eng. Syst. Saf.* 138, 115–134. <https://doi.org/10.1016/j.ress.2015.01.025>.
- Gomes, R.P.F., Henriques, J.C.C., Gato, L.M.C., Falcão, A.F.O., 2016. Wave power extraction of a heaving floating oscillating water column in a wave channel. *Renew. Energy* 99, 1262–1275. <https://doi.org/10.1016/j.renene.2016.08.012>.
- Gomes, R.P.F., Henriques, J.C.C., Gato, L.M.C., Falcão, A.F.O., 2020. Time-domain simulation of a slack-moored floating oscillating water column and validation with physical model tests. *Renew. Energy* 149, 165–180. <https://doi.org/10.1016/j.renene.2019.11.159>.
- Gomes, R.P.F., Henriques, J.C.C., Gato, L.M.C., Falcao, A.F.O., 2020. Time-domain simulation of a slack-moored floating oscillating water column and validation with physical model tests. *Renew. Energy* 149, 165–180. <https://doi.org/10.1016/j.renene.2019.11.159>.
- Gonçalves, M., Martinho, P., Guedes Soares, C., 2014a. Wave energy conditions in the western French coast. *Renew. Energy* 62, 155–163. <https://doi.org/10.1016/J.RENENE.2013.06.028>.
- Gonçalves, M., Martinho, P., Guedes Soares, C., 2014b. Assessment of wave energy in the canary islands. *Renew. Energy* 68, 774–784. <https://doi.org/10.1016/J.RENENE.2014.03.017>.
- Gonçalves, M., Martinho, P., Guedes Soares, C., 2014c. Wave energy conditions in the western French coast. *Renew. Energy* 62. <https://doi.org/10.1016/J.RENENE.2013.06.028>.
- Goodwin, E.M., 1975. A statistical study of ship domains. *J. Navig.* 28, 328–344. <https://doi.org/10.1017/S0373463300041230>.
- Gopinath, Deepthi., Dwarkash, G.S., 2015. Wave prediction using neural networks at new mangalore port along west coast of India. *Aquat Procedia* 4, 143–150. <https://doi.org/10.1016/j.aqpro.2015.02.020>.
- Gordo, J.M., Soares, C.G., 2009. Tests on ultimate strength of hull box girders made of high tensile steel. *Mar. Struct.* 22, 770–790. <https://doi.org/10.1016/J.MARSTRUC.2009.07.002>.
- Gordo, J., Guedes Soares, C., Faulkner, D., 1996. Approximate assessment of the ultimate longitudinal strength of the hull girder. *J. Ship Res.* 40 <https://doi.org/10.5957/jsr.1996.40.1.60>.
- Göteman, M., Giassi, M., Engström, J., Isberg, J., 2020. Advances and challenges in wave energy park optimization—a review. *Front. Energy Res.* 8 <https://doi.org/10.3389/fenrg.2020.00026>.
- Gotoh, H., Khayyer, A., Ikari, H., Arikawa, T., Shimosako, K., 2014. On enhancement of Incompressible SPH method for simulation of violent sloshing flows. *Appl. Ocean Res.* 46, 104–115. <https://doi.org/10.1016/J.APOR.2014.02.005>.

- Gotoh, H., Khayyer, A., Shimizu, Y., 2021. Entirely Lagrangian meshfree computational methods for hydroelastic fluid-structure interactions in ocean engineering—reliability, adaptivity and generality. *Appl. Ocean Res.* 115, 102822. <https://doi.org/10.1016/j.apor.2021.102822>.
- Grammatikopoulos, A., Banks, J., Temarel, P., 2021. The design and commissioning of a fully elastic model of a uniform container ship. *Mar. Struct.* 78, 103014. <https://doi.org/10.1016/J.MARSTRUC.2021.103014>.
- Greco, M., Lugni, C., 2012. 3-D seakeeping analysis with water on deck and slamming. Part 1: numerical solver. *J. Fluid Struct.* 33, 127–147. <https://doi.org/10.1016/j.jfluidstructs.2012.04.005>.
- Greco, M., Colicchio, G., Faltinsen, O.M., 2014. A domain-decomposition strategy for a compressible multi-phase flow interacting with a structure. *Int. J. Numer. Methods Eng.* 98, 840–858. <https://doi.org/10.1002/nme.4670>.
- Green, G., 1918. On ship-waves, and on waves in deep water due to the motion of submerged bodies. *Phil. Mag.* 36, 48–63. <https://doi.org/10.1080/14786440708635801>.
- Green, M.D., Zhou, Y.P., Dominguez, J.M., Gesteira, M.G., Peiro, J., 2021. Smooth particle hydrodynamics simulations of long-duration violent three-dimensional sloshing in tanks. *Ocean Eng.* 229. <https://doi.org/10.1016/j.oceaneng.2021.108925>.
- Greene, T., 2020. In: 2010 – 2019: the Rise of Deep Learning [WWW Document]. <http://thenextweb.com/news/2010-2019-the-rise-of-deep-learning>. accessed 4.20.22.
- Gritsenko, D., Kiiski, T., 2016. A review of Russian ice-breaking tariff policy on the northern sea route 1991–2014. *Polar Record* 52 (2), 144–158. <https://doi.org/10.1017/S0032247415000479>.
- Gu, N., Peng, Z., Wang, D., Shi, Y., Wang, T., 2019. Anti-disturbance coordinated path-following control of robotic autonomous surface vehicles: theory and experiment. *IEEE ASME Trans. Mechatron.* <https://doi.org/10.1109/TMECH.2019.2929216>, 1–1.
- Guedes Soares, C., Garbatov, Y., Zayed, A., 2011. Effect of environmental factors on steel plate corrosion under marine immersion conditions. *Corrosion Eng. Sci. Technol.* 46, 524–541. <https://doi.org/10.1179/147842209X12559428167841>.
- Gunes, U., 2021. Bilbometric Analysis for the field of ocean engineering. *GMO J. Ship Marine Technol.* 218, 124–141.
- Gunn, K., Stock-Williams, C., 2012. Quantifying the global wave power resource. *Renew. Energy* 44, 296–304. <https://doi.org/10.1016/j.renene.2012.01.101>.
- Guo, B., Ning, D., Wang, R., Ding, B., 2021. Hydrodynamics of an oscillating water column WEC - breakwater integrated system with a pitching front-wall. *Renew. Energy* 176, 67–80. <https://doi.org/10.1016/J.RENENE.2021.05.056>.
- Guo, H., Guo, C., Hu, J., Lin, J., Zhong, X., 2021. Influence of jet flow on the hydrodynamic and noise performance of propeller. *Phys. Fluids* 33, 065123. <https://doi.org/10.1063/5.0051326>.
- Ha, J., Roh, M.-I., Lee, H.-W., 2021. Quantitative calculation method of the collision risk for collision avoidance in ship navigation using the CPA and ship domain. *J Comput Des Eng* 8, 894–909. <https://doi.org/10.1093/jcde/qwab021>.
- Haack, R., 1903a. The water fluctuation during the run of ships and its influence on the ship's resistance. *Z. Des. Vereines Dtsch. Ingenieure* 47, 693–697.
- Haack, R., 1903b. Water movement during the motion of ships and its influence on ship resistance. *Z. Des. Vereines Dtsch. Ingenieure* 47, 785–789.
- Haghani, M., 2022. Crowd dynamics research in the era of Covid-19 pandemic: challenges and opportunities. *Saf. Sci.* 153, 105818. <https://doi.org/10.1016/J.SSCI.2022.105818>.
- Hallowell, S.T., Myers, A.T., Arwade, S.R., Pang, W., Rawal, P., Hines, E.M., Hajjar, J.F., Qiao, C., Valamanesh, V., Wei, K., Carswell, W., Fontana, C.M., 2018. Hurricane risk assessment of offshore wind turbines. *Renew. Energy* 125, 234–249. <https://doi.org/10.1016/j.renene.2018.02.090>.
- Halswell, P.K., Wilson, P.A., Taunton, D.J., Austen, S., 2016. An experimental investigation into whole body vibration generated during the hydroelastic slamming of a high speed craft. *Ocean Eng.* 126, 115–128. <https://doi.org/10.1016/j.oceaneng.2016.09.002>.
- Harlow, F.H., Welch, J.E., 1965. Numerical calculation of time-dependent viscous incompressible flow of fluid with free surface. *Phys. Fluids* 8, 2182. <https://doi.org/10.1063/1.1761178>.
- Hasager, C.B., Badger, M., Peña, A., Larsén, X.G., Bingöl, F., 2011. SAR-based wind resource statistics in the baltic sea. *Rem. Sens.* 3, 117–144. <https://doi.org/10.3390/rs3010117>.
- Hasselmann, K., 1962. On the non-linear energy transfer in a gravity-wave spectrum Part 1. General theory. *J. Fluid Mech.* 12, 481–500. <https://doi.org/10.1017/S0022112062000373>.
- Hasselmann, K., Hasselmann, K., Bauer, E., Janssen, P., Komen, G., Bertotti, L., Lionello, P., Guillaume, A., Cardone, V., Greenwood, J., Reistad, M., Zambresky, L., Ewing, J., 1988. The WAM model - a third generation ocean wave prediction model. *J. Phys. Oceanogr.* 18, 1775–1810.
- Havelock, T.H., 1909. The wave-making resistance of ships - a theoretical and practical analysis. *Proc. R. Soc. Lond. - Ser. A Contain. Pap. a Math. Phys. Character* 82, 276–300. <https://doi.org/10.1098/rspa.1909.0033>.
- He, F., Huang, Z., 2014. Hydrodynamic performance of pile-supported OWC-type structures as breakwaters: an experimental study. *Ocean Eng.* 88, 618–626. <https://doi.org/10.1016/J.OCEANENG.2014.04.023>.
- He, F., Huang, Z., Law, A.W.K., 2013. An experimental study of a floating breakwater with asymmetric pneumatic chambers for wave energy extraction. *Appl. Energy* 106, 222–231. <https://doi.org/10.1016/J.APENERGY.2013.01.013>.
- He, F., Leng, J., Zhao, X., 2017. An experimental investigation into the wave power extraction of a floating box-type breakwater with dual pneumatic chambers. *Appl. Ocean Res.* 67, 21–30. <https://doi.org/10.1016/J.JAPOR.2017.06.009>.
- He, M., Khayyer, A., Gao, X., Xu, W., Liu, B., 2021. Theoretical method for generating solitary waves using plunger-type wavemakers and its Smoothed Particle Hydrodynamics validation. *Appl. Ocean Res.* 106, 102414. <https://doi.org/10.1016/j.apor.2020.102414>.
- He, K., Ni, B., Xu, X., Wei, H., Xue, Y., 2022. Numerical simulation on the breakup of an ice sheet induced by regular incident waves. *Appl. Ocean Res.* 120, 103024. <https://doi.org/10.1016/j.apor.2021.103024>.
- Healey, A.J., Lienard, D., 1993. Multivariable sliding mode control for autonomous diving and steering of unmanned underwater vehicles. *IEEE J. Ocean. Eng.* 18, 327–339. <https://doi.org/10.1109/JOE.1993.236372>.
- Heath, T. v., 2012. A review of oscillating water columns. *Phil. Trans. Math. Phys. Eng. Sci.* 370, 235–245. <https://doi.org/10.1098/rsta.2011.0164>.
- Helling, W., 1907. Technique of the intercomparison of marine propellers. *Z. Des. Vereines Dtsch. Ingenieure* 51, 1348–1350.
- Henderson, R., 2006. Design, simulation, and testing of a novel hydraulic power take-off system for the Pelamis wave energy converter. *Renew. Energy* 31, 271–283. <https://doi.org/10.1016/j.renene.2005.08.021>.
- Henriques, J.C.C., Gato, L.M.C., Falcão, A.F.O., Robles, E., Faÿ, F.-X., 2016a. Latching control of a floating oscillating-water-column wave energy converter. *Renew. Energy* 90, 229–241. <https://doi.org/10.1016/j.renene.2015.12.065>.
- Henriques, J.C.C., Gomes, R.P.F., Gato, L.M.C., Falcão, A.F.O., Robles, E., Ceballos, S., 2016b. Testing and control of a power take-off system for an oscillating-water-column wave energy converter. *Renew. Energy* 85, 714–724. <https://doi.org/10.1016/j.renene.2015.07.015>.
- Herman, P., Adamski, W., 2017. Non-adaptive velocity tracking controller for a class of vehicles. *Bull. Pol. Acad. Sci. Tech. Sci.* 65, 459–468. <https://doi.org/10.1515/bpasts-2017-0051>.
- Herman, Przemysław, Adamski, W., 2017. Nonlinear trajectory tracking controller for a class of robotic vehicles. *J. Franklin Inst.* 354. <https://doi.org/10.1016/j.jfranklin.2017.05.040>.
- Hernández-Fontes, J.v., Vitola, M.A., Silva, M.C., Esperança, P. de T.T., Sphaier, S.H., 2018. On the generation of isolated green water events using wet dam-break. *J. Offshore Mech. Arctic Eng.* 140. <https://doi.org/10.1115/1.4040050>.
- Hernández-Fontes, J.v., Vitola, M.A., Esperança, P. de T.T., Sphaier, S.H., 2019. Analytical convolution model for shipping water evolution on a fixed structure. *Appl. Ocean Res.* 82, 415–429. <https://doi.org/10.1016/j.apor.2018.11.005>.
- Hernández-Fontes, J.v., Vitola, M.A., Esperança, P.T.T., Sphaier, S.H., Silva, R., 2020. Patterns and vertical loads in water shipping in systematic wet dam-break experiments. *Ocean Eng.* 197, 106891. <https://doi.org/10.1016/j.oceaneng.2019.106891>.
- Hess, J.L., Smith, A.M.O., 1964. Calculation of nonlifting potential flow about arbitrary three-dimensional bodies. *J. Ship Res.* 8, 22–44. <https://doi.org/10.5957/jsr.1964.8.4.22>.
- Hibler III, W., 1979. A dynamic thermodynamic sea ice model. *J. Phys. Oceanogr.* 9, 815–846.
- Higuera, P., Lara, J.L., Losada, I.J., 2013. Realistic wave generation and active wave absorption for Navier-Stokes models: application to OpenFOAM. *Coast. Eng.* 71, 102–118. <https://doi.org/10.1016/j.coastaleng.2012.07.002>.
- Hildebrandt, H., 1903. The chute-boiler and its use on river ships. *Z. Des. Vereines Dtsch. Ingenieure* 47, 1478–1482.
- Hill, C., Neary, V.S., Guala, M., Sotiropoulos, F., 2020. Performance and wake characterization of a model hydrokinetic turbine: the reference model 1 (RM1) dual rotor tidal energy converter. *Energies* 13. <https://doi.org/10.3390/en13195145>.
- Hirdaris, S.E., Temarel, P., 2009. Hydroelasticity of ships: recent advances and future trends. *Proc. IME M J. Eng. Marit. Environ.* 223, 305–330. <https://doi.org/10.1243/14750902JEME160>.
- Hirdaris, S.E., Price, W.G., Temarel, P., 2003. Two- and three-dimensional hydroelastic modelling of a bulker in regular waves. *Mar. Struct.* 16, 627–658. <https://doi.org/10.1016/j.marstruc.2004.01.005>.
- Hirdaris, S.E., Bai, W., Dassi, D., Ergin, A., Gu, X., Hermundstad, O.A., Huijsmans, R., Ilijima, K., Nielsen, U.D., Parunov, J., Fonseca, N., Papanikolaou, A., Argyriadis, K., Inceciik, A., 2014. Loads for use in the design of ships and offshore structures. *Ocean Eng.* 78, 131–174. <https://doi.org/10.1016/j.oceaneng.2013.09.012>.
- Hirt, C.W., Nichols, B.D., 1981. Volume of fluid (VOF) method for the dynamics of free boundaries. *J. Comput. Phys.* 39, 201–225. [https://doi.org/10.1016/0021-9991\(81\)90145-5](https://doi.org/10.1016/0021-9991(81)90145-5).
- Hongjun, Z., Gao, Y., 2018. Hydrokinetic energy harvesting from flow-induced vibration of a circular cylinder with two symmetrical fin-shaped strips. *Energy* 165. <https://doi.org/10.1016/j.energy.2018.10.109>.
- Hoo Fatt, M.S., Sirivolu, D., 2017. Marine composite sandwich plates under air and water blasts. *Mar. Struct.* 56, 163–185. <https://doi.org/10.1016/j.marstruc.2017.08.004>.
- Hooijer, A., Vernimmen, R., 2021. Global LiDAR land elevation data reveal greatest sea-level rise vulnerability in the tropics. *Nat. Commun.* 12, 3592. <https://doi.org/10.1038/s41467-021-23810-9>.
- Hosseini-zadeh, S., Tabri, K., 2021. Hydroelastic effects of slamming impact Loads during free-Fall water entry. *Ships Offshore Struct.* 16, 68–84. <https://doi.org/10.1080/17445302.2021.1954320>.
- Hou, S.P., Cheah, C.C., 2011. Can a simple control scheme work for a formation control of multiple autonomous underwater vehicles? *IEEE Trans. Control Syst. Technol.* 19, 1090–1101. <https://doi.org/10.1109/TCST.2010.2076388>.
- Hou, G., Johnson, B., Degroff, J., Trenor, S., Michaeli, J., 2019. Dynamic response modeling of high-speed planing craft with enforced acceleration. *Ocean Eng.* 192, 106493. <https://doi.org/10.1016/j.oceaneng.2019.106493>.
- Houser, J.L., Bluestein, H.B., 2011. Polarimetric Doppler radar observations of kelvin-helmholtz waves in a winter storm. *J. Atmos. Sci.* 68, 1676–1702. <https://doi.org/10.1175/2011JAS3566.1>.

- Howison, S.D., Ockendon, J.R., Wilson, S.K., 1991. Incompressible water-entry problems at small deadrise angles. *J. Fluid Mech.* 222, 215. <https://doi.org/10.1017/S0022112091001076>.
- Hu, Z., Huang, L., Li, Y., 2022. Fully-coupled hydroelastic modelling of a deformable wall in waves. *Coast. Eng.* 104245 <https://doi.org/10.1016/j.coastaleng.2022.104245>.
- Huang, Z.H., Huang, S.J., 2021. Two-phase flow simulations of fixed 3D oscillating water columns using OpenFOAM: a comparison of two methods for modeling quadratic power takeoff. *Ocean Eng.* 232 <https://doi.org/10.1016/j.oceaneng.2021.108600>.
- Huang, L., Thomas, G., 2019. Simulation of wave interaction with a circular ice floe. *J. Offshore Mech. Arctic Eng.* 141 <https://doi.org/10.1115/1.4042096>.
- Huang, L., Han, Y., Duan, W., Zheng, Y., Ma, S., 2018. Ship pitch-roll stabilization by active fins using a controller based on onboard hydrodynamic prediction. *Ocean Eng.* 164, 212–227. <https://doi.org/10.1016/j.oceaneng.2018.06.014>.
- Huang, X.-H., Guo, G.-X., Tao, Q.-Y., Hu, Y., Liu, H.-Y., Wang, S.-M., Hao, S.-H., 2018. Dynamic deformation of the floating collar of a net cage under the combined effect of waves and current. *Aquacult. Eng.* 83, 47–56. <https://doi.org/10.1016/j.aquaeng.2018.08.002>.
- Huang, L., Ren, K., Li, M., Tuković, Ž., Cardiff, P., Thomas, G., 2019. Fluid-structure interaction of a large ice sheet in waves. *Ocean Eng.* 182, 102–111. <https://doi.org/10.1016/J.OCEANENG.2019.04.015>.
- Huang, Y., Chen, L., van Gelder, P.H.A.J.M., 2019. Generalized velocity obstacle algorithm for preventing ship collisions at sea. *Ocean Eng.* 173, 142–156. <https://doi.org/10.1016/j.oceaneng.2018.12.053>.
- Huang, Y., Chen, L., Chen, P., Negenborn, R.R., van Gelder, P.H.A.J.M., 2020a. Ship collision avoidance methods: state-of-the-art. *Saf. Sci.* 121, 451–473. <https://doi.org/10.1016/J.SSCI.2019.09.018>.
- Huang, Y., Chen, L., Chen, P., Negenborn, R.R., van Gelder, P.H.A.J.M., 2020b. Ship collision avoidance methods: state-of-the-art. *Saf. Sci.* 121, 451–473. <https://doi.org/10.1016/j.ssci.2019.09.018>.
- Huang, L., Li, Y., Benites-Munoz, D., Windt, C.W., Feichtner, A., Tavakoli, S., Davidson, J., Paredes, R., Quintuna, T., Ransley, E., Colombo, M., Li, M., Cardiff, P., Tabor, G., 2022a. A review on the modelling of wave-structure interactions based on OpenFOAM. *OpenFOAM® J.* 2, 116–142. <https://doi.org/10.51560/ofj.v2.65>.
- Huang, L., Pena, B., Liu, Y., Anderlini, E., 2022b. Machine learning in sustainable ship design and operation: a review. *Ocean Eng.* 266, 112907 <https://doi.org/10.1016/j.oceaneng.2022.112907>.
- Huang, L., Riyadi, S., Utama, I.K.A.P., Li, M., Sun, P., Thomas, G., 2022c. COVID-19 transmission inside a small passenger vessel: risks and mitigation. *Ocean Eng.* 255, 111486 <https://doi.org/10.1016/j.oceaneng.2022.111486>.
- Hughes, O.F., Bégin, D., Paik, J.K., 2010. *Ship Structural Analysis and Design*. Knovel Library. Society of Naval Architects and Marine Engineers.
- Hunter, W., Nishino, T., Willden, R.H.J., 2015. Investigation of tidal turbine array tuning using 3D Reynolds-Averaged Navier-Stokes Simulations. *Int. J. Marine Energy* 10, 39–51. <https://doi.org/10.1016/J.IJOME.2015.01.002>.
- Huntsberger, T., Aghazarian, H., Howard, A., Trotz, D.C., 2011. Stereo vision-based navigation for autonomous surface vessels. *J. Field Robot.* 28, 3–18. <https://doi.org/10.1002/rob.20380>.
- IEC, 2009. *IEC 61400-3-1: Wind Energy Generation Systems - Part 3-1: Design Requirements for Fixed Offshore Wind Turbines*.
- Iglesias, G., Carballo, R., 2009. Wave energy potential along the death coast (Spain). *Energy* 34, 1963–1975. <https://doi.org/10.1016/J.ENERGY.2009.08.004>.
- Iglesias, G., Gregorio, Carballo, R., 2010. Wave energy resource in the Estaca de Bares area (Spain). *Renew. Energy* 35, 1574–1584. <https://doi.org/10.1016/j.renene.2009.10.019>.
- Iglesias, G., Carballo, R., 2010a. Wave power for La isla bonita. *Energy* 35, 5013–5021. <https://doi.org/10.1016/J.ENERGY.2010.08.020>.
- Iglesias, G., Carballo, R., 2010b. Wave energy and nearshore hot spots: the case of the SE Bay of Biscay. *Renew. Energy* 35, 2490–2500. <https://doi.org/10.1016/J.RENENE.2010.03.016>.
- Iglesias, G., Carballo, R., 2011. Wave resource in El Hierro—an island towards energy self-sufficiency. *Renew. Energy* 36, 689–698. <https://doi.org/10.1016/J.RENENE.2010.08.021>.
- Iglesias, G., López, M., Carballo, R., Castro, A., Fraguela, J.A., Frigaard, P., 2009. Wave energy potential in Galicia (NW Spain). *Renew. Energy* 34, 2323–2333. <https://doi.org/10.1016/J.RENENE.2009.03.030>.
- Iglesias, G., Tercero, J.A., Simas, T., Machado, I., Cruz, E., 2018. Environmental effects. In: *Wave and Tidal Energy*. John Wiley & Sons, Ltd, Chichester, UK, pp. 364–454. <https://doi.org/10.1002/9781119014492.ch9>.
- Intergovernmental Oceanographic Commission, 2020. *The Science We Need for the Ocean We Want: the United Nations Decade of Ocean Science for Sustainable Development*, pp. 2021–2030.
- IPCC, 2013. Summary for policymakers. In: *Climate Change 2013: the Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- Issa, R.I., 1986. Solution of the implicitly discretised fluid flow equations by operator-splitting. *J. Comput. Phys.* 62, 40–65. [https://doi.org/10.1016/0021-9991\(86\)90099-9](https://doi.org/10.1016/0021-9991(86)90099-9).
- Jacobsen, N.G., Fuhrman, D.R., Fredsoe, J., 2012. A wave generation toolbox for the open-source CFD library: OpenFoam (R). *Int. J. Numer. Methods Fluid.* 70, 1073–1088. <https://doi.org/10.1002/fld.2726>.
- Jalalilsendi, M., Zhao, S., Porfiri, M., 2017. Shallow water entry: modeling and experiments. *J. Eng. Math.* 104, 131–156. <https://doi.org/10.1007/s10665-016-9877-3>.
- James, S.C., Zhang, Y., O'Donncha, F., 2018. A machine learning framework to forecast wave conditions. *Coast. Eng.* 137, 1–10. <https://doi.org/10.1016/j.coastaleng.2018.03.004>.
- Jandyal, A., Chaturvedi, I., Wazir, I., Raina, A., Ul Haq, M.I., 2022. 3D printing – a review of processes, materials and applications in industry 4.0. *Sustain. Operat. Comput.* 3, 33–42. <https://doi.org/10.1016/J.SUSOC.2021.09.004>.
- Janssen, P., 2003. Nonlinear four-wave interactions and freak waves. *J. Phys. Oceanogr.* 33, 863–884. [https://doi.org/10.1175/1520-0485\(2003\)33<863:NFIWF>2.0.CO;2](https://doi.org/10.1175/1520-0485(2003)33<863:NFIWF>2.0.CO;2).
- Jeffries, M.O., Overland, J.E., Perovich, D.K., 2013. The Arctic shifts to a new normal. *Phys. Today* 66, 35–40. <https://doi.org/10.1063/PT.3.2147>.
- Jenkins, A.D., 1993. A simplified quasi-linear model for wave generation and air-sea momentum flux. *J. Phys. Oceanogr.* 23, 2001–2018. [https://doi.org/10.1175/1520-0485\(1993\)023<2001:ASQLMF>2.0.CO;2](https://doi.org/10.1175/1520-0485(1993)023<2001:ASQLMF>2.0.CO;2).
- Jeong, J., Hussain, F., 1995. On the identification of a vortex. *J. Fluid Mech.* 285, 69–94. <https://doi.org/10.1017/S0022112095000462>.
- Jiang, Z.P., 2002. Global tracking control of underactuated ships by Lyapunov's direct method. *Automatica* 38, 301–309. [https://doi.org/10.1016/S0005-1098\(01\)00199-6](https://doi.org/10.1016/S0005-1098(01)00199-6).
- Jiang, C., Treesch, A.W., Shaw, S., 2000. Capsize criteria for ship models with memory-dependent hydrodynamics and random excitation. *Phil. Trans. Math. Phys. Eng. Sci.* 358, 1761–1791. <https://doi.org/10.1098/rsta.2000.0614>.
- Jiang, X., Fan, H., Zhang, Y., Yuan, Z., 2018. Using interpretive structural modeling and fuzzy analytic network process to identify and allocate risks in Arctic shipping strategic alliance. *Pol. Sci.* 17, 83–93. <https://doi.org/10.1016/J.POLAR.2018.05.009>.
- Jiang, X., Zhang, T., Gao, D., Wang, D., Yang, Y., 2022. Estimating the evolution of sea state non-Gaussianity based on a phase-resolving model. *J. Oceanol. Limnol.* 40, 1909–1923. <https://doi.org/10.1007/s00343-021-1236-1>.
- Jin, Z., Yin, C., Chen, Y., Hua, H., 2019. Dynamics of an underwater explosion bubble near a sandwich structure. *J. Fluid Struct.* 86, 247–265. <https://doi.org/10.1016/j.jfluidstructs.2019.02.022>.
- Jing, Q., Sasa, K., Chen, C., Yin, Y., Yasukawa, H., Terada, D., 2021. Analysis of ship maneuvering difficulties under severe weather based on onboard measurements and realistic simulation of ocean environment. *Ocean Eng.* 221, 108524. <https://doi.org/10.1016/j.oceaneng.2020.108524>.
- Johansen, T.A., Cristofaro, A., Perez, T., 2016. Ship collision avoidance using scenario-based model predictive control. *IFAC-PapersOnLine* 49, 14–21. <https://doi.org/10.1016/j.ifacol.2016.10.315>.
- John, F., 1950. On the motion of floating bodies II. Simple harmonic motions. *Commun. Pure Appl. Math.* 3, 45–101.
- Jones, N., 1989. *Structural Impact*. Cambridge University Press.
- Jonkman, J., 2010. In: *Definition of the Floating System for Phase IV of OC3*. <https://doi.org/10.2172/979456>. NREL technical report.
- Jonkman, J., Butterfield, S., Musial, W., Scott, G., 2009. In: *Definition of a 5MW Reference Wind Turbine for Offshore System Development*. National Renewable Energy Laboratory (NREL). <https://doi.org/10.2172/947422>.
- Jordan, M.I., Mitchell, T.M., 2015. Machine learning: trends, perspectives, and prospects. *Science* 349, 255–260. <https://doi.org/10.1126/science.aaa8415>, 1979.
- Judge, C., Mousaviraad, M., Stern, F., Lee, E., Fullerton, A., Geiser, J., Schleicher, C., Merrill, C., Weil, C., Morin, J., Jiang, M., Ikeda, C., 2020. Experiments and CFD of a high-speed deep-V planing hull – part II: slamming in waves. *Appl. Ocean Res.* 97, 102059 <https://doi.org/10.1016/j.apor.2020.102059>.
- Kaemmerer, W., 1914. New marine propulsion. *Z. Des. Vereines Dtsch. Ingenieure* 58, 681–688.
- Kamarlouei, M., Gaspar, J.F., Calvario, M., Hallak, T.S., Mendes, M.J.G.C., Thiebaut, F., Guedes Soares, C., 2022. Experimental study of wave energy converter arrays adapted to a semi-submersible wind platform. *Renew. Energy* 188, 145–163. <https://doi.org/10.1016/J.RENENE.2022.02.014>.
- Karl, T.R., Knight, R.W., Easterling, D.R., Quayle, R.G., 1996. Indices of climate change for the United States. *Bull. Am. Meteorol. Soc.* 77, 279–292. [https://doi.org/10.1175/1520-0477\(1996\)077<279:IOCC>2.0.CO;2](https://doi.org/10.1175/1520-0477(1996)077<279:IOCC>2.0.CO;2).
- Kerwin, J.E., Lee, C.S., 1978. *Prediction of Steady and Unsteady Marine Propeller Performance by Numerical Lifting Surface Theory*, vol. 86. Transactions of Society of Naval Architects and Marine Engineers.
- Khalak, A., Williamson, C.H.K., 1999. Motions, forces and mode transitions in vortex-induced vibrations at low mass-damping. *J. Fluid Struct.* 13, 813–851. <https://doi.org/10.1006/JFLS.1999.0236>.
- Khalil, H.K., 2002. *Nonlinear Systems*. Prentice Hall.
- Khan, M.J., Bhuyan, G., Iqbal, M.T., Quaiaco, J.E., 2009. Hydrokinetic energy conversion systems and assessment of horizontal and vertical axis turbines for river and tidal applications: a technology status review. *Appl. Energy* 86, 1823–1835. <https://doi.org/10.1016/J.APENERGY.2009.02.017>.
- Kharif, C., Pelinovsky, E., 2003. Physical mechanisms of the rogue wave phenomenon. *Eur. J. Mech. B Fluid* 22, 603–634. <https://doi.org/10.1016/j.euromechflu.2003.0002>.
- Kharif, C., Pelinovsky, E., Slunyaev, A., 2009. Rogue waves in waters of infinite and finite depths. In: Kharif, C., Pelinovsky, E., Slunyaev, A. (Eds.), *Rogue Waves in the Ocean*. Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 91–171. [https://doi.org/10.1007/978-3-540-88419-4\\_5](https://doi.org/10.1007/978-3-540-88419-4_5).
- Khatir, S., Tiachacht, S., Thanh, C.-L., Bui, T.Q., Abdel Wahab, M., 2019. Damage assessment in composite laminates using ANN-PSO-IGA and Cornwell indicator. *Compos. Struct.* 230, 111509 <https://doi.org/10.1016/j.compstruct.2019.111509>.
- Khayyer, A., Gotob, H., 2011. Enhancement of stability and accuracy of the moving particle semi-implicit method. *J. Comput. Phys.* 230, 3093–3118. <https://doi.org/10.1016/j.jcp.2011.01.009>.

- Khayyer, A., Gotoh, H., Shimizu, Y., Nishijima, Y., 2021a. A 3D Lagrangian meshfree projection-based solver for hydroelastic Fluid–Structure Interactions. *J. Fluid Struct.* 105, 103342. <https://doi.org/10.1016/j.jfluidstructs.2021.103342>.
- Khayyer, A., Shimizu, Y., Gotoh, H., Hattori, S., 2021b. Multi-resolution ISPH-SPH for accurate and efficient simulation of hydroelastic fluid-structure interactions in ocean engineering. *Ocean Eng.* 226, 108652. <https://doi.org/10.1016/j.oceaneng.2021.108652>.
- Khojasteh, D., Kamali, R., 2016. Evaluation of wave energy absorption by heaving point absorbers at various hot spots in Iran seas. *Energy* 109, 629–640. <https://doi.org/10.1016/J.ENERGY.2016.05.054>.
- Khojasteh, D., Mousavi, S.M., Glamore, W., Iglesias, G., 2018a. Wave energy status in Asia. *Ocean Eng.* 169, 344–358. <https://doi.org/10.1016/J.OCEANENG.2018.09.034>.
- Khojasteh, Danial, Khojasteh, Davood, Kamali, R., Beyene, A., Iglesias, G., 2018b. Assessment of renewable energy resources in Iran; with a focus on wave and tidal energy. *Renew. Sustain. Energy Rev.* 81, 2992–3005. <https://doi.org/10.1016/J.RSER.2017.06.110>.
- Khojasteh, D., Chen, S., Felder, S., Glamore, W., Hashemi, M.R., Iglesias, G., 2022a. Sea level rise changes estuarine tidal stream energy. *Energy* 239, 122428. <https://doi.org/10.1016/J.ENERGY.2021.122428>.
- Khojasteh, D., Lewis, M., Tavakoli, S., Farzadkhan, M., Felder, S., Iglesias, G., Glamore, W., 2022b. Sea level rise will change estuarine tidal energy: a review. *Renew. Sustain. Energy Rev.* 156, 111855. <https://doi.org/10.1016/J.RSER.2021.111855>.
- Kim, K., 2021. Impacts of COVID-19 on transportation: summary and synthesis of interdisciplinary research. *Transp. Res. Interdiscip. Perspect.* 9, 100305. <https://doi.org/10.1016/j.trip.2021.100305>.
- Kim, D.J., Kim, S.Y., 2017. Turning characteristics of waterjet propelled planing boat at semi-planing speeds. *Ocean Eng.* 143, 24–33. <https://doi.org/10.1016/j.oceaneng.2017.07.034>.
- Kim, J., Lee, C., 2020. Prediction of turbulent heat transfer using convolutional neural networks. *J. Fluid Mech.* 882, A18. <https://doi.org/10.1017/jfm.2019.814>.
- Kim, D.J., Rhee, K.P., You, Y.J., 2013. Theoretical prediction of running attitude of a semi-displacement round bilge vessel at high speed. *Appl. Ocean Res.* 41, 41–47. <https://doi.org/10.1016/j.apor.2013.02.003>.
- Kim, D.K., Kim, H.B., Mohd, M.H., Paik, J.K., 2013a. Comparison of residual strength-grounding damage index diagrams for tankers produced by the ALPS/HULL ISFEM and design formula method. *Int. J. Nav. Archit. Ocean Eng.* 5, 47–61. <https://doi.org/10.2478/IJNAOE-2013-0117>.
- Kim, D.K., Pedersen, P.T., Paik, J.K., Kim, H.B., Zhang, X., Kim, M.S., 2013b. Safety guidelines of ultimate hull girder strength for grounded container ships. *Saf. Sci.* 59, 46–54. <https://doi.org/10.1016/J.JSSCI.2013.04.006>.
- Kim, J.-W., Kim, D., Kim, S.H., Ha, H.K., Lee, S.H., 2015. Disintegration and acceleration of thwaites ice shelf on the amundsen sea revealed from remote sensing measurements. *Glaci Remote Sens.* 52, 498–509. <https://doi.org/10.1080/15481603.2015.1041766>.
- Kim, S.J., Sohn, J.M., Kujala, P., Hirdaris, S., 2022a. A simplified fluid structure interaction model for the assessment of ship hard grounding. *J. Mar. Sci. Technol.* 27, 695–711. <https://doi.org/10.1007/s00773-021-00862-6>.
- Kim, S.J., Taimuri, G., Kujala, P., Conti, F., le Sourne, H., Pineau, J.P., Looten, T., Bae, H., Mujeeb-Ahmed, M.P., Vassalos, D., Kaydihan, L., Hirdaris, S., 2022b. Comparison of numerical approaches for structural response analysis of passenger ships in collisions and groundings. *Mar. Struct.* 81, 103125. <https://doi.org/10.1016/J.MARSTRUC.2021.103125>.
- Kirezci, E., Young, I.R., Ranasinghe, R., Muis, S., Nicholls, R.J., Lincke, D., Hinkel, J., 2020. Projections of global-scale extreme sea levels and resulting episodic coastal flooding over the 21st Century. *Sci. Rep.* 10, 11629. <https://doi.org/10.1038/s41598-020-67736-6>.
- Kirezci, C., Babanin, A.V., Chalikov, D., 2021a. Probabilistic assessment of rogue wave occurrence in directional wave fields. *Ocean Dynam.* 71, 1141–1166. <https://doi.org/10.1007/s10236-021-01487-4>.
- Kirezci, C., Babanin, A.V., Chalikov, D.V., 2021b. Modelling rogue waves in 1D wave trains with the JONSWAP spectrum, by means of the High Order Spectral Method and a fully nonlinear numerical model. *Ocean Eng.* 231, 108715. <https://doi.org/10.1016/j.oceaneng.2021.108715>.
- Kirinus, E. de P., Oleinik, P.H., Costi, J., Marques, W.C., 2018. Long-term simulations for ocean energy off the Brazilian coast. *Energy* 163, 364–382. <https://doi.org/10.1016/J.ENERGY.2018.08.080>.
- Kleinberg, J., 2003. Bursty and hierarchical structure in streams. *Data Min. Knowl. Discov.* 7, 373–397. <https://doi.org/10.1023/A:1024940629314>.
- Kofoed, J.P., Frigaard, P., Friis-Madsen, E., Sørensen, H., Chr., 2006. Prototype testing of the wave energy converter wave dragon. *Renew. Energy* 31, 181–189. <https://doi.org/10.1016/j.renene.2005.09.005>.
- Kohout, A.L., Meylan, M.H., 2008. An elastic plate model for wave attenuation and ice floe breaking in the marginal ice zone. *J. Geophys. Res.* 113, C09016. <https://doi.org/10.1029/2007JC004434>.
- Kohout, A.L., Meylan, M.H., Sakai, S., Hanai, K., Leman, P., Brossard, D., 2007. Linear water wave propagation through multiple floating elastic plates of variable properties. *J. Fluid Struct.* 23, 649–663. <https://doi.org/10.1016/j.jfluidstructs.2006.10.012>.
- Kohout, A.L., Williams, M.J.M., Dean, S.M., Meylan, M.H., 2014. Storm-induced sea-ice breakup and the implications for ice extent. *Nature* 509, 604–607. <https://doi.org/10.1038/nature13262>.
- Kohout, A.L., Penrose, B., Penrose, S., Williams, M.J.M., 2015. A device for measuring wave-induced motion of ice floes in the Antarctic marginal ice zone. *Ann. Glaciol.* 56, 415–424. <https://doi.org/10.3189/2015AoG69A600>.
- Komen, G.J., Cavalieri, L., Donelan, M., Hasselmann, K., Hasselmann, S., Janssen, P.A.E. M., 1994. *Dynamics and Modelling of Ocean Waves*. Cambridge University Press.
- Kong, X., Xu, Z., Shen, G., Wang, J., Yang, Q., Zhang, B., 2016. Urban traffic congestion estimation and prediction based on floating car trajectory data. *Future Generat. Comput. Syst.* 61, 97–107. <https://doi.org/10.1016/j.future.2015.11.013>.
- Korobkin, A.A., 2013. A linearized model of water exit. *J. Fluid Mech.* 737, 368–386. <https://doi.org/10.1017/jfm.2013.573>.
- Korobkin, A.A., Iafrati, A., 2005. Hydrodynamic loads during initial stage of floating body impact. *J. Fluid Struct.* 21, 413–427. <https://doi.org/10.1016/J.JFLUIDSTRUCTS.2005.08.002>.
- Korobkin, A.A., Khabakhpasheva, T.I., 2006. Regular wave impact onto an elastic plate. *J. Eng. Math.* 55, 127–150. <https://doi.org/10.1007/s10665-005-0191-8>.
- Korobkin, A., Páráu, E.I., Vanden-Broeck, J.-M., 2011. The mathematical challenges and modelling of hydroelasticity. *Phil. Trans. Math. Phys. Eng. Sci.* 369, 2803–2812. <https://doi.org/10.1098/rsta.2011.0116>.
- Korotenko, K.A., Zavaliov, P.O., Chen, Y.-Y., Lee, H.H., 2020. A study of circulation, turbulence, and tidal stream resources in the taiwan strait. *Front. Mar. Sci.* 7. <https://doi.org/10.3389/fmars.2020.00368>.
- Koshizuka, S., Nobe, A., Oka, Y., 1998. Numerical analysis of breaking waves using the moving particle semi-implicit method. *Int. J. Numer. Methods Fluid.* 26, 751–769. [https://doi.org/10.1002/\(SICI\)1097-0363\(19980415\)26:7<751::AID-FLD671>3.3.CO;2-3](https://doi.org/10.1002/(SICI)1097-0363(19980415)26:7<751::AID-FLD671>3.3.CO;2-3).
- Kostikov, V.K., Hayatdavoodi, M., Ertekin, R.C., 2021. Drift of elastic floating ice sheets by waves and current, part I: single sheet. *Proc. Math. Phys. Eng. Sci.* 477. <https://doi.org/10.1098/rspa.2021.0449>.
- Kostikov, V.K., Hayatdavoodi, M., Ertekin, R.C., 2022. Drift of elastic floating ice sheets by waves and current: multiple sheets. *Phys. Fluids* 34, 057113. <https://doi.org/10.1063/5.0091538>.
- Kotovirta, V., Jalonen, R., Axell, L., Riska, K., Berglund, R., 2009. A system for route optimization in ice-covered waters. *Cold Reg. Sci. Technol.* 55 (1), 52–62. <https://doi.org/10.1016/j.coldregions.2008.07.003>.
- Kou, J., Zhang, W., 2021. Data-driven modeling for unsteady aerodynamics and aeroelasticity. *Prog. Aero. Sci.* 125, 100725. <https://doi.org/10.1016/j.paerosci.2021.100725>.
- Krstic, M., , Κανλλακόποιο, I., Kokotovic, P. v., Kokotović, P. v., 1995. *Nonlinear and Adaptive Control Design*. A Wiley-Interscience publication. Wiley.
- Ku, G., Cheong, C., Park, I., Seol, H., 2020. Numerical investigation of tip vortex cavitation inception and noise of underwater propellers of submarine using sequential eulerian-Lagrangian approaches. *Appl. Sci.* 10, 8721. <https://doi.org/10.3390/app10238721>.
- Kuwata, Y., Wolf, M.T., Zarzhitsky, D., Huntsberger, T.L., 2014. Safe maritime autonomous navigation with COLREGS, using velocity obstacles. *IEEE J. Ocean. Eng.* 39, 110–119. <https://doi.org/10.1109/JOE.2013.2254214>.
- Kwok, R., 2000. Recent changes in arctic ocean sea ice motion associated with the north atlantic oscillation. *Geophys. Res. Lett.* 27, 775–778. <https://doi.org/10.1029/1999GL002382>.
- Kwok, R., Schweiger, A., Rothrock, D.A., Pang, S., Kottmeier, C., 1998. Sea ice motion from satellite passive microwave imagery assessed with ERS SAR and buoy motions. *J. Geophys. Res.-Oceans* 103, 8191–8214. <https://doi.org/10.1029/97JC03344>.
- Kyoung, J.H., Hong, S.Y., Kim, B.W., Cho, S.K., Bai, K.J., 2005. Finite-element method for the hydroelastic response of very large floating structure in water of variable depth. In: *PROCEEDINGS OF THE 24TH INTERNATIONAL CONFERENCE ON OFFSHORE MECHANICS AND ARCTIC ENGINEERING*, pp. 357–364, 2.
- Lamas-Pardo, M., Iglesias, G., Carral, L., 2015. A review of Very Large Floating Structures (VLFS) for coastal and offshore uses. *Ocean Eng.* 109, 677–690. <https://doi.org/10.1016/j.oceaneng.2015.09.012>.
- Lamb, H., 1932. *Hydrodynamics*. The University Press.
- Lauder, B.E., Spalding, D.B., 1974. The numerical computation of turbulent flows. *Comput. Methods Appl. Mech. Eng.* 3, 269–289. [https://doi.org/10.1016/0045-7825\(74\)90029-2](https://doi.org/10.1016/0045-7825(74)90029-2).
- Lee, S., You, D., 2019. Data-driven prediction of unsteady flow over a circular cylinder using deep learning. *J. Fluid Mech.* 879, 217–254. <https://doi.org/10.1017/jfm.2019.700>.
- Lee, J.Y., An, J., Chua, C.K., 2017. Fundamentals and applications of 3D printing for novel materials. *Appl. Mater. Today* 7, 120–133. <https://doi.org/10.1016/J.APMT.2017.02.004>.
- Lee, S.-D., Hong Phuc, B.D., Xu, X., You, S.-S., 2020. Roll suppression of marine vessels using adaptive super-twisting sliding mode control synthesis. *Ocean Eng.* 195, 106724. <https://doi.org/10.1016/j.oceaneng.2019.106724>.
- Lefebvre, E., Pettersen, K.Y., Nijmeijer, H., 2003. Tracking control of an underactuated ship. *IEEE Trans. Control Syst. Technol.* 11, 52–61. <https://doi.org/10.1109/TCST.2002.806465>.
- Lehtola, V., Montewka, J., Goerlandt, F., Guinness, R., Lensu, M., 2019. Finding safe and efficient shipping routes in ice-covered waters: a framework and a model. *Cold Reg. Sci. Technol.* 165, 102795. <https://doi.org/10.1016/J.COLDREGIONS.2019.102795>.
- Levin, L.A., Bett, B.J., Gates, A.R., Heimbach, P., Howe, B.M., Janssen, F., McCurdy, A., Ruhl, H.A., Snelgrove, P., Stocks, K.I., Bailey, D., Baumann-Pickering, S., Beaverson, C., Benfield, M.C., Booth, D.J., Carreiro-Silva, M., Colaco, A., Eblié, M.C., Fowler, A.M., Gjerde, K.M., Jones, D.O.B., Katsumata, K., Kelley, D., Bris, N. le, Leonardi, A.P., Lejzerowicz, F., Macreadie, P.I., McLean, D., Meitz, F., Morato, T., Netburn, A., Pawłowski, J., Smith, C.R., Sun, S., Uchida, H., Vardaro, M.F., Venkatesan, R., Weller, R.A., 2019. Global observing needs in the deep ocean. *Front. Mar. Sci.* <https://doi.org/10.3389/fmars.2019.241>.
- Lewis, M., Neill, S.P., Robins, P.E., Hashemi, M.R., 2015. Resource assessment for future generations of tidal-stream energy arrays. *Energy* 83, 403–415. <https://doi.org/10.1016/J.ENERGY.2015.02.038>.

- Li, G., Belmont, M.R., 2014. Model predictive control of sea wave energy converters – Part I: a convex approach for the case of a single device. *Renew. Energy* 69, 453–463. <https://doi.org/10.1016/j.renene.2014.03.070>.
- Li, J.-H., Kim, J.-T., Lee, M.-J., Kang, H.-J., Kim, M.-J., 2015. In: 3D Path Tracking of Underactuated AUVs with General Form of Dynamics. <https://doi.org/10.1109/ICCAS.2015.7364915>.
- Li, Q., Webb, A., Fox-Kemper, B., Craig, A., Danabasoglu, G., Large, W.G., Vertenstein, M., 2016. Langmuir mixing effects on global climate: WAVEWATCH III in CESM. *Ocean Model.* 103, 145–160. <https://doi.org/10.1016/J.OCEMOD.2015.07.020>.
- Li, X., Sun, B., Guo, C., Du, W., Li, Y., 2020. Speed optimization of a container ship on a given route considering voluntary speed loss and emissions. *Appl. Ocean Res.* 94, 101995. <https://doi.org/10.1016/J.APOR.2019.101995>.
- Li, Zhuang, Hu, S., Gao, G., Xi, Y., Fu, S., Yao, C., 2020. Risk reasoning from factor correlation of maritime traffic under arctic sea ice status association with a bayesian belief network. *Sustainability* 13, 147. <https://doi.org/10.3390/su13010147>.
- Li, Zhiyuan, Ringsberg, J.W., Rita, F., 2020. A voyage planning tool for ships sailing between Europe and Asia via the Arctic. *Ships Offshore Struct.* 15, S10–S19. <https://doi.org/10.1080/17445302.2020.1739369>.
- Li, X., Khan, F., Yang, M., Chen, C., Chen, G., 2021. Risk assessment of offshore fire accidents caused by subsea gas release. *Appl. Ocean Res.* 115, 102828. <https://doi.org/10.1016/j.apor.2021.102828>.
- Li, Y., Larsen, B.E., Fuhrman, D.R., 2022. Reynolds stress turbulence modelling of surf zone breaking waves. *J. Fluid Mech.* 937, A7. <https://doi.org/10.1017/jfm.2022.92>.
- Liang, C.-C., Yang, M.-F., Tai, Y.-S., 2002. Prediction of shock response for a quadropod mast using response spectrum analysis method. *Ocean Eng.* 29, 887–914. [https://doi.org/10.1016/S0029-8018\(01\)00062-2](https://doi.org/10.1016/S0029-8018(01)00062-2).
- Lidtke, A.K., Turnock, S.R., Humphrey, V.F., 2016. Characterisation of sheet cavity noise of a hydrofoil using the Ffowcs Williams–Hawkins acoustic analogy. *Comput. Fluids* 130, 8–23. <https://doi.org/10.1016/J.COMPFLUID.2016.02.014>.
- Lilja, V.-P., Polojärvi, A., Tuukuri, J., Paavilainen, J., 2021. Finite-discrete element modelling of sea ice sheet fracture. *Int. J. Solid Struct.* 217–218, 228–258. <https://doi.org/10.1016/j.ijсолstr.2020.11.028>.
- Lin, R.-Q., Kuang, W., 2004. Nonlinear waves of a steadily moving ship in environmental waves. *J. Mar. Sci. Technol.* 8, 109–116. <https://doi.org/10.1007/s00773-003-0161-7>.
- Lin, P., Liu, P.L.-F., 1998. A numerical study of breaking waves in the surf zone. *J. Fluid Mech.* 359, 239–264. <https://doi.org/10.1017/S002211209700846X>.
- Lin, Q., Lu, D.Q., 2013. Hydroelastic interaction between obliquely incident waves and a semi-infinite elastic plate on a two-layer fluid. *Appl. Ocean Res.* 43, 71–79. <https://doi.org/10.1016/J.APOR.2013.07.009>.
- Lin, C., Koseff, J.R., Ferziger, J.H., Monismith, S.G., 1998. Direct numerical simulation of wave-mean flow and wave-wave interactions: a brief perspective. In: Imberger, J., Imberger, J. (Eds.), *Physical Processes in Lakes and Oceans*. American Geophysical Union, Washington, D. C. <https://doi.org/10.1029/CE054p0271>, 214–271.
- Lindzen, R.S., 1981. Turbulence and stress owing to gravity wave and tidal breakdown. *J. Geophys. Res.–Oceans* 86, 9707–9714. <https://doi.org/10.1029/JC086iC10p09707>.
- Linton, C.M., McIver, P., 2001. *Handbook of Mathematical Techniques for Wave/Structure Interactions*. CRC Press. <https://books.google.fi/books?id=bXfLBQAAQBAJ>.
- Lisboa, R.C., Teixeira, P.R.F., Torres, F.R., Didier, E., 2018. Numerical evaluation of the power output of an oscillating water column wave energy converter installed in the southern Brazilian coast. *Energy* 162, 1115–1124. <https://doi.org/10.1016/J.ENERGY.2018.08.079>.
- Liu, M., Zhang, Z., 2019. Smoothed particle hydrodynamics (SPH) for modeling fluid-structure interactions. *Sci. China Phys. Mech. Astron.* 62, 984701. <https://doi.org/10.1007/s11433-018-9357-0>.
- Liu, Z., Hyun, B.-S., Hong, K., 2011. Numerical study of air chamber for oscillating water column wave energy convertor. *China Ocean Eng.* 25, 169–178. <https://doi.org/10.1007/s13344-011-0015-8>.
- Liu, M., Shao, J., Li, H., 2013. Numerical simulation of hydro-elastic problems with smoothed particle hydrodynamics method. *J. Hydrodyn.* 25, 673–682. [https://doi.org/10.1016/S1001-6058\(13\)60412-6](https://doi.org/10.1016/S1001-6058(13)60412-6).
- Liu, B., Villavicencio, R., Guedes Soares, C., 2015. Simplified analytical method to evaluate tanker side panels during minor collision incidents. *Int. J. Impact Eng.* 78, 20–33. <https://doi.org/10.1016/J.IJIMPENG.2014.11.021>.
- Liu, Z., Zhang, Y., Yu, X., Yuan, C., 2016. Unmanned surface vehicles: an overview of developments and challenges. *Annu. Rev. Control* 41, 71–93. <https://doi.org/10.1016/J.ARCONTROL.2016.04.018>.
- Liu, Y., Duan, W., Huang, L., Duan, S., Ma, X., 2020. The input vector space optimization for LSTM deep learning model in real-time prediction of ship motions. *Ocean Eng.* 213, 107681. <https://doi.org/10.1016/j.oceaneng.2020.107681>.
- Liu, C., Musharraf, M., Kujala, P., Toivola, J., 2022a. Big data analytics for assistance operation identification in ice-covered waters. In: *Polar and Arctic Sciences and Technology*. American Society of Mechanical Engineers. [https://doi.org/10.1115/OMAE2022-80925\\_6](https://doi.org/10.1115/OMAE2022-80925_6).
- Liu, C., Musharraf, M., Li, F., Kujala, P., 2022b. A data mining method for automatic identification and analysis of icebreaker assistance operation in ice-covered waters. *Ocean Eng.* 266, 112914. <https://doi.org/10.1016/j.oceaneng.2022.112914>.
- Lloyd, C., Allmark, M., Ordóñez-Sánchez, S., Martínez, R., Johnstone, C., Germain, G., Gaurier, B., Mason-Jones, A., O'Doherty, T., 2021. Validation of the dynamic load characteristics on a Tidal Stream Turbine when subjected to wave and current interaction. *Ocean Eng.* 222, 108360. <https://doi.org/10.1016/J.OCEANENG.2020.108360>.
- lo Brutto, O.A., Nguyen, V.T., Guillou, S.S., Thiébot, J., Gualous, H., 2016a. Tidal farm analysis using an analytical model for the flow velocity prediction in the wake of a tidal turbine with small diameter to depth ratio. *Renew. Energy* 99, 347–359. <https://doi.org/10.1016/J.RENENE.2016.07.020>.
- lo Brutto, O.A., Thiébot, J., Guillou, S.S., Gualous, H., 2016b. A semi-analytic method to optimize tidal farm layouts – application to the Alderney Race (Raz Blanchard), France. *Appl. Energy* 183, 1168–1180. <https://doi.org/10.1016/J.APENERGY.2016.09.059>.
- Longuet-higgins, M.S., Cokelet, E.D., 1976. Deformation of steep surface-waves on water .1. NUMERICAL-METHOD of computation. *PROCEEDINGS OF THE ROYAL SOCIETY OF LONDON SERIES A-MATHEMATICAL PHYSICAL AND ENGINEERING SCIENCES* 350, 1–26. <https://doi.org/10.1098/rspa.1976.0092>.
- López, I., Andreu, J., Ceballos, S., Martínez de Alegría, I., Kortabarria, I., 2013. Review of wave energy technologies and the necessary power-equipment. *Renew. Sustain. Energy Rev.* 27, 413–434. <https://doi.org/10.1016/j.rser.2013.07.009>.
- López, I., Carballo, R., Iglesias, G., 2019. Site-specific wave energy conversion performance of an oscillating water column device. *Energy Convers. Manag.* 195, 457–465. <https://doi.org/10.1016/J.ENCONMAN.2019.05.030>.
- Lorenz, H., 1904. The effect of a gyroscope on the rolling motion of ships. *Phys. Z.* 5, 27–32.
- Lorenz, H., 1907. The change of the winding number and the coefficient of ship's propeller along with the travel speed. *Z. Des. Vereines Dtsch. Ingenieure* 51, 329–333.
- Lucke, C.E., 1921. Internal combustion engines in marine service. Part II. New standards of turbine steamer and motorship machinery compared. *J. Franklin Inst.* 192, 203–232. [https://doi.org/10.1016/S0016-0032\(21\)90923-2](https://doi.org/10.1016/S0016-0032(21)90923-2).
- Lucy, L.B., 1977. Numerical approach to the testing of the fission hypothesis. *Astron. J.* 82, 1013–1024.
- Luo, H., Csuros, M., Hughes, A.L., Moran, M.A., 2013. Evolution of divergent life history strategies in marine alphaproteobacteria. *mBio* 4. <https://doi.org/10.1128/mBio.00373-13>.
- Ma, Z.H., Causon, D.M., Qian, L., Mingham, C.G., Mai, T., Greaves, D., Raby, A., 2016. Pure and aerated water entry of a flat plate. *Phys. Fluids* 28, 016104. <https://doi.org/10.1063/1.4940043>.
- Ma, Y., Hu, C., Li, Y., Deng, R., 2018. Research on the hydrodynamic performance of a vertical Axis current turbine with forced oscillation. *Energies* 11. <https://doi.org/10.3390/en11123349>.
- Ma, Y., Zhang, J., Chen, Q., Tai, B., Dong, G., Xie, B., Niu, X., 2022. Progresses in the research of oceanic freak waves: mechanism, modeling, and forecasting. *Int. J. Ocean Coastal Eng.* 4. <https://doi.org/10.1142/S2329807022500026>.
- Machicoane, N., Labarre, V., Voisin, B., Moisy, F., Cortet, P.-P., 2018. Wake of inertial waves of a horizontal cylinder in horizontal translation. *Phys Rev Fluids* 3, 034801. <https://doi.org/10.1103/PhysRevFluids.3.034801>.
- Magagna, D., Uihlein, A., 2015. Ocean energy development in Europe: current status and future perspectives. *Int. J. Marine Energy* 11, 84–104. <https://doi.org/10.1016/j.ijome.2015.05.001>.
- Mahfuz, H., Asseff, N., Akram, M.W., Zhou, F., Suzuki, T., Canino, M., 2021. In: *Advances in Ocean Current Turbine Blade Design*, 20001. <https://doi.org/10.1063/5.0037622>.
- Majda, A.J., Embid, P.F., 1998. Averaging over fast gravity waves for geophysical flows with unbalanced initial data. *Theor. Comput. Fluid Dynam.* 11, 155–169.
- Mantari, J.L., Guedes Soares, C., 2012. Bending analysis of thick exponentially graded plates using a new trigonometric higher order shear deformation theory. *Compos. Struct.* 94, 1991–2000. <https://doi.org/10.1016/J.COMPSTRUCT.2012.01.005>.
- Mao, W., Rychlik, I., 2017. Estimation of Weibull distribution for wind speeds along ship routes. *Proc Inst Mech Eng. Part M: J. Eng. Maritime Environ.* 231 (2), 464–480. <https://doi.org/10.1177/1475090216653495>.
- Marlantes, K.E., Maki, K.J., 2022. A neural-corrector method for prediction of the vertical motions of a high-speed craft. *Ocean Eng.* 262, 112300. <https://doi.org/10.1016/J.OCEANENG.2022.112300>.
- Marrone, S., Colagrossi, A., Baudry, V., le Touzé, D., 2019. Extreme wave impacts on a wave energy converter: load prediction through a SPH model. *Coast Eng. J.* 61, 63–77. <https://doi.org/10.1080/21664250.2018.1560684>.
- Marsh, A., Prakash, M., Semercigil, E., Turan, Ö.F., 2011. A study of sloshing absorber geometry for structural control with SPH. *J. Fluid Struct.* 27, 1165–1181. <https://doi.org/10.1016/J.JFLUIDSTRUCTS.2011.02.010>.
- Martin, T., Augstein, E., 2000. Large-scale drift of Arctic Sea ice retrieved from passive microwave satellite data. *J. Geophys. Res.* 105, 8775–8788. <https://doi.org/10.1029/1999JC00270>.
- Maruyama, S., Ikoma, M., Genda, H., Hirose, K., Yokoyama, T., Santosh, M., 2013. The naked planet Earth: most essential pre-requisite for the origin and evolution of life. *Geosci. Front.* 4. <https://doi.org/10.1016/j.gsf.2012.11.001>.
- Maslanik, J.A., Lynch, A., Serreze, M., Wu, W., 2000. A case study of regional climate anomalies in the arctic: performance requirements for a coupled model. *J. Climate* 13, 383–401. [https://doi.org/10.1175/1520-0442\(2000\)013<0383:ACSORC>2.0.CO;2](https://doi.org/10.1175/1520-0442(2000)013<0383:ACSORC>2.0.CO;2).
- Massom, R.A., Scambos, T.A., Bennetts, L.G., Reid, P., Squire, V.A., Stammerjohn, S.E., 2018. Antarctic ice shelf disintegration triggered by sea ice loss and ocean swell. *Nature* 558, 383–389. <https://doi.org/10.1038/s41586-018-0212-1>.
- Matikka, K., 2021. In: *Evolution of Autonomous Maritime Operations Driven by Automation Technology and Digitalisation* [WWW Document]. <https://meriteellius.teknologiateollisuus.fi/en/ajankohdista/blog/evolution-autonomous-maritime-operations-driven-by-automation-technology-and>. accessed 5.2.22.
- Cormick, M.E., 2007. *Ocean Wave Energy Conversion*. Dover Civil and Mechanical Engineering Series. Dover Publications.

- McGovern, D.J., Bai, W., 2014. Experimental study on kinematics of sea ice floes in regular waves. *Cold Reg. Sci. Technol.* 103, 15–30. <https://doi.org/10.1016/J.COLDREGIONS.2014.03.004>.
- McLaren, A., Serreze, M.C., Barry, R.G., 1989. Seasonal variations of sea ice motion in the Canada Basin and their implications. *J. Geophys. Res.-Oceans* 94, 10955–10970. <https://doi.org/10.1029/JC094iC08p10955>.
- McLean, D.L., Parsons, M.J.G., Gates, A.R., Benfield, M.C., Bond, T., Booth, D.J., Bunce, M., Fowler, A.M., Harvey, E.S., Macreadie, P.I., Pattiarchi, C.B., Rouse, S., Partridge, J.C., Thomson, P.G., Todd, V.L.G., Jones, D.O.B., 2020. Enhancing the scientific value of industry remotely operated vehicles (ROVs) in our oceans. *Front. Mar. Sci.* 7 <https://doi.org/10.3389/fmars.2020.00220>.
- McWilliams, J.C., Sullivan, P.P., Moeng, C.-H., 1997. Langmuir turbulence in the ocean. *J. Fluid Mech.* 334, 1–30. <https://doi.org/10.1017/S0022112096004375>.
- Mei, C.C., 1989. *The Applied Dynamics of Ocean Surface Waves, Advanced Series on Ocean Engineering*. World Scientific.
- Mei, X., Liu, Y., Yue, D.K.-P., 1999. On the water impact of general two-dimensional sections. *Appl. Ocean Res.* 21, 1–15.
- Meier, W., Maslanik, J., 2003. Effect of environmental conditions on observed, modeled, and assimilated sea ice motion errors. *J. Geophys. Res.* 108 <https://doi.org/10.1029/2002JC001333>.
- Meier, W., Maslanik, J., Fowler, C., 2000. Error analysis and assimilation of remotely sensed ice motion within an Arctic sea ice model. *J. Geophys. Res.* 105, 3339–3356. <https://doi.org/10.1029/1999JC000268>.
- Melikoglu, M., 2018. Current status and future of ocean energy sources: a global review. *Ocean Eng.* 148, 563–573. <https://doi.org/10.1016/J.OCEANENG.2017.11.045>.
- Mellor, G.L., Yamada, T., 1982. Development of a turbulence closure model for geophysical fluid problems. *Rev. Geophys.* 20, 851–875. <https://doi.org/10.1029/RG020i004p00851>.
- Melson, A., 1992. Wave-induced roll motion beneath an ice cover. *J. Phys. Oceanogr.* 22, 19–28. [https://doi.org/10.1175/1520-0485\(1992\)022<0019:WIRMOB>2.0.CO;2](https://doi.org/10.1175/1520-0485(1992)022<0019:WIRMOB>2.0.CO;2).
- Menéndez, M., Méndez, F.J., Losada, I.J., Graham, N.E., 2008. Variability of extreme wave heights in the northeast Pacific Ocean based on buoy measurements. *Geophys. Res. Lett.* 35, L22607 <https://doi.org/10.1029/2008GL035394>.
- Meng, X.N., Zou, Z.J., 2013. Radiation and diffraction of water waves by an infinite horizontal structure with a sidewall using SBFEM. *Ocean Eng.* 60, 193–199. <https://doi.org/10.1016/J.OCEANENG.2012.12.017>.
- Meng, X., Chen, G., Zhu, G., Zhu, Y., 2019. Dynamic quantitative risk assessment of accidents induced by leakage on offshore platforms using DEMATEL-BN. *Int. J. Nav. Archit. Ocean Eng.* 11, 22–32. <https://doi.org/10.1016/j.ijnaoe.2017.12.001>.
- Meng, Z.-F., Zhang, A.-M., Yan, J.-L., Wang, P.-P., Khayyer, A., 2022. A hydroelastic fluid-structure interaction solver based on the Riemann-SPH method. *Comput. Methods Appl. Mech. Eng.* 390, 114522 <https://doi.org/10.1016/j.cma.2021.114522>.
- Menter, F.R., 1994. 2-EQUATION eddy-viscosity turbulence models for engineering applications. *AIAA J.* 32, 1598–1605. <https://doi.org/10.2514/3.12149>.
- Meucci, A., Young, I.R., Aarnes, O.J., Breivik, Ø., 2020a. Comparison of wind speed and wave height trends from twentieth-century models and satellite altimeters. *J. Clim.* 33, 611–624. <https://doi.org/10.1175/JCLI-D-19-0540.1>.
- Meucci, A., Young, I.R., Hemer, M., Kirezci, E., Ranasinghe, R., 2020b. Projected 21st century changes in extreme wind-wave events. *Sci. Adv.* 6 <https://doi.org/10.1126/sciadv.aaz7295>.
- Meylan, M.H., 2001. A variational equation for the wave forcing of floating thin plates. *Appl. Ocean Res.* 23, 195–206. [https://doi.org/10.1016/S0141-1187\(01\)00019-0](https://doi.org/10.1016/S0141-1187(01)00019-0).
- Meylan, M.H., Sturova, I.V., 2009. Time-dependent motion of a two-dimensional floating elastic plate. *J. Fluid Struct.* 25, 445–460. <https://doi.org/10.1016/j.jflistructs.2009.01.001>.
- Michelet, N., Guillou, N., Chapalain, G., Thiébot, J., Guillou, S., Goward Brown, A.J., Neill, S.P., 2020. Three-dimensional modelling of turbine wake interactions at a tidal stream energy site. *Appl. Ocean Res.* 95, 102009 <https://doi.org/10.1016/j.apor.2019.102009>.
- Miles, J.W., 1961. On the stability of heterogeneous shear flows. *J. Fluid Mech.* 10, 496. <https://doi.org/10.1017/S0022112061000035>.
- Minorsky, V.U., 1958. An analysis of ship collisions with reference to protection of nuclear power plants. *J. Ship Res.* 3.
- Mirzaei, A., Tangang, F., Juneng, L., 2015. Wave energy potential assessment in the central and southern regions of the South China Sea. *Renew. Energy* 80, 454–470. <https://doi.org/10.1016/J.RENENE.2015.02.005>.
- Moisy, F., Rabaud, M., 2014. Mach-like capillary-gravity wakes. *Phys. Rev. E* 90, 023009. <https://doi.org/10.1103/PhysRevE.90.023009>.
- Molin, B., 2001. On the piston and sloshing modes in moonpools. *J. Fluid Mech.* 430, 27–50. <https://doi.org/10.1017/S0022112000002871>.
- Monaghan, J.J., 1992. Smoothed particle hydrodynamics. *Annu. Rev. Astron. Astrophys.* 30, 543–574. <https://doi.org/10.1146/annurev.aa.30.090192.0022551>.
- Monaghan, J.J., 1994. Simulating free surface flows with SPH. *J. Comput. Phys.* 110, 399–406. <https://doi.org/10.1006/jcph.1994.1034>.
- Monaghan, J.J., 2005. Smoothed particle hydrodynamics. *Rep. Prog. Phys.* 68, 1703–1759. <https://doi.org/10.1088/0034-4885/68/8/r01>.
- Montewka, J., Hinz, T., Kujala, P., Matusiak, J., 2010. Probability modelling of vessel collisions. *Reliab. Eng. Syst. Saf.* 95, 573–589. <https://doi.org/10.1016/j.ress.2010.01.009>.
- Mora, C., Tittensor, D.P., Adl, S., Simpson, A.G.B., Worm, B., 2011. How many species are there on earth and in the ocean? *PLoS Biol.* 9 <https://doi.org/10.1371/journal.pbio.1001127>.
- Morabito, M.G., 2015. Prediction of planing hull side forces in yaw using slender body oblique impact theory. *Ocean Eng.* 101, 47–57. <https://doi.org/10.1016/j.oceaneng.2015.04.014>.
- Morison, J.R., Johnson, J.W., Schaaf, S.A., 1950. The force exerted by surface waves on piles. *J. Petrol. Technol.* 2, 149–154. <https://doi.org/10.2118/950149-G>.
- Motley, M.R., Young, Y.L., Liu, Z., 2011. Three-Dimensional underwater shock response of composite marine structures. *J. Appl. Mech.* 78 <https://doi.org/10.1115/1.4004525>.
- Mou, J.M., Tak, C. van der, Ligtingen, H., 2010. Study on collision avoidance in busy waterways by using AIS data. *Ocean Eng.* 37, 483–490. <https://doi.org/10.1016/j.oceaneng.2010.01.012>.
- Mouritz, A.P., Gellert, E., Burchill, P., Challis, K., 2001. Review of advanced composite structures for naval ships and submarines. *Compos. Struct.* 53, 21–42. [https://doi.org/10.1016/S0263-8223\(00\)00175-6](https://doi.org/10.1016/S0263-8223(00)00175-6).
- Mustapa, M.A., Yaakob, O.B., Ahmed, Y.M., Rheem, C.K., Koh, K.K., Adnan, F.A., 2017. Wave energy device and breakwater integration: a review. *Renew. Sustain. Energy Rev.* 77, 43–58. <https://doi.org/10.1016/J.RSER.2017.03.110>.
- Mycek, P., Gaurier, B., Germain, G., Pinon, G., Rivoalen, E., 2014. Experimental study of the turbulence intensity effects on marine current turbines behaviour. Part I: one single turbine. *Renew. Energy* 66, 729–746. <https://doi.org/10.1016/J.RENENE.2013.12.036>.
- Nachtane, M., Tarfaoui, M., Goda, I., Rouway, M., 2020. A review on the technologies, design considerations and numerical models of tidal current turbines. *Renew. Energy* 157, 1274–1288. <https://doi.org/10.1016/J.RENENE.2020.04.155>.
- Najafian, G., 2007a. Derivation of statistical properties of wave-induced offshore structural response by principal component technique. *Ocean Eng.* 34, 987–999. <https://doi.org/10.1016/J.OCEANENG.2006.05.014>.
- Najafian, G., 2007b. Application of system identification techniques in efficient modelling of offshore structural response. Part I: model development. *Appl. Ocean Res.* 29, 1–16. <https://doi.org/10.1016/j.apor.2007.08.002>.
- Najafian, G., 2007c. Probability models for offshore structural response due to Morison wave loading: Part II: inertia-only and total responses. *Ocean Eng.* 34, 2289–2299. <https://doi.org/10.1016/j.oceaneng.2007.05.013>.
- Najafian, G., 2007d. Comparison of three probability models for offshore structural response due to Morison wave loading. *WIT Trans. Built Environ.* 92, 37–46. <https://doi.org/10.2495/FSI070041>.
- Najafian, G., 2007e. Probability models for offshore structural response due to Morison wave loading: Part II: inertia-only and total responses. *Ocean Eng.* 34, 2289–2299. <https://doi.org/10.1016/j.oceaneng.2007.05.013>.
- Najafzadeh, F., Kudryavtseva, N., Soomere, T., 2021. Effects of large-scale atmospheric circulation on the Baltic Sea wave climate: application of the EOF method on multi-mission satellite altimetry data. *Clim. Dynam.* 57, 3465–3478. <https://doi.org/10.1007/s00382-021-05874-x>.
- Najafzadeh, F., Kudryavtseva, N., Soomere, T., Giudici, A., 2022. Effect of ice cover on wave statistics and wave-driven processes in the northern Baltic Sea. *Boreal Environ. Res.* 27, 97–116.
- Nazarenko, S., Lukaschuk, S., 2016. Wave turbulence on water surface. *Annu. Rev. Condens Matter Phys.* 7, 61–88. <https://doi.org/10.1146/annurev-conmatphys-071715-102737>.
- Newman, J.N., 1977. *Marine Hydrodynamics*. Mit Press. MIT Press.
- Newman, J.N., 1979. The theory of ship Motions\* Preparation of this article was supported by the national science foundation and by the office of naval research. In: Yih, C.-S. (Ed.), *Advances in Applied Mechanics*. Elsevier. [https://doi.org/10.1016/S0065-2156\(08\)70268-0](https://doi.org/10.1016/S0065-2156(08)70268-0), 221–283.
- Newman, J.N., 1994. Wave effects on deformable bodies. *Appl. Ocean Res.* 16, 47–59. [https://doi.org/10.1016/0141-1187\(94\)90013-2](https://doi.org/10.1016/0141-1187(94)90013-2).
- Ng, K.-W., Lam, W.-H., Ng, K.-C., 2013. 2002–2012: 10 Years of research progress in horizontal-Axis marine current turbines. *Energies* 6, 1497–1526. <https://doi.org/10.3390/en6031497>.
- Ngatini, Apriliani, E., Nurhadi, H., 2017. Ensemble and Fuzzy Kalman Filter for position estimation of an autonomous underwater vehicle based on dynamical system of AUV motion. *Expert Syst. Appl.* 68, 29–35. <https://doi.org/10.1016/J.ESWA.2016.10.003>.
- Ngo, T.D., Kashani, A., Imbalzano, G., Nguyen, K.T.Q., Hui, D., 2018. Additive manufacturing (3D printing): a review of materials, methods, applications and challenges. *Compos. B Eng.* 143, 172–196. <https://doi.org/10.1016/J.COMPOSITESB.2018.02.012>.
- Nguyen, T.D., Sørensen, A.J., Tong Quek, S., 2007. Design of hybrid controller for dynamic positioning from calm to extreme sea conditions. *Automatica* 43, 768–785. <https://doi.org/10.1016/J.AUTOMATICAA.2006.11.017>.
- Nguyen, H.P., Wang, C.M., Tay, Z.Y., Luong, V.H., 2020. Wave energy converter and large floating platform integration: a review. *Ocean Eng.* 213, 107768 <https://doi.org/10.1016/J.OCEANENG.2020.107768>.
- Ni, C., Ma, X., 2020. An integrated long-short term memory algorithm for predicting polar westerlies wave height. *Ocean Eng.* 215, 107715 <https://doi.org/10.1016/j.oceaneng.2020.107715>.
- Ni, S., Tang, Y., Wang, G., Yang, L., Lei, B., Zhang, Z., 2022. Risk identification and quantitative assessment method of offshore platform equipment. *Energy Rep.* 8, 7219–7229. <https://doi.org/10.1016/j.egyr.2022.05.159>.
- Nie, Z., Shen, F., Xu, D., Li, Q., 2020. An EMD-SVR model for short-term prediction of ship motion using mirror symmetry and SVR algorithms to eliminate EMD boundary effect. *Ocean Eng.* 217, 107927 <https://doi.org/10.1016/j.oceaneng.2020.107927>.
- Niebles Atencio, B., Chernoray, V., 2019. A resolved RANS CFD approach for drag characterization of antifouling paints. *Ocean Eng.* 171, 519–532. <https://doi.org/10.1016/j.oceaneng.2018.11.022>.

- Ning, D.Z., Wang, R.Q., Zou, Q.P., Teng, B., 2016. An experimental investigation of hydrodynamics of a fixed OWC Wave Energy Converter. *Appl. Energy* 168, 636–648. <https://doi.org/10.1016/J.APENERGY.2016.01.107>.
- Ning, D. zhi, Zhou, Y., Mayon, R., Johanning, L., 2020. Experimental investigation on the hydrodynamic performance of a cylindrical dual-chamber Oscillating Water Column device. *Appl. Energy* 260, 114252. <https://doi.org/10.1016/J.APENERGY.2019.114252>.
- Noblesse, F., He, J., Zhu, Y., Hong, L., Zhang, C., Zhu, R., Yang, C., 2014. Why can ship wakes appear narrower than Kelvin's angle? *Eur. J. Mech. B Fluid* 46, 164–171. <https://doi.org/10.1016/J.EUROMECHFLU.2014.03.012>.
- Nzokou, F., Morse, B., Robert, J.-L., Richard, M., Tossou, E., 2011. Water wave transients in an ice-covered channel. *Can. J. Civ. Eng.* 38, 404–414. <https://doi.org/10.1139/H11-010>.
- OECD, 2016. The Ocean Economy in 2030. OECD. <https://doi.org/10.1787/9789264251724-en>.
- Oger, G., Doring, M., Alessandrini, B., Ferrant, P., 2006. Two-dimensional SPH simulations of wedge water entries. *J. Comput. Phys.* 213, 803–822. <https://doi.org/10.1016/j.jcp.2005.09.004>.
- Oikonomou, C.L.G., Gomes, R.P.F., Gato, L.M.C., Falcão, A.F.O., 2020. On the dynamics of an array of spar-buoy oscillating water column devices with inter-body mooring connections. *Renew. Energy* 148, 309–325. <https://doi.org/10.1016/J.RENENE.2019.11.097>.
- Ojha, T., Misra, S., Obaidat, M.S., 2020. SEAL: self-adaptive AUV-based localization for sparsely deployed underwater sensor networks. *Comput. Commun.* 154, 204–215. <https://doi.org/10.1016/J.COMCOM.2020.02.050>.
- Onorato, M., Osborne, A.R., Serio, M., Cavalieri, L., Brandini, C., Stansberg, C.T., 2004. Observation of strongly non-Gaussian statistics for random sea surface gravity waves in wave flume experiments. *Phys. Rev. E* 70, 067302. <https://doi.org/10.1103/PhysRevE.70.067302>.
- Onorato, M., Osborne, A.R., Serio, M., Cavalieri, L., Brandini, C., Stansberg, C.T., 2006. Extreme waves, modulational instability and second order theory: wave flume experiments on irregular waves. *Eur. J. Mech. B Fluid* 25, 586–601. <https://doi.org/10.1016/j.euromechflu.2006.01.002>.
- Onorato, Miguel, Proment, D., Clauss, G., Klein, M., 2013. Rogue waves: from nonlinear schrödinger breather solutions to sea-keeping test. *PLoS One* 8, e54629. <https://doi.org/10.1371/journal.pone.0054629>.
- Onorato, M., Residori, S., Bortolozzo, U., Montina, A., Arecchi, F.T., 2013. Rogue waves and their generating mechanisms in different physical contexts. *Phys. Rep.* 528, 47–89. <https://doi.org/10.1016/j.physrep.2013.03.001>.
- Orihara, H., Tsujimoto, M., 2018. Performance prediction of full-scale ship and analysis by means of on-board monitoring. Part 2: Validation of full-scale performance predictions in actual seas. *J. Marine Sci. Technol.* 23 (4), 782–801. <https://doi.org/10.1007/s00773-017-0511-5>.
- Orlanski, I., 1976. A simple boundary condition for unbounded hyperbolic flows. *J. Comput. Phys.* 21, 251–269. [https://doi.org/10.1016/0021-9991\(76\)90023-1](https://doi.org/10.1016/0021-9991(76)90023-1).
- Osher, S., Sethian, J.A., 1988. Fronts propagating with curvature-dependent speed: algorithms based on Hamilton-Jacobi formulations. *J. Comput. Phys.* 79, 12–49. [https://doi.org/10.1016/0021-9991\(88\)90002-2](https://doi.org/10.1016/0021-9991(88)90002-2).
- Otto, S., Pedersen, P.T., Samuélides, M., Sames, P.C., 2002. Elements of risk analysis for collision and grounding of a RoRo passenger ferry. *Mar. Struct.* 15, 461–474. [https://doi.org/10.1016/S0951-8339\(02\)00014-X](https://doi.org/10.1016/S0951-8339(02)00014-X).
- Overland, J.E., Wang, M., 2013. When will the summer Arctic be nearly sea ice free? *Geophys. Res. Lett.* 40, 2097–2101. <https://doi.org/10.1002/grl.50316>.
- Owen, D., Demirel, Y.K., Oguz, E., Tezdogan, T., Inceci, A., 2018. Investigating the effect of biofouling on propeller characteristics using CFD. *Ocean Eng.* 159, 505–516. <https://doi.org/10.1016/J.OCEANENG.2018.01.087>.
- O'Hara Murray, R.B., Gallego, A., 2017. Data review and the development of realistic tidal and wave energy scenarios for numerical modelling of Orkney Islands waters, Scotland. *Ocean Coast Manag.* 147, 6–20. <https://doi.org/10.1016/J.OCECOAMAN.2017.03.011>.
- Paik, J.K., Thayamballi, A.K., 2003. *Ultimate Limit State Design of Steel-Plated Structures*. John Wiley & Sons.
- Parnell, K.E., Soomere, T., Zaggia, L., Rodin, A., Lorenzetti, G., Rapaglia, J., Scarpa, G.M., 2015. Ship-induced solitary riemann waves of depression in venice lagoon. *Phys. Lett.* 379, 555–559. <https://doi.org/10.1016/j.physleta.2014.12.004>.
- Paravisi, M., Santos, D.H., Jorge, V., Heck, G., Gonçalves, L., Amory, A., 2019. Unmanned Surface Vehicle Simulator with Realistic Environmental Disturbances. *Sensors* 19 (5), 1068. <https://doi.org/10.3390/s19051068>.
- Pease, L.F., Wang, N., Salisbury, T.I., Underhill, R.M., Flaherty, J.E., Vlachokostas, A., Kulkarni, G., James, D.P., 2021. Investigation of potential aerosol transmission and infectivity of SARS-CoV-2 through central ventilation systems. *Build. Environ.* 197, 107633 <https://doi.org/10.1016/J.BUILDENV.2021.107633>.
- Pedersen, P.T., 2010. Review and application of ship collision and grounding analysis procedures. *Mar. Struct.* 23, 241–262. <https://doi.org/10.1016/J.MARSTRUC.2010.05.001>.
- Pelc, R., Fujita, R.M., 2002. Renewable energy from the ocean. *Mar. Pol.* 26, 471–479. [https://doi.org/10.1016/S0308-597X\(02\)00045-3](https://doi.org/10.1016/S0308-597X(02)00045-3).
- Pena, B., Huang, L., 2021a. A review on the turbulence modelling strategy for ship hydrodynamic simulations. *Ocean Eng.* 241, 110082 <https://doi.org/10.1016/J.OCEANENG.2021.110082>.
- Pena, B., Huang, L., 2021b. Wave-GAN: a deep learning approach for the prediction of nonlinear regular wave loads and run-up on a fixed cylinder. *Coast. Eng.* 167, 103902 <https://doi.org/10.1016/j.coastaleng.2021.103902>.
- Penalba, M., Giorgi, G., Ringwood, J. v., 2017. Mathematical modelling of wave energy converters: a review of nonlinear approaches. *Renew. Sustain. Energy Rev.* 78, 1188–1207. <https://doi.org/10.1016/j.rser.2016.11.137>.
- Peng, Y.-X., Zhang, A.-M., Ming, F.-R., Wang, S.-P., 2019. A meshfree framework for the numerical simulation of elasto-plasticity deformation of ship structure. *Ocean Eng.* 192, 106507 <https://doi.org/10.1016/j.oceaneng.2019.106507>.
- Perera, L.P., Carvalho, J.P., Guedes Soares, C., 2011. Fuzzy logic based decision making system for collision avoidance of ocean navigation under critical collision conditions. *J. Mar. Sci. Technol.* 16, 84–99. <https://doi.org/10.1007/s00773-010-0106-x>.
- Perera, L.P., Ferrari, V., Santos, F.P., Hinostroza, M.A., Guedes Soares, C., 2015. Experimental evaluations on ship autonomous navigation and collision avoidance by intelligent guidance. *IEEE J. Ocean. Eng.* 40, 374–387. <https://doi.org/10.1109/JOE.2014.2304793>.
- Peres, D.J., Iuppa, C., Cavallaro, L., Cancelliere, A., Foti, E., 2015. Significant wave height record extension by neural networks and reanalysis wind data. *Ocean Model.* 94, 128–140. <https://doi.org/10.1016/j.ocemod.2015.08.002>.
- Perez, T., 2006. *Ship Motion Control: Course Keeping and Roll Stabilisation Using Rudders and Fins. Advances in Industrial Control*. Springer, London.
- Perez, T., Donaire, A., 2009. Constrained control design for dynamic positioning of marine vehicles with control allocation. *Model. Identif. Control: A Norwegian Res. Bullet.* 30, 57–70. <https://doi.org/10.4173/mic.2009.2.2>.
- Pethiyagoda, R., McCue, S.W., Moroney, T.J., 2014. What is the apparent angle of a Kelvin ship wave pattern? *J. Fluid Mech.* 758, 468–485. <https://doi.org/10.1017/jfm.2014.530>.
- Petrova, P.G., Guedes Soares, C., Aguiar, T.C.G.R., Esperança, P.T.T., 2022. Statistical distributions of nonlinear waves from random laboratory wave fields. *Ocean Eng.* 243, 110170 <https://doi.org/10.1016/j.oceaneng.2021.110170>.
- Petry, A., Gallo, P., Remes, H., Niemelä, A., 2022. Optimizing the voce-chaboche model parameters for fatigue life estimation of welded joints in high-strength marine structures. *J. Mar. Sci. Eng.* 10, 818. <https://doi.org/10.3390/jmse10060818>.
- Phillips, O.M., 1977. *The Dynamics of the Upper Ocean*. Cambridge University Press.
- Pierson Jr, W.J., Moskowitz, L., 1964. A proposed spectral form for fully developed wind seas based on the similarity theory of S. A. Kitagorodskii. *J Geophys Res.* Kitagorodskii, J. *Geophys. Res.* 69, 5181–5190. <https://doi.org/10.1029/JZ069i024p05181>.
- Plant, W.J., 1982. A Relationship between wind stress and wave slope. *J. Geophys. Res.-Oceans* 87, 1961–1967. <https://doi.org/10.1029/JC087iC03p01961>.
- Polojärvi, A., 2022. Numerical model for a failure process of an ice sheet. *Comput. Struct.* 269, 106828 <https://doi.org/10.1016/j.compstruc.2022.106828>.
- Pope, S.B., 2000. *In: Turbulent Flows*. Cambridge University Press. <https://doi.org/10.1017/CBO9780511840531>.
- Popescu, C.R.Gh., 2021. In: Measuring Progress towards the Sustainable Development Goals, pp. 125–136. <https://doi.org/10.4018/978-1-7998-8426-2.ch006>.
- Qu, X., Meng, Q., Suyi, L., 2011. Ship collision risk assessment for the Singapore Strait. *Accid. Anal. Prev.* 43, 2030–2036. <https://doi.org/10.1016/j.aap.2011.05.022>.
- Rabaud, M., Moisy, F., 2014. Narrow ship wakes and wave drag for planing hulls. *Ocean Eng.* 90, 34–38. <https://doi.org/10.1016/J.OCEANENG.2014.06.039>.
- Rabault, J., Sutherland, G., Ward, B., Christensen, K.H., Halsne, T., Jensen, A., 2016. Measurements of waves in landfast ice using inertial motion units. *IEEE Trans. Geosci. Rem. Sens.* 54, 6399–6408. <https://doi.org/10.1109/TGRS.2016.2584182>.
- Raghunathan, S., 1995. The wells air turbine for wave energy conversion. *Prog. Aero. Sci.* 31, 335–386. [https://doi.org/10.1016/0376-0421\(95\)00001-F](https://doi.org/10.1016/0376-0421(95)00001-F).
- Rakhsha, M., Pazouki, A., Serban, R., Negruț, D., 2019. Using a half-implicit integration scheme for the SPH-based solution of fluid-solid interaction problems. *Comput. Methods Appl. Mech. Eng.* 345, 100–122. <https://doi.org/10.1016/j.cma.2018.09.027>.
- Ram, B.R.R., Surendran, S., Lee, S.K., 2015. Computer and experimental simulations on the fin effect on ship resistance. *Ships Offshore Struct.* 10, 122–131. <https://doi.org/10.1080/17445302.2014.918308>.
- Ramos, V., Carballo, R., Álvarez, M., Sánchez, M., Iglesias, G., 2013. Assessment of the impacts of tidal stream energy through high-resolution numerical modeling. *Energy* 61, 541–554. <https://doi.org/10.1016/J.ENERGY.2013.08.051>.
- Razola, M., Olausson, K., Garme, K., Rosén, A., 2016. On high-speed craft acceleration statistics. *Ocean Eng.* 114, 115–133. <https://doi.org/10.1016/j.oceaneng.2016.01.004>.
- Reed, A.M., Milgram, J.H., 2002. Ship wakes and their radar images. *Annu. Rev. Fluid Mech.* 34, 469–502. <https://doi.org/10.1146/annurev.fluid.34.090101.190252>.
- Reinhard, M., Korobkin, A.A., Cooker, M.J., 2013. Water entry of a flat elastic plate at high horizontal speed. *J. Fluid Mech.* 724, 123–153. <https://doi.org/10.1017/jfm.2013.155>.
- Renzi, E., Dias, F., 2012. Resonant behaviour of an oscillating wave energy converter in a channel. *J. Fluid Mech.* 701, 482–510. <https://doi.org/10.1017/jfm.2012.194>.
- Rezanejad, K., Guedes Soares, C., 2018. Enhancing the primary efficiency of an oscillating water column wave energy converter based on a dual-mass system analogy. *Renew. Energy* 123, 730–747. <https://doi.org/10.1016/J.RENENE.2018.02.084>.
- Rezanejad, K., Guedes Soares, C., 2021. Hydrodynamic investigation of a novel concept of oscillating water column type wave energy converter device. *J. Offshore Mech. Arctic Eng.* 143 <https://doi.org/10.1115/1.4050268>.
- Rezanejad, K., Souto-Iglesias, A., Guedes Soares, C., 2019. Experimental investigation on the hydrodynamic performance of an L-shaped duct oscillating water column wave energy converter. *Ocean Eng.* 173, 388–398. <https://doi.org/10.1016/J.OCEANENG.2019.01.009>.
- Ribal, A., Babanin, A.V., Zieger, S., Liu, Q., 2020. A high-resolution wave energy resource assessment of Indonesia. *Renew. Energy* 160, 1349–1363. <https://doi.org/10.1016/J.RENENE.2020.06.017>.

- Riehn, W., 1919. On the relationships between the reaction-stream theory and the leaflet-theories in the ship's propeller. *Z. Des. Vereines Dtsch. Ingenieure* 63, 385–388.
- Ringwood, J. V., Bacelli, G., Fusco, F., 2014. Energy-maximizing control of wave-energy converters: the development of control system technology to optimize their operation. *IEEE Control Syst. Mag.* 34, 30–55. <https://doi.org/10.1109/MCS.2014.2333253>.
- Robertson, A., Jonkman, J., Masciola, M., Song, H., Goupee, A., Coulling, A., Luan, C., 2014. Definition of the Semisubmersible Floating System for Phase II of OC4.
- Robertson, A.N., Wendt, F., Jonkman, J.M., Popko, W., Dagher, H., Gueydon, S., Qvist, J., Vittori, F., Azcona, J., Uzunoglu, E., Soares, C.G., Harries, R., Yde, A., Galinos, C., Hermans, K., de Vaal, J.B., Bozonnet, P., Bouy, L., Bayati, I., Bergua, R., Galvan, J., Mendikoa, I., Sanchez, C.B., Shin, H., Oh, S., Molins, C., Debruyne, Y., 2017. OC5 Project phase II: validation of global loads of the DeepCwind floating semisubmersible wind turbine. *Energy Proc.* 137, 38–57. <https://doi.org/10.1016/J.EGYPRO.2017.10.333>.
- Robins, P.E., Neill, S.P., Lewis, M.J., Ward, S.L., 2015. Characterising the spatial and temporal variability of the tidal-stream energy resource over the northwest European shelf seas. *Appl. Energy* 147, 510–522. <https://doi.org/10.1016/J.APENERGY.2015.03.045>.
- Roddier, D., Cermelli, C., Aubault, A., Weinstein, A., 2010. WindFloat: a floating foundation for offshore wind turbines. *J. Renew. Sustain. Energy* 2. <https://doi.org/10.1063/1.3435339>.
- Rogers, W.E., Thomson, J., Shen, H.H., Doble, M.J., Wadhams, P., Cheng, S., 2016. Dissipation of wind waves by pancake and frazil ice in the autumn Beaufort Sea. *J Geophys Res Oceans* 121, 7991–8007. <https://doi.org/10.1002/2016JC012251>.
- Rolnick, D., Donti, P.L., Kaack, L.H., Kochanski, K., Lacoste, A., Sankaran, K., Ross, A.S., Milojevic-Dupont, N., Jaques, N., Waldman-Brown, A., Lucchini, A.S., Maharaj, T., Sherwin, E.D., Mukkavilli, S.K., Kording, K.P., Gomes, C.P., Ng, A.Y., Hassabis, D., Platt, J.C., Creutzig, F., Chayes, J., Bengio, Y., 2023. Tackling climate change with machine learning. *ACM Comput. Surv.* 55, 1–96. <https://doi.org/10.1145/3485128>.
- Romero-Tello, P., Gutiérrez-Romero, J.E., Serván-Camas, B., 2022. Prediction of seakeeping in the early stage of conventional monohull vessels design using artificial neural network. *J. Ocean Eng. Sci.* <https://doi.org/10.1016/J.JOES.2022.06.033>.
- Rong, H., Teixeira, A.P., Guedes Soares, C., 2021. Spatial correlation analysis of near ship collision hotspots with local maritime traffic characteristics. *Reliab. Eng. Syst. Saf.* 209, 107463 <https://doi.org/10.1016/j.ress.2021.107463>.
- Roshan, F., dashtimanesh, A., Tavakoli, S., Niazimand, R., Abyan, H., 2021. Hull-propeller interaction for planing boats: a numerical study. *Ships Offshore Struct.* 16, 955–967. <https://doi.org/10.1080/17445302.2020.1790295>.
- Rosli, R., Shi, W., Aktas, B., Norman, R., Atlar, M., 2020. Cavitation observations, underwater radiated noise measurements and full-scale predictions of the Hydro-Spinna turbine. *Ocean Eng.* 210, 107536 <https://doi.org/10.1016/J.OCEANENG.2020.107536>.
- Rothrock, D.A., Yu, Y., Maykut, G.A., 1999. Thinning of the Arctic sea-ice cover. *Geophys. Res. Lett.* 26, 3469–3472. <https://doi.org/10.1029/1999GL010863>.
- Rothrock, D., Kwok, R., Groves, D., 2000. In: *Satellite Views of the Arctic Ocean Freshwater Balance*, pp. 409–451. [https://doi.org/10.1007/978-94-011-4132-1\\_18](https://doi.org/10.1007/978-94-011-4132-1_18).
- Rourke, F.O., Boyle, F., Reynolds, A., 2010. Tidal energy update 2009. *Appl. Energy* 87, 398–409. <https://doi.org/10.1016/J.APENERGY.2009.08.014>.
- Ruban, V.P., 2010a. Conformal variables in the numerical simulations of long-crested rogue waves. *Eur. Phys. J. Spec. Top.* 185, 17–33. <https://doi.org/10.1140/epjst/e2010-01235-x>.
- Ruban, V.P., 2010b. Giant waves in weakly crossing sea states. *J. Exp. Theor. Phys.* 110, 529–536. <https://doi.org/10.1134/S1063776110030155>.
- Rusu, L., Soares, G.C., 2012a. Wave energy assessments in the Azores islands. *Renew. Energy* 45, 183–196. <https://doi.org/10.1016/J.RENENE.2012.02.027>.
- Rusu, L., Soares, G.C., 2012b. Wave energy assessments in the Azores islands. *Renew. Energy* 45, 183–196. <https://doi.org/10.1016/j.renene.2012.02.027>.
- Rusu, E., Onea, F., 2013. Evaluation of the wind and wave energy along the Caspian Sea. *Energy* 50, 1–14. <https://doi.org/10.1016/J.ENERGY.2012.11.044>.
- Rusu, E., Onea, F., 2017. Joint evaluation of the wave and offshore wind energy resources in the developing countries. *Energies* 10. <https://doi.org/10.3390/en10111866>.
- Rusu, E., Soares, G.C., 2009. Numerical modelling to estimate the spatial distribution of the wave energy in the Portuguese nearshore. *Renew. Energy* 34, 1501–1516. <https://doi.org/10.1016/J.RENENE.2008.10.027>.
- Rusu, E., Soares, G.C., 2013. Coastal impact induced by a Pelamis wave farm operating in the Portuguese nearshore. *Renew. Energy* 58, 34–49. <https://doi.org/10.1016/J.RENENE.2013.03.001>.
- Rüttgers, M., Lee, S., Jeon, S., You, D., 2019. Prediction of a typhoon track using a generative adversarial network and satellite images. *Sci. Rep.* 9, 6057. <https://doi.org/10.1038/s41598-019-42339-y>.
- Saad-Eldeen, S., Garbatov, Y., Soares, C.G., 2011a. Experimental assessment of the ultimate strength of a box girder subjected to severe corrosion. *Mar. Struct.* 24, 338–357. <https://doi.org/10.1016/J.MARSTRUC.2011.05.002>.
- Saad-Eldeen, S., Garbatov, Y., Soares, C.G., 2011b. Experimental assessment of the ultimate strength of a box girder subjected to severe corrosion. *Mar. Struct.* 24, 338–357. <https://doi.org/10.1016/J.MARSTRUC.2011.05.002>.
- Salter, S.H., 1974. Wave power. *Nature* 249, 720–724. <https://doi.org/10.1038/249720a0>.
- Salvesen, N., Tuck, E.O., Faltinsen, O.M., 1970. SHIP motions and sea loads. In: *SNAME Annual Meeting. The Society of Naval Architects and Marine Engineers*, New York, pp. 1–30.
- Samuelides, M., 2015. Recent advances and future trends in structural crashworthiness of ship structures subjected to impact loads. *Ships Offshore Struct.* 10, 488–497. <https://doi.org/10.1080/17445302.2015.1009287>.
- Sarmiento, A.J.N.A., Falcão, A.F. de O., 1985. Wave generation by an oscillating surface-pressure and its application in wave-energy extraction. *J. Fluid Mech.* 150, 467–485. <https://doi.org/10.1017/S0022112085000234>.
- Sarpkaya, T., 2004. A critical review of the intrinsic nature of vortex-induced vibrations. *J. Fluid Struct.* 19, 389–447. <https://doi.org/10.1016/J.JFLUIDSTRUCTS.2004.02.005>.
- Sarpkaya, T., Isaacs, M., 1981a. Mechanics of Wave Forces on Offshore Structures. *Van Nostrand Reinhold Company*.
- Sarpkaya, T., Isaacs, M., 1981b. Mechanics of Wave Forces on Offshore Structures. *Van Nostrand Reinhold Company*.
- Sasa, K., Faltinsen, O.M., Lu, L.-F., Sasaki, W., Prpić-Oršić, J., Kashiwagi, M., Ikebuchi, T., 2017. Development and validation of speed loss for a blunt-shaped ship in two rough sea voyages in the Southern Hemisphere. *Ocean Eng.* 142, 577–596. <https://doi.org/10.1016/j.oceaneng.2017.07.029>.
- Sasa, K., Terada, D., Shiotani, S., Wakabayashi, N., Ikebuchi, T., Chen, C., Takayama, A., Uchida, M., 2015. Evaluation of ship performance in international maritime transportation using an onboard measurement system - in case of a bulk carrier in international voyages. *Ocean Eng.* 104, 294–309. <https://doi.org/10.1016/j.oceaneng.2015.05.015>.
- Savitsky, D., 1964. Hydrodynamic design of planing hulls. *Marine Technol. SNAME News* 1, 71–95. <https://doi.org/10.5957/mtl1.1964.1.4.71>.
- Sawada, R., Sato, K., Majima, T., 2021. Automatic ship collision avoidance using deep reinforcement learning with LSTM in continuous action spaces. *J. Mar. Sci. Technol.* 26, 509–524. <https://doi.org/10.1007/s00773-020-00755-0>.
- Schilling, D., Dede, L., Scott, M.A., Evans, J.A., Borden, M.J., Rank, E., Hughes, T.J.R., 2012. An isogeometric design-through-analysis methodology based on adaptive hierarchical refinement of NURBS, immersed boundary methods, and T-spline CAD surfaces. *Comput. Methods Appl. Mech. Eng.* 249–252, 116–150. <https://doi.org/10.1016/J.CMA.2012.03.017>.
- Schultz, M.P., 2004. Frictional resistance of antifouling coating systems. *J. Fluid Eng.* 126, 1039–1047. <https://doi.org/10.1115/1.1845552>.
- Schultz, M.P., 2007. Effects of coating roughness and biofouling on ship resistance and powering. *Biofouling* 23, 331–341. <https://doi.org/10.1080/08927010701461974>.
- Senjanovic, I., Tomic, M., Tomasevic, S., 2008. An explicit formulation for restoring stiffness and its performance in ship hydroelasticity. *Ocean Eng.* 35, 1322–1338. <https://doi.org/10.1016/j.oceaneng.2008.06.004>.
- Serreze, M.C., McLaren, A.S., Barry, R.G., 1989. Seasonal variations of sea ice motion in the transpolar drift stream. *Geophys. Res. Lett.* 16, 811–814. <https://doi.org/10.1029/GL016i008p00811>.
- Setoguchi, T., Takao, M., 2006. Current status of self rectifying air turbines for wave energy conversion. *Energy Convers. Manag.* 47, 2382–2396. <https://doi.org/10.1016/j.enconman.2005.11.013>.
- Setoguchi, T., Santhakumar, S., Maeda, H., Takao, M., Kaneko, K., 2001. A review of impulse turbines for wave energy conversion. *Renew. Energy* 23, 261–292.
- Sezen, S., Cosgun, T., Yurtseven, A., Atlar, M., 2021a. Numerical investigation of marine propeller underwater radiated noise using acoustic analogy Part 2: the influence of eddy viscosity turbulence models. *Ocean Eng.* 220, 108353 <https://doi.org/10.1016/J.OCEANENG.2020.108353>.
- Sezen, S., Uzun, D., Ozyurt, R., Turan, O., Atlar, M., 2021b. Effect of biofouling roughness on a marine propeller's performance including cavitation and underwater radiated noise (URN). *Appl. Ocean Res.* 107, 102491 <https://doi.org/10.1016/J.APOR.2020.102491>.
- Sfakiotakis, M., Lane, D.M., Davies, J.B.C., 1999. Review of fish swimming modes for aquatic locomotion. *IEEE J. Ocean. Eng.* 24, 237–252. <https://doi.org/10.1109/48.757275>.
- Shabani, B., Lavrov, J., Holloway, D.S., Davis, M.R., Thomas, G.A., 2018. The effect of centre bow and wet-deck geometry on wet-deck slamming loads and vertical bending moments of wave-piercing catamarans. *Ocean Eng.* 169, 401–417. <https://doi.org/10.1016/j.oceaneng.2018.09.028>.
- Shah, B.C., Švec, P., Bertaska, I.R., Sinisterra, A.J., Klinder, W., von Ellenrieder, K., Dhanak, M., Gupta, S.K., 2016. Resolution-adaptive risk-aware trajectory planning for surface vehicles operating in congested civilian traffic. *Aut. Robots* 40, 1139–1163. <https://doi.org/10.1007/s10514-015-9529-x>.
- Shams, A., Jalali-Sendi, M., Porfirii, M., 2015. Experiments on the water entry of asymmetric wedges using particle image velocimetry. *Phys. Fluids* 27, 027103. <https://doi.org/10.1063/1.4907745>.
- Shao, J.R., Li, H.Q., Liu, G.R., Liu, M.B., 2012. An improved SPH method for modeling liquid sloshing dynamics. *Comput. Struct.* 100–101, 18–26. <https://doi.org/10.1016/J.COMPSTRUC.2012.02.005>.
- Shaobo, W., Yingjun, Z., Lianbo, L., 2020. A collision avoidance decision-making system for autonomous ship based on modified velocity obstacle method. *Ocean Eng.* 215, 107910 <https://doi.org/10.1016/J.OCEANENG.2020.107910>.
- Sharp, R.P., 1988. Earth science field work: role and status. *Annu. Rev. Earth Planet Sci.* 16, 1–20. <https://doi.org/10.1146/annurev.ea.16.050188.000245>.
- Shchepetkin, A.F., McWilliams, J.C., 2005. The regional oceanic modeling system (ROMS): a split-explicit, free-surface, topography-following-coordinate oceanic model. *Ocean Model.* 9, 347–404. <https://doi.org/10.1016/J.OCEMOD.2004.08.002>.
- Shen, L., Zhang, C., Yue, D.K.P., 2002. Free-surface turbulent wake behind towed ship models: experimental measurements, stability analyses and direct numerical simulations. *J. Fluid Mech.* 469, 89–120. <https://doi.org/10.1017/S0022112002001684>.

- Shen, Z., Wan, D., Carrica, P.M., 2015. Dynamic overset grids in OpenFOAM with application to KCS self-propulsion and maneuvering. *Ocean Eng.* 108, 287–306. <https://doi.org/10.1016/j.oceaneng.2015.07.035>.
- Shi, X.H., Teixeira, A.P., Zhang, J., Guedes Soares, C., 2016. Reliability analysis of a ship hull structure under combined loads including slamming loading. *Ships Offshore Struct.* 11, 300–315. <https://doi.org/10.1080/17445302.2014.987438>.
- Shih, T.H., Liou, W.W., Shabbir, A., Yang, Z., Zhu, J., 1995. A new k- $\epsilon$  eddy viscosity model for high Reynolds number turbulent flows. *Comput. Fluids* 24, 227–238. [https://doi.org/10.1016/0045-7930\(94\)00032-T](https://doi.org/10.1016/0045-7930(94)00032-T).
- Shih, C.-H., Huang, P.-H., Yamamura, S., Chen, C.-Y., 2012. Design optimal control OF SHIP maneuver patterns for collision avoidance: a review. *J. Mar. Sci. Technol.* 20 <https://doi.org/10.51400/2709-6998.1829>.
- Siemann, 1909. Stability tests on the ships in the sea. *Z. Des. Vereines Dtsch. Ingenieure* 53, 1047–1048.
- Silva, K.M., Maki, K.J., 2022. Data-Driven system identification of 6-DoF ship motion in waves with neural networks. *Appl. Ocean Res.* 125, 103222 <https://doi.org/10.1016/j.apor.2022.103222>.
- Silva, D., Bento, A.R., Martinho, P., Guedes Soares, C., 2015. High resolution local wave energy modelling in the Iberian Peninsula. *Energy* 91, 1099–1112. <https://doi.org/10.1016/J.ENERGY.2015.08.067>.
- Silva, D., Martinho, P., Guedes Soares, C., 2018. Wave energy distribution along the Portuguese continental coast based on a thirty three years hindcast. *Renew. Energy* 127, 1064–1075. <https://doi.org/10.1016/J.RENENE.2018.05.037>.
- Silveira, P.A.M., Teixeira, A.P., Soares, C.G., 2013. Use of AIS data to characterise marine traffic patterns and ship collision risk off the coast of Portugal. *J. Navig.* 66, 879–898. <https://doi.org/10.1017/S0373463313000519>.
- Singh, T., Kumar, S., Sehgal, S., 2020. 3D printing of engineering materials: a state of the art review. *Mater. Today Proc.* 28, 1927–1931. <https://doi.org/10.1016/J.MATPR.2020.05.334>.
- Smagorinsky, J., 1963. General circulation experiments with the primitive equations. *Mon. Weather Rev.* 91, 99–164.
- Smith, C.S., 1977. Influence of local compressive failure on ultimate longitudinal strength of a ship's hull. In: Proceedings of 3th International Symposium on Practical Design in Shipbuilding, pp. 73–79.
- Smith, H.C.M., Fairley, I., Robertson, B., Abusara, M., Masters, I., 2017. Wave resource variability: impacts on wave power supply over regional to international scales. *Energy Proc.* 125, 240–249. <https://doi.org/10.1016/J.EGYPERO.2017.08.202>.
- Smith, L.C., Stephenson, S.R., 2013. New Trans-Arctic shipping routes navigable by midcentury. *Proceed. Nat. Acad. Sci.* 110 (13) <https://doi.org/10.1073/pnas.1214212110>.
- Soares, C.G., Teixeira, A.P., 2000. Structural reliability of two bulk carrier designs. *Mar. Struct.* 13, 107–128. [https://doi.org/10.1016/S0951-8339\(00\)00004-6](https://doi.org/10.1016/S0951-8339(00)00004-6).
- Soares, C.G., Teixeira, A.P., 2001. Risk assessment in maritime transportation. *Reliab. Eng. Syst. Saf.* 74, 299–309. [https://doi.org/10.1016/S0951-8320\(01\)00104-1](https://doi.org/10.1016/S0951-8320(01)00104-1).
- Socquet-Juglard, H., Dysthe, K., Trulsen, K., Krogstad, H.E., Liu, J., 2005. Probability distributions of surface gravity waves during spectral changes. *J. Fluid Mech.* 542, 195. <https://doi.org/10.1017/S0022112005006312>.
- Song, G., Salvo Rossi, P., Khan, F., Paltrinieri, N., BahooToroody, A., 2020. Model-based information fusion investigation on fault isolation of subsea systems considering the interaction among subsystems and sensors. *J. Loss Prev. Process. Ind.* 67, 104267 <https://doi.org/10.1016/j.jlp.2020.104267>.
- Song, S., Demirel, Y.K., Atlar, M., 2020. Propeller performance penalty of biofouling: computational fluid dynamics prediction. *J. Offshore Mech. Arctic Eng.* 142 <https://doi.org/10.1115/1.4047201>.
- Sørensen, A.J., 2011. A survey of dynamic positioning control systems. *Annu. Rev. Control* 35, 123–136. <https://doi.org/10.1016/J.ARCONTROL.2011.03.008>.
- Spyrou, K., Thompson, J., 2000. The nonlinear dynamics of ship motions: a field overview and some recent developments. *Philos. Transact. Royal Soc. A Math. Phys. Eng. Sci.* 358, 1735–1760. <https://doi.org/10.1098/rsta.2000.0613>.
- Squire, V.A., 2007. Of ocean waves and sea-ice revisited. *Cold Reg. Sci. Technol.* 49, 110–133. <https://doi.org/10.1016/j.coldregions.2007.04.007>.
- Squire, V.A., 2008. Synergies between VLFS hydroelasticity and sea ice research. *Int. J. Offshore Polar Eng.* 18, 241–253.
- Squire, V., 2008a. Synergies between VLFS hydroelasticity and sea ice research. In: Proceedings of the International Offshore and Polar Engineering Conference, 18.
- Squire, V., 2008b. Synergies between VLFS hydroelasticity and sea ice research. In: Proceedings of the International Offshore and Polar Engineering Conference, 18.
- Squire, V.A., 2011. Past, present and imminent hydroelastic challenges in the polar and subpolar seas. *Phil. Trans. Math. Phys. Eng. Sci.* 369, 2813–2831. <https://doi.org/10.1098/rsta.2011.0093>.
- Squire, V.A., 2018. A fresh look at how ocean waves and sea ice interact. *Phil. Trans. Math. Phys. Eng. Sci.* 376, 20170342 <https://doi.org/10.1098/rsta.2017.0342>.
- Squire, V.A., 2020. Ocean wave interactions with sea ice: a reappraisal. *Annu. Rev. Fluid Mech.* 52, 37–60. <https://doi.org/10.1146/annurev-fluid-010719-060301>.
- Stammerjohn, S., Massom, R., Rind, D., Martinson, D., 2012. Regions of rapid sea ice change: an inter-hemispheric seasonal comparison. *Geophys. Res. Lett.* 39 <https://doi.org/10.1029/2012GL050874> n/a-n/a.
- Statheros, T., Howells, G., Maier, K.M., 2008. Autonomous ship collision avoidance navigation concepts, technologies and techniques. *J. Navig.* 61, 129–142. <https://doi.org/10.1017/S037346330700447X>.
- Stern, F., Wilson, R. v., Coleman, H.W., Paterson, E.G., 2001. Comprehensive approach to verification and validation of CFD simulations—Part 1: methodology and procedures. *J. Fluid Eng.* 123, 793–802. <https://doi.org/10.1115/1.1412235>.
- Stern, F., Wang, Z., Yang, J., Sadat-Hosseini, H., Mousaviraad, M., Bhushan, S., Diez, M., Sung-Hwan, Y., Wu, P.-C., Yeon, S.M., Dogan, T., Kim, D.-H., Volpi, S., Conger, M., Michael, T., Xing, T., Thodal, R.S., Grenestedt, J.L., 2015. Recent progress in CFD for naval architecture and ocean engineering. *J. Hydrodyn.* 27, 1–23. [https://doi.org/10.1016/S1001-6058\(15\)60452-8](https://doi.org/10.1016/S1001-6058(15)60452-8).
- Stopa, J.E., Cheung, K.F., Chen, Y.L., 2011. Assessment of wave energy resources in Hawaii. *Renew. Energy* 36, 554–567. <https://doi.org/10.1016/J.RENENE.2010.07.014>.
- Stopa, J.E., Cheung, K.F., Tolman, H.L., Chawla, A., 2013. Patterns and cycles in the climate forecast system reanalysis wind and wave data. *Ocean Model.* 70, 207–220. <https://doi.org/10.1016/J.OCEMOD.2012.10.005>.
- Stevenson, T.C., Davies, J., Huntington, H.P., Sheard, W., 2019. An examination of trans-Arctic vessel routing in the Central Arctic Ocean. *Marine Pol.* 100, 83–89. <https://doi.org/10.1016/j.marpol.2018.11.031>.
- Stopa, J.E., Ardhuin, F., Babanin, A., Zieger, S., 2016. Comparison and validation of physical wave parameterizations in spectral wave models. *Ocean Model.* 103, 2–17. <https://doi.org/10.1016/J.OCEMOD.2015.09.003>.
- Stroeve, J., Serreze, M., Drobot, S., Gearheard, S., Holland, M., Maslanik, J., Meier, W., Scambos, T., 2008. Arctic sea ice extent plummets in 2007. *Eos, Transact. Am. Geophys. Union* 89, 13. <https://doi.org/10.1029/2008EO020001>.
- Sullivan, B.P., Desai, S., Sole, J., Rossi, M., Ramundo, L., Terzi, S., 2020. Maritime 4.0 – opportunities in digitalization and advanced manufacturing for vessel development. *Procedia Manuf.* 42, 246–253. <https://doi.org/10.1016/j.promfg.2020.02.078>.
- Sun, H., Faltinsen, O.M., 2007. The influence of gravity on the performance of planing vessels in calm water. *J. Eng. Math.* 58, 91–107. <https://doi.org/10.1007/s10665-006-9107-5>.
- Sun, H., Faltinsen, O.M., 2011. Dynamic motions of planing vessels in head seas. *J. Mar. Sci. Technol.* 16, 168–180. <https://doi.org/10.1007/s00773-011-0123-4>.
- Sun, Z.-M., Hua, W.-N., 2015. A comparative study of Ocean Engineering research between China and the world. *Scientometrics* 105, 51–63. <https://doi.org/10.1007/s11192-015-1670-y>.
- Sun, H., Ma, C., Bernitsas, M.M., 2018. Hydrokinetic power conversion using Flow Induced Vibrations with cubic restoring force. *Energy* 153, 490–508. <https://doi.org/10.1016/J.ENERGY.2018.04.065>.
- Sun, P.N., le Touzé, D., Zhang, A.-M., 2019. Study of a complex fluid-structure dam-breaking benchmark problem using a multi-phase SPH method with APR. *Eng. Anal. Bound. Elem.* 104, 240–258. <https://doi.org/10.1016/j.enganabound.2019.03.033>.
- Sun, P.N., le Touzé, D., Zhang, A.-M., 2019. Study of a complex fluid-structure dam-breaking benchmark problem using a multi-phase SPH method with APR. *Eng. Anal. Bound. Elem.* 104, 240–258. <https://doi.org/10.1016/j.enganabound.2019.03.033>.
- Sun, K., Ji, R., Zhang, J., Li, Y., Wang, B., 2021. Investigations on the hydrodynamic interference of the multi-rotor vertical axis tidal current turbine. *Renew. Energy* 169, 752–764. <https://doi.org/10.1016/J.RENENE.2021.01.055>.
- Sun, Q., Tang, Z., Gao, J., Zhang, G., 2022. Short-term ship motion attitude prediction based on LSTM and GPR. *Appl. Ocean Res.* 118, 102927 <https://doi.org/10.1016/j.apor.2021.102927>.
- Szlapczynski, R., Szlapczynska, J., 2017. Review of ship safety domains: models and applications. *Ocean Eng.* 145, 277–289. <https://doi.org/10.1016/j.joceaneeng.2017.09.020>.
- Szlapczynski, R., Szlapczynska, J., 2021. A ship domain-based model of collision risk for near-miss detection and Collision Alert Systems. *Reliab. Eng. Syst. Saf.* 214, 107766 <https://doi.org/10.1016/j.ress.2021.107766>.
- Tagliafierro, B., Mancini, S., Ropero-Giralda, P., Domínguez, J.M., Crespo, A.J.C., Viccione, G., 2021. Performance assessment of a planing hull using the smoothed particle hydrodynamics method. *J. Mar. Sci. Eng.* 9 <https://doi.org/10.3390/jmse9030244>.
- Tagliafierro, B., Karimrad, M., Martínez-Estevez, I., Domínguez, J.M., Viccione, G., Crespo, A.J.C., 2022. Numerical assessment of a tension-leg platform wind turbine in intermediate water using the smoothed particle hydrodynamics method. *Energies* 15, 3993. <https://doi.org/10.3390/en15113993>.
- Taimuri, G., Matusiak, J., Mikkola, T., Kujala, P., Hirدارسی, S., 2020. A 6-DoF maneuvering model for the rapid estimation of hydrodynamic actions in deep and shallow waters. *Ocean Eng.* 218, 108103 <https://doi.org/10.1016/j.oceaneng.2020.108103>.
- Talha, M., Asghar, F., Kim, S.H., 2017. Design of fuzzy tuned PID controller for anti rolling gyro (ARG) stabilized in ships. *Int. J. Fuzzy Logic Intel. Syst.* 17, 210–220. <https://doi.org/10.5391/IJFIS.2017.17.3.210>.
- Tam, C., Bucknall, R., Greig, A., 2009. Review of collision avoidance and path planning methods for ships in close range encounters. *J. Navig.* 62, 455–476. <https://doi.org/10.1017/S0373463308005134>.
- Tanaka, Y., Ogawa, H., Tatsumi, A., Fujikubo, M., 2015. Analysis method of ultimate hull girder strength under combined loads. *Ships Offshore Struct.* 1–12. <https://doi.org/10.1080/17445302.2015.1045271>.
- Tang, H.S., Kraatz, S., Qu, K., Chen, G.Q., Aboobaker, N., Jiang, C.B., 2014a. High-resolution survey of tidal energy towards power generation and influence of sea-level-rise: a case study at coast of New Jersey, USA. *Renew. Sustain. Energy Rev.* 32, 960–982. <https://doi.org/10.1016/J.RSER.2013.12.041>.
- Tang, H.S., Kraatz, S., Qu, K., Chen, G.Q., Aboobaker, N., Jiang, C.B., 2014b. High-resolution survey of tidal energy towards power generation and influence of sea-level-rise: a case study at coast of New Jersey, USA. *Renew. Sustain. Energy Rev.* 32, 960–982. <https://doi.org/10.1016/J.RSER.2013.12.041>.
- Taskar, B., Andersen, P., 2020. Benefit of speed reduction for ships in different weather conditions. *Transp Res Part D: Transp. Environ.* 85, 102337. <https://doi.org/10.1016/j.trd.2020.102337>.
- Tassin, A., Korobkin, A.A., Cooker, M.J., 2014. On analytical models of vertical water entry of a symmetric body with separation and cavity initiation. *Appl. Ocean Res.* 48, 33–41. <https://doi.org/10.1016/J.APOR.2014.07.008>.

- Tavakoli, S., Dashtimanesh, A., 2018. Mathematical simulation of planar motion mechanism test for planing hulls by using 2D+T theory. *Ocean Eng.* 169, 651–672. <https://doi.org/10.1016/j.oceaneng.2018.09.045>.
- Tavakoli, S., Dashtimanesh, A., 2019. A six-DOF theoretical model for steady turning maneuver of a planing hull. *Ocean Eng.* 189, 106328 <https://doi.org/10.1016/j.oceaneng.2019.106328>.
- Tavakoli, S., Dashtimanesh, A., Sahoo, P., 2018a. An oblique 2D+T approach for hydrodynamic modeling of yawed planing boats in calm water. *J. Ship Product. Design* 34, 335–346. <https://doi.org/10.5957/JSPD.160032>.
- Tavakoli, S., Najafi, S., Amini, E., Dashtimanesh, A., 2018b. Performance of high-speed planing hulls accelerating from rest under the action of a surface piercing propeller and an outboard engine. *Appl. Ocean Res.* 77, 45–60. <https://doi.org/10.1016/j.apor.2018.05.004>.
- Tavakoli, S., Niazzmand Bilandi, R., Mancini, S., de Luca, F., Dashtimanesh, A., 2020. Dynamic of a planing hull in regular waves: comparison of experimental, numerical and mathematical methods. *Ocean Eng.* 217, 107959 <https://doi.org/10.1016/j.oceaneng.2020.107959>.
- Tavakoli, S., Huang, L., Azhari, F., Babanin, A.v., 2022a. Viscoelastic wave–ice interactions: a computational fluid–solid dynamic approach. *J. Mar. Sci. Eng.* 10, 1220. <https://doi.org/10.3390/jmse10091220>.
- Tavakoli, S., Shaghaghi, P., Mancini, S., de Luca, F., Dashtimanesh, A., 2022b. Wake waves of a planing boat: an experimental model. *Phys. Fluids* 34, 037104. <https://doi.org/10.1063/5.0084074>.
- Tee, K.P., Ge, S.S., 2006. Control of fully actuated ocean surface vessels using a class of feedforward approximators. *IEEE Trans. Control Syst. Technol.* 14, 750–756. <https://doi.org/10.1109/TCST.2006.872507>.
- Temarel, P., Bai, W., Bruns, A., Derbanne, Q., Dessim, D., Dhavalikar, S., Fonseca, N., Fukasawa, T., Gu, X., Nestegård, A., Papanicolaou, A., Parunov, J., Song, K.H., Wang, S., 2016. Prediction of wave-induced loads on ships: progress and challenges. *Ocean Eng.* 119, 274–308. <https://doi.org/10.1016/j.oceaneng.2016.03.030>.
- Tezdogan, T., Demirel, Y.K., Kellett, P., Khorasanchi, M., Inceci, A., Turan, O., 2015. Full-scale unsteady RANS CFD simulations of ship behaviour and performance in head seas due to slow steaming. *Ocean Eng.* 97, 186–206. <https://doi.org/10.1016/j.oceaneng.2015.01.011>.
- Thai, C.H., Nguyen, T.N., Rabczuk, T., Nguyen-Xuan, H., 2016. An improved moving Kriging meshfree method for plate analysis using a refined plate theory. *Comput. Struct.* 176, 34–49. <https://doi.org/10.1016/J.COMPSTRUC.2016.07.009>.
- Thiébaut, M., Filipot, J.F., Maisondieu, C., Damblans, G., Duarte, R., Droniou, E., Chaplain, N., Guillou, S., 2020. A comprehensive assessment of turbulence at a tidal-stream energy site influenced by wind-generated ocean waves. *Energy* 191, 116550. <https://doi.org/10.1016/J.ENERGY.2019.116550>.
- Thiébaut, J., Guillou, N., Guillou, S., Good, A., Lewis, M., 2020. Wake field study of tidal turbines under realistic flow conditions. *Renew. Energy* 151, 1196–1208. <https://doi.org/10.1016/J.RENENE.2019.11.129>.
- Thomas, D., Rothrock, D., Lindsay, R., Yu, Y., Kwok, R., Zhang, J., 2003. Assimilation of ice motion observations and comparisons with submarine ice thickness data. *J. Geophys. Res.* 108 <https://doi.org/10.1029/2001JC001041>.
- Thomas, B.R., Kent, E.C., Swail, V.R., 2005. Methods to homogenize wind speeds from ships and buoys. *Int. J. Climatol.* 25, 979–995. <https://doi.org/10.1002/joc.1176>.
- Thompson, J.M.T., 1997. Designing against capsize in beam seas: recent advances and new insights. *Appl. Mech. Rev.* 50, 307–325. <https://doi.org/10.1115/1.3101710>.
- Thomsen, J., Ferri, F., Kofoed, J., 2017. Screening of available tools for dynamic mooring analysis of wave energy converters. *Energies* 10, 853. <https://doi.org/10.3390/en10070853>.
- Thorndike, A.S., Colony, R., 1982. Sea ice motion in response to geostrophic winds. *J. Geophys. Res. Oceans Atmos.* 87, 5845–5852. <https://doi.org/10.1029/JC087IC08p05845>.
- Thorpe, S.A., 2005. In: *The Turbulent Ocean*. Cambridge University Press. <https://doi.org/10.1017/CBO9780511819933>.
- Tings, B., 2021. Non-linear modeling of detectability of ship wake components in dependency to influencing parameters using spaceborne X-band SAR. *Rem. Sens.* 13, 165. <https://doi.org/10.3390/rs1320165>.
- Toffoli, A., Benoit, M., Onorato, M., Bitner-Gregersen, E.M., 2009. The effect of third-order nonlinearity on statistical properties of random directional waves in finite depth. *Nonlinear Process Geophys.* 16, 131–139. <https://doi.org/10.5194/npg-16-131-2009>.
- Toftoli, A., Gramstad, O., Trulsen, K., Monbaliu, J., Bitner-Gregersen, E., Onorato, M., 2010. Evolution of weakly nonlinear random directional waves: laboratory experiments and numerical simulations. *J. Fluid Mech.* 664, 313–336. <https://doi.org/10.1017/S002211201000385X>.
- Toroody, A.B., Abaei, M.M., Gholamnia, R., 2016a. Conceptual compression discussion on a multi-linear (FTA) and systematic (FRAM) method in an offshore operation's accident modeling. *Int. J. Occup. Saf. Ergon.* 22, 532–540. <https://doi.org/10.1080/10803548.2016.1157399>.
- Toroody, A.B., Abaei, M.M., Gholamnia, R., Katabdari, M.J., 2016b. Epistemic-based investigation of the probability of hazard scenarios using Bayesian network for the lifting operation of floating objects. *J. Mar. Sci. Appl.* 15, 250–259. <https://doi.org/10.1007/s11804-016-1361-y>.
- Torre-Enciso, Y., Ortubia, I., Aguilera, L.I., Marqués, J., 2009. Mutriku wave power plant: from the thinking out to the reality. In: *Proceedings of the 8th European Wave and Tidal Energy Conference*, pp. 319–329.
- Torsvik, T., Soomere, T., Didenkulova, I., Sheremet, A., 2015. Identification of ship wake structures by a time–frequency method. *J. Fluid Mech.* 765, 229–251. <https://doi.org/10.1017/jfm.2014.734>.
- Tracey, B.D., Duraisamy, K., Alonso, J.J., 2015. A machine learning strategy to assist turbulence model development. In: *53rd AIAA Aerospace Sciences Meeting*.
- American Institute of Aeronautics and Astronautics, Reston, Virginia. <https://doi.org/10.2514/6.2015-1287>.
- Tran, P., Wu, C., Saleh, M., Bortolan Neto, L., Nguyen-Xuan, H., Ferreira, A.J.M., 2021. Composite structures subjected to underwater explosive loadings: a comprehensive review. *Compos. Struct.* 263, 113684 <https://doi.org/10.1016/j.comstruct.2021.113684>.
- Tran-Duc, T., Meylan, M.H., Thamwattana, N., Lamichhane, B.P., 2020. Wave interaction and overwash with a flexible plate by smoothed particle hydrodynamics. *Water* 12, 3354. <https://doi.org/10.3390/w12123354>.
- Truong, V.-H., Papazafeiropoulos, G., Vu, Q.-V., Pham, V.-T., Kong, Z., 2021. Predicting the patch load resistance of stiffened plate girders using machine learning algorithms. *Ocean Eng.* 240, 109886 <https://doi.org/10.1016/j.oceaneng.2021.109886>.
- Tsou, M.-C., Kao, S.-L., Su, C.-M., 2010. Decision support from genetic algorithms for ship collision avoidance route planning and alerts. *J. Navig.* 63, 167–182. <https://doi.org/10.1017/S037346330990021X>.
- Turner, D.D., Ferrare, R.A., Brasseur, L.A.H., Feltz, W.F., 2002. Automated retrievals of water vapor and aerosol profiles from an operational Raman lidar. *J. Atmos. Ocean. Technol.* 19, 37–50. [https://doi.org/10.1175/1520-0426\(2002\)019<0037:AROWVA>2.0.CO;2](https://doi.org/10.1175/1520-0426(2002)019<0037:AROWVA>2.0.CO;2).
- Uihlein, A., Magagna, D., 2016. Wave and tidal current energy – a review of the current state of research beyond technology. *Renew. Sustain. Energy Rev.* 58, 1070–1081. <https://doi.org/10.1016/j.rser.2015.12.284>.
- Ünal, U.O., 2015. Correlation of frictional drag and roughness length scale for transitionally and fully rough turbulent boundary layers. *Ocean Eng.* 107, 283–298. <https://doi.org/10.1016/j.oceaneng.2015.07.048>.
- UNCTAD, 2021. *Review of Maritime Transport 2021* (New York).
- Valdez Banda, O.A., Goerlandt, F., Montewka, J., Kujala, P., 2015. A risk analysis of winter navigation in Finnish sea areas. *Accid. Anal. Prev.* 79, 100–116. <https://doi.org/10.1016/j.aap.2015.03.024>.
- Vandamme, J., Zou, Q., Reeve, D., 2011. Modeling floating object entry and exit using smoothed particle hydrodynamics. *J. Waterw. Port, Coast. Ocean Eng.* 137, 213–224. [https://doi.org/10.1061/\(ASCE\)WW.1943-5460.0000086](https://doi.org/10.1061/(ASCE)WW.1943-5460.0000086).
- Veigas, M., Iglesias, G., 2013. Wave and offshore wind potential for the island of Tenerife. *Energy Convers. Manag.* 76, 738–745. <https://doi.org/10.1016/J.ENCONMAN.2013.08.020>.
- Veigas, M., Iglesias, G., 2015. A hybrid wave-wind offshore farm for an island. *Int. J. Green Energy* 12, 570–576. <https://doi.org/10.1080/15435075.2013.871724>.
- Veitch, E., Dybvik, H., Steinert, M., Alsos, O.A., 2022. In: *Collaborative Work with Highly Automated Marine Navigation Systems. Computer Supported Cooperative Work (CSCW)*. <https://doi.org/10.1007/978-0-303-11450-7>.
- Venegas, S., Drinkwater, M., 2001. Sea ice, atmosphere and upper ocean variability in the Weddell Sea, Antarctica. *J. Geophys. Res.* 106, 16747–16765. <https://doi.org/10.1029/2000JC000594>.
- Villa, J.L., Paez, J., Quintero, C., Yime, E., Cabrera, J., 2016. Design and control of an unmanned surface vehicle for environmental monitoring applications. In: *2016 IEEE Colombian Conference on Robotics and Automation (CCRA)*. IEEE, pp. 1–5. <https://doi.org/10.1109/CCRA.2016.7811411>.
- Villavicencio, R., Kim, Y.H., Cho, S.R., Guedes Soares, C., 2013. Deformation process of web girders in small-scale tanker double hull structures subjected to lateral impact. *Mar. Struct.* 32, 84–112. <https://doi.org/10.1016/j.marstruc.2013.02.004>.
- Voermans, J.J., Liu, Q., Marchenko, A., Rabault, J., Filchuk, K., Ryzhov, I., Heil, P., Waseda, T., Nose, T., Kodaira, T., Li, J., Babanin, A.v., 2021. Wave dispersion and dissipation in landfast ice: comparison of observations against models. *Cryosphere* 15, 5557–5575. <https://doi.org/10.5194/tc-15-5557-2021>.
- Wagner, H., 1932. Über Stoß- und Gleitvorgänge an der Oberfläche von Flüssigkeiten. *Z. Angew. Math. Mech.* 12, 193–215.
- Wall Street Journal, 2016. Ship operators explore autonomous sailing. *Wall St. J.*
- Wang, W., Liu, C., 2021. An efficient ship autopilot design using observer-based model predictive control. *Proc. IME M J. Eng. Marit. Environ.* 235, 203–212. <https://doi.org/10.1177/1475092020927242>.
- Wang, M., Overland, J.E., 2009. A sea ice free summer Arctic within 30 years? *Geophys. Res. Lett.* 36. <https://doi.org/10.1029/2009GL037820> n/a-n/a.
- Wang, C., Zhang, Y., 2021a. Wave power extraction analysis for an oscillating water column device with various surging lip-walls. *Ocean Eng.* 220, 108483 <https://doi.org/10.1016/j.oceaneng.2020.108483>.
- Wang, C., Zhang, Y., 2021b. Numerical investigation on the wave power extraction for a 3D dual-chamber oscillating water column system composed of two closely connected circular sub-units. *Appl. Energy* 295, 117009. <https://doi.org/10.1016/J.APENERGY.2021.117009>.
- Wang, C.M., Tay, Z.Y., Takagi, K., Utsunomiya, T., 2010. Literature review of methods for mitigating hydrodynamic response of VLFS under wave action. *Appl. Mech. Rev.* 63 <https://doi.org/10.1115/1.4001690>.
- Wang, X.L., Feng, Y., Swail, V.R., 2012. North Atlantic wave height trends as reconstructed from the 20th century reanalysis. *Geophys. Res. Lett.* 39 <https://doi.org/10.1029/2012GL053381>.
- Wang, S., Ji, B., Zhao, J., Liu, W., Xu, T., 2018. Predicting ship fuel consumption based on LASSO regression. *Transp. Res. D Transp. Environ.* 65, 817–824. <https://doi.org/10.1016/J.TRD.2017.09.014>.
- Wang, Jia-song, Fan, D., Lin, K., 2020. A review on flow-induced vibration of offshore circular cylinders. *J. Hydraul. 32*, 415–440. <https://doi.org/10.1007/s42241-020-0032-2>.
- Wang, Juan, Zhou, J., Deng, Y., Vadim, G., Zhang, P., 2020. Numerical simulation of ice fractures process of the yellow river based on disk specimen. *Crystals* 10, 598. <https://doi.org/10.3390/cryst10070598>.

- Wang, T., Wu, Q., Zhang, J., Wu, B., Wang, Y., 2020. Autonomous decision-making scheme for multi-ship collision avoidance with iterative observation and inference. *Ocean Eng.* 197, 106873. <https://doi.org/10.1016/J.OCEANENG.2019.106873>.
- Wang, Chen, Zhang, Y., Deng, Z., 2021. Semi-analytical study on the wave power extraction of a bottom-seated oscillating water column device with a pitching front lip-wall. *J. Fluid Struct.* 105, 103350. <https://doi.org/10.1016/J.JFLUIDSTRUCTS.2021.103350>.
- Wang, C., Zhang, Y.L., Deng, Z.Z., 2021. Theoretical analysis on hydrodynamic performance for a dual-chamber oscillating water column device with a pitching front lip-wall. *ENERGY* 226. <https://doi.org/10.1016/j.energy.2021.120326>.
- Wang, D., Zhang, P., Peng, X., Yan, L., Li, G., 2021. Comparison of microstructure and mechanical properties of high strength and toughness ship plate steel. *Materials* 14, 5886. <https://doi.org/10.3390/ma14195886>.
- Wang, S., Zhang, Y., Zheng, Y., 2021. Multi-ship encounter situation adaptive understanding by individual navigation intention inference. *Ocean Eng.* 237, 109612. <https://doi.org/10.1016/J.OCEANENG.2021.109612>.
- Wang, X., Yang, J., Pan, Z., Wang, F., Meng, Y., Zhu, Y., 2021. Exploratory investigation into the post-fracture model of laminated tempered glass using combined Voronoi-FDEM approach. *Int. J. Mech. Sci.* 190, 105989. <https://doi.org/10.1016/j.ijmecsci.2020.105989>.
- Wang, H., Wang, K., Liu, G., 2022. Drag reduction by gas lubrication with bubbles. *Ocean Eng.* 258, 111833. <https://doi.org/10.1016/j.oceaneng.2022.111833>.
- Wang, X., Liu, Z., Yan, R., Wang, H., Zhang, M., 2022. Quantitative analysis of the impact of COVID-19 on ship visiting behaviors to ports- A framework and a case study. *Ocean Coast Manag.* 230, 106377. <https://doi.org/10.1016/j.ocecoaman.2022.106377>.
- Wang, Z., Wang, R., Deng, W., Zhao, Y., 2022. An integrated approach-based FMEA for risk assessment: application to offshore wind turbine pitch system. *Energies* 15, 1858. <https://doi.org/10.3390/en15051858>.
- Ward, S.L., Robins, P.E., Lewis, M.J., Iglesias, G., Hashemi, M.R., Neill, S.P., 2018. Tidal stream resource characterisation in progressive versus standing wave systems. *Appl. Energy* 220, 274–285. <https://doi.org/10.1016/J.APENERGY.2018.03.059>.
- Watanabe, E., Utsunomiya, T., Wang, C.M., 2004. Hydroelastic analysis of pontoon-type VLFS: a literature survey. *Eng. Struct.* 26, 245–256. <https://doi.org/10.1016/j.engstruct.2003.10.001>.
- Waters, R., Engström, J., Isberg, J., Leijon, M., 2009. Wave climate off Swedish west coast. *Renew. Energy* 34, 1600–1606. <https://doi.org/10.1016/j.renene.2008.11.016>.
- Weber, M.E., Golledge, N.R., Fogwill, C.J., Turney, C.S.M., Thomas, Z.A., 2021. Decadal-scale onset and termination of Antarctic ice-mass loss during the last deglaciation. *Nat. Commun.* 12, 6683. <https://doi.org/10.1038/s41467-021-27053-6>.
- Wehausen, J. v., Laitone, E. v., 1960. In: Truesdell, C. (Ed.), *Surface Waves* BT - Fluid Dynamics/Strömungsmechanik. Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 446–778. [https://doi.org/10.1007/978-3-642-45944-3\\_6](https://doi.org/10.1007/978-3-642-45944-3_6).
- Wei, T., Yan, Q., Qi, W., Ding, M., Wang, C., 2020. Projections of Arctic sea ice conditions and shipping routes in the twenty-first century using CMIP6 forcing scenarios. *Environ. Res. Lett.* 15 (10), 104079. <https://doi.org/10.1088/1748-9326/abb2c8>.
- Weller, H.G., Tabor, G., Jasak, H., Fureby, C., 1998. A tensorial approach to computational continuum mechanics using object-oriented techniques. *Comput. Phys.* 12, 620–631. <https://doi.org/10.1063/1.168744>.
- Wen, H., Ren, B., Yu, X., 2018. An improved SPH model for turbulent hydrodynamics of a 2D oscillating water chamber. *Ocean Eng.* 150, 152–166. <https://doi.org/10.1016/J.OCEANENG.2017.12.047>.
- Wendland, H., 1995. Piecewise polynomial, positive definite and compactly supported radial functions of minimal degree. *Adv. Comput. Math.* 4, 389–396. <https://doi.org/10.1007/BF02123482>.
- White, W.H., 1906. The Stability of submarines. *Proc. R. Soc. Lond. - Ser. A Contain. Pap. a Math. Phys. Character* 77, 528–537. <https://doi.org/10.1098/rspa.1906.0045>.
- Whitewright, J., 2007. Roman rigging material from the red sea port of myos hormos. *Int. J. Naut. Archaeol.* 36. <https://doi.org/10.1111/j.1095-9270.2007.00150.x>.
- Williamson, C.H.K., Govardhan, R., 2004a. VORTEX-INDUCED vibrations. *Annu. Rev. Fluid Mech.* 36, 413–455. <https://doi.org/10.1146/annurev.fluid.36.050802.122128>.
- Williamson, C.H.K., Govardhan, R., 2004b. Vortex-induced vibrations. *Annu. Rev. Fluid Mech.* 36, 413–455. <https://doi.org/10.1146/annurev.fluid.36.050802.122128>.
- Williamson, C.H.K., Govardhan, R., 2008. A brief review of recent results in vortex-induced vibrations. *J. Wind Eng. Ind. Aerod.* 96, 713–735. <https://doi.org/10.1016/J.JWEIA.2007.06.019>.
- Windt, C., Davidson, J., Ringwood, J. v., 2018. High-fidelity numerical modelling of ocean wave energy systems: a review of computational fluid dynamics-based numerical wave tanks. *Renew. Sustain. Energy Rev.* 93, 610–630. <https://doi.org/10.1016/j.rser.2018.05.020>.
- Wink, A., 2002. From the Mediterranean to the Indian Ocean: medieval history in geographic perspective. *Comp. Stud. Soc. Hist.* 44. <https://doi.org/10.1017/S001041750200021X>.
- Wong, K.W.L., Zhao, J., Lo Jacono, D., Thompson, M.C., Sheridan, J., 2017. Experimental investigation of flow-induced vibration of a rotating circular cylinder. *J. Fluid Mech.* 829, 486–511. <https://doi.org/10.1017/jfm.2017.540>.
- Wu, T., Luo, W., Jiang, D., Deng, R., Huang, S., 2021. Numerical study on wave-ice interaction in the marginal ice zone. *J. Mar. Sci. Eng.* 9. <https://doi.org/10.3390/jmse9010004>.
- Wurtele, M.G., Sharman, R.D., Datta, A., 1996. Atmospheric lee waves. *Annu. Rev. Fluid Mech.* 28, 429–476. <https://doi.org/10.1146/annurev.fl.28.010196.002241>.
- Xia, G., Liu, C., Zhao, B., Chen, X., Shao, X., 2019. Finite time output feedback control for ship dynamic positioning assisted mooring positioning system with disturbances. *Int. J. Control. Autom. Syst.* 17, 2948–2960. <https://doi.org/10.1007/s12555-019-0023-7>.
- Xiang, X., Liu, C., Lapierre, L., Jouvencel, B., 2012. Synchronized path following control of multiple homogenous underactuated AUVs. *J. Syst. Sci. Complex.* 25, 71–89. <https://doi.org/10.1007/s11424-012-0109-2>.
- Xiao, X., Huang, X., Kang, Q., 2016. A hill-climbing-method-based maximum-power-point-tracking strategy for direct-drive wave energy converters. *IEEE Trans. Ind. Electron.* 63, 257–267. <https://doi.org/10.1109/TIE.2015.2465964>.
- Xing, J.T., 2019. *Fluid-Solid Interaction Dynamics: Theory, Variational Principles, Numerical Methods, and Applications*, FLUID-SOLID INTERACTION DYNAMICS: THEORY, VARIATIONAL PRINCIPLES, NUMERICAL METHODS, and APPLICATIONS.
- Xing, J., Davies, A.M., 1996a. The influence of mixing length formulation and stratification upon tidal currents in shallow seas. *Estuar. Coast Shelf Sci.* 42, 417–456. <https://doi.org/10.1006/ecss.1996.0028>.
- Xing, J., Davies, A.M., 1996b. Application of a range of turbulence energy models to the determination of M4 tidal current profiles. *Continent. Shelf Res.* 16, 517–547. [https://doi.org/10.1016/S0278-4343\(96\)90024-2](https://doi.org/10.1016/S0278-4343(96)90024-2).
- Xing, J., Davies, A.M., 1996c. Processes influencing the internal tide, its higher harmonics, and tidally induced mixing on the Malin-Hebrides Shelf. *Prog. Oceanogr.* 38, 155–204. [https://doi.org/10.1016/S0079-6611\(97\)00001-3](https://doi.org/10.1016/S0079-6611(97)00001-3).
- Xu, S., Wang, S., Guedes Soares, C., 2020. Experimental investigation on hybrid mooring systems for wave energy converters. *Renew. Energy* 158, 130–153. <https://doi.org/10.1016/J.RENENE.2020.05.070>.
- Xu, S., Murai, M., Wang, X., Takahashi, K., 2021. A novel conceptual design of a dynamically positioned floating wind turbine. *Ocean Eng.* 221, 108528. <https://doi.org/10.1016/j.oceaneng.2020.108528>.
- Xue, J., , Gelder, P.H.A.J.M. van, Papadimitriou, E., Chen, Z., Wu, C., 2019. Grey relational analysis of environmental influencing factors of autonomous ships' maneuvering decision-making. In: 2019 5th International Conference on Transportation Information and Safety (ICTIS), pp. 1447–1452. <https://doi.org/10.1109/ICTIS.2019.8883544>.
- Xue, Y.Z., Zeng, L.D., Ni, B.Y., Korobkin, A.A., Khabakhpasheva, T.I., 2021. Hydroelastic response of an ice sheet with a lead to a moving load. *Phys. Fluids* 33, 37109. <https://doi.org/10.1063/5.0037682>.
- Yan, X., Wang, K., Yuan, Y., Jiang, X., Negenborn, R.R., 2018. Energy-efficient shipping: an application of big data analysis for optimizing engine speed of inland ships considering multiple environmental factors. *Ocean Eng.* 169, 457–468. <https://doi.org/10.1016/J.OCEANENG.2018.08.050>.
- Yan, D., Mikkola, T., Kujala, P., Hirdaris, S., 2022. Hydroelastic analysis of slamming induced impact on stiff and flexible structures by two-way CFD-FEA coupling. *Ships Offshore Struct.* 1–13. <https://doi.org/10.1080/17445302.2022.2116231>.
- Yang, E., Gu, D., 2007. Nonlinear formation-keeping and mooring control of multiple autonomous underwater vehicles. *IEEE ASME Trans. Mechatron.* 12, 164–178. <https://doi.org/10.1109/TMECH.2007.892826>.
- Yang, R., Xu, J., Wang, X., Zhou, Q., 2019. Parallel trajectory planning for shipborne Autonomous collision avoidance system. *Appl. Ocean Res.* 91, 101875. <https://doi.org/10.1016/j.apor.2019.101875>.
- Yao, T., 2003. Hull girder strength. *Mar. Struct.* 16, 1–13. [https://doi.org/10.1016/S0951-8339\(02\)00052-7](https://doi.org/10.1016/S0951-8339(02)00052-7).
- Yazir, D., Şahin, B., Yip, T.L., Tseng, P.-H., 2020. Effects of COVID-19 on maritime industry: a review. *Int. Marit. Health* 71, 253–264. <https://doi.org/10.5603/IMH.2020.0044>.
- Yeginbayeva, I.A., Atlar, M., 2018. An experimental investigation into the surface and hydrodynamic characteristics of marine coatings with mimicked hull roughness ranges. *Biofouling* 34, 1001–1019. <https://doi.org/10.1080/08927014.2018.1529760>.
- Yoon, H., Simonsen, C.D., Benedetti, L., Longo, J., Toda, Y., Stern, F., 2015. Benchmark CFD validation data for surface combatant 5415 in PMM maneuvers – Part I: force/moment/motion measurements. *Ocean Eng.* 109, 705–734. <https://doi.org/10.1016/j.oceaneng.2015.04.087>.
- Young, Y.L., 2008. Fluid-structure interaction analysis of flexible composite marine propellers. *J. Fluid Struct.* 24, 799–818. <https://doi.org/10.1016/j.jfluidstructs.2007.12.010>.
- Young, I.R., Ribal, A., 2019. Multiplatform evaluation of global trends in wind speed and wave height. *Science* 364, 548–552. <https://doi.org/10.1126/science.aav9527>, 1979.
- Young, I.R., Zieger, S., Babanin, A.V., 2011. Global trends in wind speed and wave height. *Science* 332, 451–455. <https://doi.org/10.1126/science.1197219>, 1979.
- Young, I.R., Vinoth, J., Zieger, S., Babanin, A.V., 2012. Investigation of trends in extreme value wave height and wind speed. *J. Geophys. Res. Oceans* 117. <https://doi.org/10.1029/2011JC007753> n/a-n/a.
- Yu, Z., Amdahl, J., 2016. Full six degrees of freedom coupled dynamic simulation of ship collision and grounding accidents. *Mar. Struct.* 47, 1–22. <https://doi.org/10.1016/J.MARSTRUC.2016.03.001>.
- Yu, H., Fang, Z., Murray, A.T., Peng, G., 2021. A direction-constrained space-time prism-based approach for quantifying possible multi-ship collision risks. *IEEE Trans. Intell. Transport. Syst.* 22, 131–141. <https://doi.org/10.1109/TITS.2019.2955048>.
- Yu, Q., Teixeira, Á.P., Liu, K., Rong, H., Guedes Soares, C., 2021. An integrated dynamic ship risk model based on Bayesian Networks and Evidential Reasoning. *Reliab. Eng. Syst. Saf.* 216, 107993. <https://doi.org/10.1016/J.RESS.2021.107993>.
- Zacccone, R., Martelli, M., 2020. A collision avoidance algorithm for ship guidance applications. *J. Marine Eng. Technol.* 19, 62–75. <https://doi.org/10.1080/20464177.2019.1685836>.

- Zakharov, V.E., 1968. Stability of periodic waves of finite amplitude on the surface of a deep fluid. *J. Appl. Mech. Tech. Phys.* 9, 190–194. <https://doi.org/10.1007/BF00913182>.
- Zakharov, V.E., L'vov, V.S., Falkovich, G., 1992. *Kolmogorov Spectra of Turbulence, Kolmogorov Spectra of Turbulence*. Springer-Verlag.
- Zayed, A., Garbatov, Y., Guedes Soares, C., 2013. Time variant reliability assessment of ship structures with fast integration techniques. *Probabilist. Eng. Mech.* 32, 93–102. <https://doi.org/10.1016/j.probengmech.2013.01.002>.
- Zayed, A., Garbatov, Y., Guedes Soares, C., 2018. Corrosion degradation of ship hull steel plates accounting for local environmental conditions. *Ocean Eng.* 163, 299–306. <https://doi.org/10.1016/J.OCEANENG.2018.05.047>.
- Zekri, H.J., Korobkin, A.A., Cooker, M.J., 2021. Gravity effect on water entry during an early stage. *J. Fluid Mech.* 916, A10. <https://doi.org/10.1017/jfm.2021.190>.
- Zhang, H.D., Guedes Soares, C., 2016. Ship responses to abnormal waves simulated by the nonlinear Schrödinger equation. *Ocean Eng.* 119, 143–153. <https://doi.org/10.1016/J.OCEANENG.2016.03.064>.
- Zhang, A.-man, Yao, X., 2008. Interaction of underwater explosion bubble with complex elastic-plastic structure. *Appl. Math. Mech.* 29, 89–100. <https://doi.org/10.1007/s10483-008-0111-z>.
- Zhang, W., Yu, Y., Qi, Y., Shu, F., Wang, Y., 2019. Short-term traffic flow prediction based on spatio-temporal analysis and CNN deep learning. *Transportmetrica: Transport. Sci.* 15, 1688–1711. <https://doi.org/10.1080/23249935.2019.1637966>.
- Zhang, Y., Fernandez, E., Zheng, Y., Zhang, J., Gu, H., Zang, W., Lin, X., 2020. In: *A Review on Numerical Development of Tidal Stream Turbine Performance and Wake Prediction*. IEEE Access, p. 1. <https://doi.org/10.1109/ACCESS.2020.2989344>.
- Zhang, M., Conti, F., le Sourne, H., Vassalos, D., Kujala, P., Lindroth, D., Hirdaris, S., 2021a. A method for the direct assessment of ship collision damage and flooding risk in real conditions. *Ocean Eng.* 237, 109605 <https://doi.org/10.1016/J.OCEANENG.2021.109605>.
- Zhang, M., Montewka, J., Manderbacka, T., Kujala, P., Hirdaris, S., 2021b. A big data analytics method for the evaluation of ship - ship collision risk reflecting hydrometeorological conditions. *Reliab. Eng. Syst. Saf.* 213, 107674 <https://doi.org/10.1016/j.ress.2021.107674>.
- Zhang, M., Kujala, P., Hirdaris, S., 2022. A machine learning method for the evaluation of ship grounding risk in real operational conditions. *Reliab. Eng. Syst. Saf.* 226, 108697 <https://doi.org/10.1016/J.RESS.2022.108697>.
- Zhang, P., Zhang, J., Li, B., 2022. Mechanical properties and microstructure transformation behavior for welded joints in ship plate steel with high-heat input welding. *J. Mater. Eng. Perform.* 31, 944–952. <https://doi.org/10.1007/s11665-021-06224-y>.
- Zhang, J., Liu, J., Hirdaris, S., Zhang, M., Tian, W., 2023. An interpretable knowledge-based decision support method for ship collision avoidance using AIS data. *Reliab. Eng. Syst. Saf.* 230, 108919 <https://doi.org/10.1016/J.RESS.2022.108919>.
- Zhao, R., Faltinsen, O., 1993. Water entry of two-dimensional bodies. *J. Fluid Mech.* 246, 593–612. <https://doi.org/10.1017/S002211209300028X>.
- Zhao, X., Zhang, C., 2021. A theoretical model of wind-wave growth over an ice-covered sea. *Boundary-Layer Meteorol.* 178, 1–19. <https://doi.org/10.1007/s10546-020-00552-7>.
- Zhao, X., Zhang, L., Li, M., Johanning, L., 2021. Experimental investigation on the hydrodynamic performance of a multi-chamber OWC-breakwater. *Renew. Sustain. Energy Rev.* 150, 111512 <https://doi.org/10.1016/J.RSER.2021.111512>.
- Zheng, S., Antonini, A., Zhang, Y., Greaves, D., Miles, J., Iglesias, G., 2019. Wave power extraction from multiple oscillating water columns along a straight coast. *J. Fluid Mech.* 878, 445–480. <https://doi.org/10.1017/jfm.2019.656>.
- Zheng, S., Meylan, M.H., Fan, L., Greaves, D., Iglesias, G., 2020. Wave scattering by a floating porous elastic plate of arbitrary shape: a semi-analytical study. *J. Fluid Struct.* 92, 102827 <https://doi.org/10.1016/j.jfluidstructs.2019.102827>.
- Zheng, S., Michele, S., Liang, H., Meylan, M.H., Greaves, D., 2022. Wave power extraction from a floating elastic disk-shaped wave energy converter. *J. Fluid Mech.* 948, A38. <https://doi.org/10.1017/jfm.2022.701>.
- Zhou, D., Mendoza, C., 1993. Surface drift effect on wind energy transfer to waves. *J. Geophys. Res.* 98 (14), 514–527. <https://doi.org/10.1029/93JC01026>, 543.
- Zhou, Y., Daamen, W., Vellinga, T., Hoogendoorn, S., 2019. Review of maritime traffic models from vessel behavior modeling perspective. *Transport. Res. C Emerg. Technol.* 105, 323–345. <https://doi.org/10.1016/J.TRC.2019.06.004>.
- Zhu, L., Chen, Q., 2019. Phase-averaged drag force of nonlinear waves over submerged and through emergent vegetation. *J Geophys Res Oceans* 124, 4368–4388. <https://doi.org/10.1029/2018JC014867>.
- Zhu, B., Frangopol, D.M., 2013a. Incorporation of structural health monitoring data on load effects in the reliability and redundancy assessment of ship cross-sections using Bayesian updating. *Struct. Health Monit.* 12, 377–392. <https://doi.org/10.1177/1475921713495082>.
- Zhu, B., Frangopol, D.M., 2013b. Incorporation of structural health monitoring data on load effects in the reliability and redundancy assessment of ship cross-sections using Bayesian updating. *Struct. Health Monit.* 12, 377–392. <https://doi.org/10.1177/1475921713495082>.
- Zhu, Q., Liu, Y., Yue, D.K.P., 2008. Resonant interactions between Kelvin ship waves and ambient waves. *J. Fluid Mech.* 597, 171–197. <https://doi.org/10.1017/S002211200700969X>.
- Zhu, H., Zhao, Y., Zhou, T., 2018. CFD analysis of energy harvesting from flow induced vibration of a circular cylinder with an attached free-to-rotate pentagram impeller. *Appl. Energy* 212, 304–321. <https://doi.org/10.1016/J.APENERGY.2017.12.059>.
- Zilman, G., Zapolski, A., Marom, M., 2015. On detectability of a ship's kelvin wake in simulated SAR images of rough sea surface. *IEEE Trans. Geosci. Rem. Sens.* 53, 609–619. <https://doi.org/10.1109/TGRS.2014.2326519>.