
This is an electronic reprint of the original article.
This reprint may differ from the original in pagination and typographic detail.

Jena, Soumya Ranjan; Mohanty, Gayatri; Kesari, Kavindra Kumar; Durairajanayagam, Damayanthi; Samanta, Luna

Editorial : Omics for infertility and contraception: two sides of same coin

Published in:
Frontiers in Cell and Developmental Biology

DOI:
[10.3389/fcell.2023.1293677](https://doi.org/10.3389/fcell.2023.1293677)

Published: 01/01/2023

Document Version
Publisher's PDF, also known as Version of record

Published under the following license:
CC BY

Please cite the original version:
Jena, S. R., Mohanty, G., Kesari, K. K., Durairajanayagam, D., & Samanta, L. (2023). Editorial : Omics for infertility and contraception: two sides of same coin. *Frontiers in Cell and Developmental Biology*, 11, 1-2. Article 1293677. <https://doi.org/10.3389/fcell.2023.1293677>

This material is protected by copyright and other intellectual property rights, and duplication or sale of all or part of any of the repository collections is not permitted, except that material may be duplicated by you for your research use or educational purposes in electronic or print form. You must obtain permission for any other use. Electronic or print copies may not be offered, whether for sale or otherwise to anyone who is not an authorised user.



OPEN ACCESS

EDITED AND REVIEWED BY
Shao-Chen Sun,
Nanjing Agricultural University, China

*CORRESPONDENCE
Luna Samanta,
✉ lsamanta@ravenshawuniversity.ac.in

RECEIVED 13 September 2023
ACCEPTED 18 September 2023
PUBLISHED 26 September 2023

CITATION
Jena SR, Mohanty G, Kesari KK,
Durairajanayagam D and Samanta L
(2023), Editorial: Omics for infertility and
contraception: two sides of same coin.
Front. Cell Dev. Biol. 11:1293677.
doi: 10.3389/fcell.2023.1293677

COPYRIGHT
© 2023 Jena, Mohanty, Kesari,
Durairajanayagam and Samanta. This is an
open-access article distributed under the
terms of the [Creative Commons
Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use,
distribution or reproduction in other
forums is permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original publication
in this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Editorial: Omics for infertility and contraception: two sides of same coin

Soumya Ranjan Jena¹, Gayatri Mohanty²,
Kavindra Kumar Kesari^{3,4}, Damayanthi Durairajanayagam⁵ and
Luna Samanta^{1*}

¹Redox Biology and Proteomics Laboratory, Department of Zoology, Ravenshaw University, Cuttack, India, ²Department of Veterinary and Animal Sciences, University of Massachusetts, Amherst, MA, United States, ³Department of Applied Physics, School of Science, Aalto University, Espoo, Finland, ⁴Research and Development Cell, Lovely Professional University, Phagwara, Punjab, India, ⁵Department of Physiology, Faculty of Medicine, Universiti Teknologi MARA, Selangor, Malaysia

KEYWORDS

male infertility, sperm chromatin, genomics, transcriptomics, proteomics, metabolomics

Editorial on the Research Topic

Omics for infertility and contraception: two sides of same coin

The Research Topic entitles “Omics for infertility and contraception: two sides of same coin” is focused on the intertwined issues of contraception and infertility. Contraception is essential for population stability, while infertility poses emotional and psychological challenges for the working-age population. There is a significant global need for family planning (57% of women), but millions lack access (United Nations et al., 2019). Conversely, about 15% of couples face infertility (Eshre, 2017). Assisted reproductive technologies (ART) offer hope but have limitations due to our limited understanding of reproductive physiology. Addressing these challenges requires prioritizing non-hormonal contraceptives (non-HPG) for both genders to avoid side effects, such as cancer risks associated with hormonal contraceptives (Hemmerling et al., 2020). It is also crucial to identify specific molecules responsible for reproductive functions. These interconnected issues benefit from advancements in each other. Additionally, OMICS technologies and bioinformatics enable comprehensive study of cellular processes from DNA to metabolites, offering strategies for non-HPG contraceptives (Johnston and Goldberg, 2020). Targeting structural proteins and interactions shows promise but requires inhibitor development. Although progress has been made in identifying biomarkers for infertility (Mohanty et al., 2020; Jena et al., 2021; Mohanty et al., 2021; Nayak et al., 2023), druggable targets remain elusive. This special volume covers recent OMICS-based advancements in understanding reproduction at molecular level not only in human but also in farm animals including the application of artificial intelligence in infertility diagnostics.

Karanwal et al. studied the significance of water buffalo (*Bubalus bubalis*) in India's dairy sector and the economic losses from failed pregnancies after artificial insemination (AI), often due to low-quality bull semen. They used LC-MS/MS to analyze high fertile (HF) and low fertile (LF) buffalo sperm proteins. They found 1,385 proteins, with 1,002 shared and 288 unique to HF, and 95 to LF. HF had 211 significantly more abundant proteins, linked to vital sperm functions. In contrast, LF had 342 less abundant proteins associated with processes like glycolysis and inflammation. Fertility-related proteins (e.g., AKAP3, Sp17, and DLD) were validated, offering potential markers for buffalo fertility prediction, aiding the farming sector's economic stability.

Ovastacin (ASTL) is a crucial protein released during fertilization, preventing polyspermy and aiding embryo protection. Deleterious SNPs in ASTL can lead to female infertility by disrupting its interactions with ZP2 and FETUB (Xiong et al., 2017). In this study, 4,748 SNPs were analyzed by Suri et al., with 40 ns SNPs identified in ASTL's catalytic domain. MutPred2 indicated changes in catalytic activity/zinc binding. Docking studies revealed important hydrophobic and hydrogen bonding interactions between ASTL, ZP2, and FETUB. Notably, a cluster of SNPs occurred in the conserved motif 198DRD200. Statistical Coupling Analysis (SCA) confirmed the significance of these SNPs in functionally critical positions of ASTL. These findings highlight regions in ASTL susceptible to mutations that could cause female infertility.

This study reported by Oluwayiose et al. demonstrated the role of non-coding RNAs (ncRNAs) in the seminal plasma extracellular vesicle (spEV) in male infertility cases with and without successful live births after assisted reproductive technology (ART) treatment. They analyzed small RNA profiles from 91 semen samples, categorizing couples into live birth (28) and no live birth (63) groups. They found 12 differentially expressed spEV ncRNAs, including 10 circRNAs and two piRNAs. Most circRNAs were downregulated in the no live birth group, linked to reproductive and developmental processes. The upregulated piRNAs overlapped with genes related to mitochondrion morphogenesis, signal transduction, and cellular proliferation. These findings highlight the male partner's role in ART success.

The opinion article by Sengupta et al. highlights the advancement in application of artificial intelligence and deep learning in basic semen analysis, the gold standard prescribed by World Health Organization (WHO) for male infertility evaluation. Mojo-AISA (Automated *In situ* Semen Analysis), is the first microscope integrated with an artificial intelligence algorithm. This article analyses the potential of Mojo-AISA to enhance accuracy and efficiency in diagnosing male infertility. Mojo AISA uses neural networks to determine sperm concentration and motility accurately. It was evaluated against manual microscopy methods using 64 semen samples and showed the ability to provide precise results in half the time. However, challenges include assessing samples with very low concentration and the need for correct slide preparation. Despite limitations, Mojo AISA may improve semen analysis accuracy, reduce inter-laboratory variability, and

boost productivity in embryology labs, benefiting reproductive medicine.

These approaches enable personalized medicine, biomarker discovery, and safer, more effective contraception methods while linking infertility and contraception advancements.

Author contributions

SJ: Writing—original draft, Writing—review and editing. GM: Writing—review and editing. KK: Writing—review and editing. DD: Writing—review and editing. LS: Writing—review and editing.

Acknowledgments

We thank authors of the papers published in this Research Topic for their valuable contributions and the referees for their rigorous review. We also thank the editorial board of Cell and Developmental biology (Section: Molecular and Cellular Reproduction) and the Francesco Coneri Commissioning Team Manager, Frontiers in Cell and Developmental Biology, for their support.

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

The authors declared that they were an editorial board member of Frontiers, at the time of submission. This had no impact on the peer review process and the final decision.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

References

- Eshre, A. (2017). *Policy audit on fertility analysis of 9 EU countries*. Available at: <https://www.eshre.eu/~media/sitecorefiles/Publications/PolicyAuditonFertilityAnalysis9EUCountriesFINAL16032017.pdf?la=en> (accessed on November 2, 2022).
- Hemmerling, A., Christopher, E., and Young Holt, B. (2020). Towards a roadmap to advance non-hormonal contraceptive multipurpose prevention technologies: strategic insights from key stakeholders. *Biol. Reproduction* 103 (2), 289–298. doi:10.1093/biolre/iaaa092
- Jena, S. R., Nayak, J., Kumar, S., Kar, S., Dixit, A., and Samanta, L. (2021). Paternal contributors in recurrent pregnancy loss: cues from comparative proteome profiling of seminal extracellular vesicles. *Mol. Reproduction Dev.* 88 (1), 96–112. doi:10.1002/mrd.23445
- Johnston, D. S., and Goldberg, E. (2020). Preclinical contraceptive development for men and women. *Biol. reproduction* 103 (2), 147–156. doi:10.1093/biolre/iaaa076
- Mohanty, G., Jena, S. R., Kar, S., and Samanta, L. (2021). Paternal factors in recurrent pregnancy loss: an insight through analysis of non-synonymous single-nucleotide polymorphism in human testis-specific chaperone HSPA2 gene. *Environ. Sci. Pollut. Res.* 29, 62219–62234. doi:10.1007/s11356-021-17799-3
- Mohanty, G., Jena, S. R., Nayak, J., Kar, S., and Samanta, L. (2020). Proteomic signatures in spermatozoa reveal the role of paternal factors in recurrent pregnancy loss. *World J. Men's Health* 38 (1), 103–114. doi:10.5534/wjmh.190034
- Nayak, J., Jena, S. R., Kumar, S., Kar, S., Dixit, A., and Samanta, L. (2023). Human sperm proteome reveals the effect of environmental borne seminal polyaromatic hydrocarbons exposure in etiology of idiopathic male factor infertility. *Front. Cell Dev. Biol.* 11, 1117155. doi:10.3389/fcell.2023.1117155
- United Nations, Department of Economic and Social Affairs, Population Division (2019). *Family planning and the 2030 agenda for sustainable development*. New York: United Nations. Available at: https://www.un.org/en/development/desa/population/publications/pdf/family/familyPlanning_DataBooklet_2019.pdf.
- Xiong, B., Zhao, Y., Beall, S., Sadusky, A. B., and Dean, J. (2017). A unique egg cortical granule localization motif is required for ovastacin sequestration to prevent premature ZP2 cleavage and ensure female fertility in mice. *PLoS Genet.* 13 (1), e1006580. doi:10.1371/journal.pgen.1006580