
This is an electronic reprint of the original article.
This reprint may differ from the original in pagination and typographic detail.

Leoni, Leonardo; BahooToroody, Ahmad; Abaei, Mohammad Mahdi; Cantini, Alessandra; BahooToroody, Farshad; De Carlo, Filippo

Machine learning and deep learning for safety applications : Investigating the intellectual structure and the temporal evolution

Published in:
Safety Science


DOI:
[10.1016/j.ssci.2023.106363](https://doi.org/10.1016/j.ssci.2023.106363)

Published: 01/02/2024

Document Version
Publisher's PDF, also known as Version of record

Published under the following license:
CC BY

Please cite the original version:
Leoni, L., BahooToroody, A., Abaei, M. M., Cantini, A., BahooToroody, F., & De Carlo, F. (2024). Machine learning and deep learning for safety applications : Investigating the intellectual structure and the temporal evolution. *Safety Science*, 170, Article 106363. <https://doi.org/10.1016/j.ssci.2023.106363>



Review

Machine learning and deep learning for safety applications: Investigating the intellectual structure and the temporal evolution

Leonardo Leoni^a, Ahmad BahooToroody^b, Mohammad Mahdi Abaei^c, Alessandra Cantini^{a,d}, Farshad BahooToroody^e, Filippo De Carlo^{a,*}

^a Department of Industrial Engineering (DIEF), University of Florence, Italy

^b Marine and Arctic Technology Group, Department of Mechanical Engineering, Aalto University, Finland

^c Department of Geography and Geology, University of Turku, Turun Yliopisto, Finland

^d Department of management, economics and industrial engineering, Politecnico di Milano, Via Lambruschini 4B, 20156, Milan, Italy

^e Priority Research Centre for Geotechnical Science and Engineering, The University of Newcastle, Callaghan, NSW 2308, Australia

ARTICLE INFO

Keywords:

Machine learning

Deep learning

Safety engineering

Prognostics and health management

Systematic bibliometric analysis

ABSTRACT

Over the last decades, safety requirements have become of primary concern. In the context of safety, several strategies could be pursued in many engineering fields. Moreover, many techniques have been proposed to deal with safety, risk, and reliability matters, such as Machine Learning (ML) and Deep Learning (DL). ML and DL are characterised by a high variety of algorithms, adaptable for different purposes. This generated wide and fragmented literature on ML and DL for safety purposes, moreover, literature review and bibliometric studies of the past years mainly focus on a single research area or application field. Thus, this paper aims to provide a holistic understanding of the research on this topic through a Systematic Bibliometric Analysis (SBA), along with proposing a viable option to conduct SBAs. The focus is on investigating the main research areas, application fields, relevant authors and studies, and temporal evolution. It emerged that rotating equipment, structural health monitoring, batteries, aeroengines, and turbines are popular fields. Moreover, the results depicted an increase in popularity of DL, along with new approaches such as deep reinforcement learning through the past four years. The proposed workflow for SBA has the potential to benefit researchers from multiple disciplines, beyond safety science.

1. Introduction

During the past decades, safety requirements have progressively become more important (Soltanali et al., 2020). This trend could be related to the introduction of increasingly more complex systems, leading to the inadequacy of traditional approaches (Luther et al., 2023). The former trend could have also been facilitated by the advances in Artificial Intelligence, which has impacted many aspects of our society (Dimiduk et al., 2018), such as engineering processes. Due to the former aspects, reliability has acquired a more pivotal role (Huang et al., 2020). Indeed, sound reliability and risk analyses are essential to reduce the risk arising from undesired events (e.g., failures) and ensure the safety of the operations. In this context, different strategies could be followed such as conducting fault diagnosis (Han and Li, 2022), health management (BahooToroody et al., 2022), predicting future conditions or predicting the Remaining Useful Life (RUL) (Hu et al., 2022), crack or

damage detection (Wu et al., 2019), or planning and optimising maintenance activities (Arena et al., 2022). Moreover, many different concepts and analyses have been introduced such as availability, resilience, vulnerability, accident modelling, and precursor accident data. All these aspects generated fragmented literature spread across different research areas, which are shared by multiple engineering branches and application fields. Examples include rotating machineries (Wang et al., 2020), railways (Fecarotti et al., 2021), batteries (Schismenos et al., 2021), ships (Chen et al., 2019), and aeroengines (Chen et al., 2023).

In the former application fields and for the aforementioned purposes, different tools and approaches have been adopted such as Fault Tree (FT) (Andrews and Tolo, 2023), Bayesian Network (BN) (Leoni et al., 2019), and Failure Mode and Effect Analysis (FMEA) (Catelani et al., 2018). Among the proposed approaches, Machine Learning (ML) and Deep Learning (DL) are prominent. Indeed, they present several advantages such as enabling better decision making-process thanks to the

* Correspondant author.

E-mail address: filippo.decarlo@unifi.it (F. De Carlo).

<https://doi.org/10.1016/j.ssci.2023.106363>

Received 19 June 2023; Received in revised form 22 September 2023; Accepted 18 October 2023

Available online 6 November 2023

0925-7535/© 2023 The Author(s). Published by Elsevier Ltd. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

capability of providing more accurate information from accident, degradation, or survival datasets than conventional approaches (Xu and Saleh, 2021). Moreover, ML and DL algorithms are very suited to extract knowledge from data, without the requirement of coping with mathematical modelling, which could be very complicated in the context of safety and reliability of complex systems (Fernandes et al., 2022). As a matter of fact, ML and DL could provide new insights by discovery unknown or unrecognized patterns or states. The former aspects have led to a widespread diffusion of ML and DL for safety purposes in different fields such as monitoring ship safety (Rawson et al., 2021), Structural Health Monitoring (SHM) (Azimi et al., 2020), and failure diagnosis of equipment (He and He, 2017), denoting the flexibility of ML and DL. In this context, many different ML and DL algorithms could be employed. Considering ML, Neural Network (NN) (Xu et al., 2020), Support Vector Machine (SVM) (Tuerxun et al., 2021), Support Vector Regression (SVR) (Cheng and Lu, 2021), Decision Tree (DT) (Senanayaka et al., 2017), and Random Forest (RF) (Satishkumar and Sugumaran, 2016) could be adopted for supervised learning, while K-Nearest Neighbours (KNN) (Nistane and Harsha, 2018), Gaussian Mixture Model (GMM) (Lai et al., 2022), K-Means (Park et al., 2008), Hierarchical clustering (Zhou et al., 2017) could be exploited for unsupervised learning. On the other hand, among the DL algorithms, Convolutional Neural Network (CNN) (Choudhary et al., 2021) and Recurrent Neural Network (RNN) (Li et al., 2020) are worth mentioning. DL is developed from traditional NN. However, compared to ML, DL has stronger generalization and fitting abilities, while being able to independently retrieve features (Zhang et al., 2022). Moreover, thanks to a set of two or more non-linear transformation, DL could overcome typical limitations arising from the analysis of huge datasets (Ahmed, 2023). Other than CNN and RNN, the following DL techniques could also be found: deep belief networks (Che et al., 2020), Generative Adversarial Networks (GANs) (Che et al., 2020), stacked auto-encoders (Cui et al., 2020), graph neural networks (Li et al., 2022), deep reinforcement learning (Qian and Liu, 2022), and convolutional long short-term memory neural networks (Hao et al., 2020). It follows that ML and DL show high variety. The variety is also increased by the different areas characterising safety, risk, and reliability applications.

Over the past years, different literature reviews were published regarding the adoption of ML or DL for different purposes related to safety, risk, and reliability. For instance, Hegde and Rokseth (2020) studied the application of ML for engineering risk assessment, while Stetco (2019) investigated the application of ML for the condition monitoring of wind turbines. Zhang et al. (2020) and Hoang and Kang (2019) reviewed the application of DL for the failure diagnosis of bearings, while Flah et al. (2021) addressed the adoption of ML in the context of civil SHM. Recently, a more generic treatment of ML for reliability and safety applications is proposed by Xu and Saleh (2021), but only a brief discussion on DL is presented. Similarly, bibliometric and scientometric analyses have also been carried out during the last decade. Examples include bibliometric analyses related to fault diagnosis of bearings (Kamat and Sugandhi, 2020), DL for crack detection (Ali et al., 2022), or Prognostic and Health Management (PHM) of hydrogen fuel engine (Wang et al., 2022). All the individual review studies allow defining research gaps, future opportunities, and guidelines. Accordingly, scholars could exploit them to expand their knowledge on safety matters. However, most of the review works focus on specific research areas (e.g., risk assessment or fault diagnosis), or they consider just ML or DL, or they tackle a single field of application (e.g., bearing or maritime). Thus, a holistic vision of the application of both ML and DL for safety, risk, and reliability purposes is still missing. Indeed, summarising and classifying the literature could be deemed as a difficult task due to its fragmented nature, the variety of topics, and the different approaches. Literature reviews are more popular compared to bibliometric and scientometric analyses, nevertheless, the latter are usually able to provide more objective results (Huang et al., 2020). Bibliometric analyses are very suitable for extend fields, which may be

difficult to summarize through classic approaches (Belter and Seidel, 2013). Bibliometric and scientometric analyses have gained attention to discover emerging patterns (Haghani and Bliemer, 2020) or identify relevant research themes and bibliometric attributes (Kumar et al., 2021). To this end, they often involved co-words analysis (Chellappandi and Vijayakumar, 2018). This is usually achieved by analysing titles, abstracts, and keywords of scientific documents. In this context, a simple term-based strategy could result in a high number of false positives, while missing relevant studies (Haghani et al., 2021). Thus, elaborate and systematic search approaches could be useful to maximising the coverage, while reducing the number of false positives.

Based on the former considerations, this paper aims to provide a holistic view of the literature related to ML and DL applications in the context of safety, risk, and reliability. To this end, a bibliometric analysis is adopted to investigate the intellectual structure of the field, along with analysing its temporal trends. Accordingly, this work studies the (1) primary research areas, fields of application, and adopted algorithms; (2) the trend of publications over time; (3) the most relevant journals, authors, and studies; and (4) the temporal evolution to grasp possible past, current, and future trends. A possible approach to conduct a Systematic Bibliometric Analysis (SBA) is proposed with the objective to maximise the coverage and minimise the number of false positives.

As a reminder, the rest of the paper is organised as follows: in Section 2, the research methodology adopted to conduct the SBA is described, while in Section 3 the results related to topics, research areas, main authors and studies, and temporal evolution are presented. Finally, the discussion of the results is provided in Section 4, while Section 5 draws the conclusions and the limitations of the present study.

2. Research methodology: Systematic bibliometric analysis

The literature on ML and DL for safety purposes is vast, and it includes many fields and disciplines scattered across several specialty journals. Thus, gathering and categorising information could be deemed as a difficult task. This work aims to propose a viable search option to assure a high coverage while reducing the number of false positives which could alter the finding of the bibliometric analysis. The search strategy proposed in this study is referred to as SBA, and it is composed of six steps as shown in Fig. 1. The search was conducted through the Web of Science (WoS) Core Collection, which includes more than 21,000 journals and over 87 million records from 1900 up to present days.

Step 1. Following the approach proposed by Haghani et al. (2021), five journals that deal with safety, risk, and reliability were chosen to extract a first set of keywords to include and exclude. The selected journals are Reliability Engineering and System Safety (RESS), Safety Science (SS), Process Safety and Environmental Protection (PSEP), Journal of Loss Prevention in the Process Industries (JLPI), and Engineering Failure Analysis (EFA). Since the former journals include also studies unrelated to ML or DL, the following preliminary string was used: TS = ("machine learning" OR "deep learning" OR "statistical learning"). The string resulted in 359 papers, whose titles, abstracts, and keywords were analysed to select the keywords to include and exclude depending on the topic treated in the related papers. In case there were doubts about the consistency of a paper, the full text was retrieved for further confirmation. For instance, a category of papers published in PSEP deal with environmental protection, which is outside of the scope of this research was excluded. Crash safety and occupational safety were also excluded from this study since they could also treat psychological or behavioural aspects. Subsequently, the keywords were listed in five major categories: (i) method-related keywords (e.g., "support vector machine"), (ii) sector, field, or context related keywords (e.g., "engine", or "chemical process", or "railway"), (iii) general purpose (e.g., "reliability analysis" or "risk evaluation"), (iv) standalone (e.g., "flight safety" or "structural health monitoring"), and (v) keywords to




Fig. 1. Developed framework for conducting a SBA.

exclude. The first category is related to tools, algorithms, or methods that are included in the ML or DL field. The second group of keywords is related to the context of application since it is important to include the desired context and exclude the undesired ones (e.g., “occupational safety”). The third group is related to the purpose of the ML or DL application. Finally, the fourth class of keywords is a mix of the second and third classes since it includes both the context and the purpose. This division is pivotal for the subsequent search in the entire WoS database. Indeed, the search string is formed: (TS = “method keywords”) AND ((TS = “sector/field/context keywords” AND TS = “general purpose”) OR TS = “standalone”) NOT TS =

(“keywords to exclude”). Each category includes a list of keywords separated by an OR logic operator. It is worth mentioning that during this phase and step 4, the keywords were sometimes slightly manipulated to be more inclusive or exclusive. For instance, “wear behaviour prediction” became “wear behaviour predict*” or “psychology” became “psycholog*”. British and American English were included (e.g., “wear behaviour predict*” and “wear behavior predict*”). Finally, for the keywords to exclude, also similar words were added. For instance, if the term “molecular” was found, the term “molecule” was added. The developed search string can be found in the Appendix.




Fig. 2. Steps required to obtain preliminary research string.

Step 2. The search string is extended to the entire WoS database, considering only studies written in English and up to 2022. A visual summary of the first two steps is provided in Fig. 2.

Step 3. Ten samples of 50 random papers are extracted from the results. The papers are studied in terms of title, abstract, and keywords to evaluate the coherence with the topic of the current work. In case a paper was marked as a false positive, unrelated terms were selected to be considered in the keywords to exclude. The process is iterated until each sample has a maximum number of false positives equal to two. The screening process to identify false positive is conducted manually by checking abstracts, titles, and keywords of papers. In case of unclear papers, the full-texts were consulted when available.

Step 4. The terms evaluated as non-coherent with ML and DL for safety purposes are added to the list of keywords to exclude. Simultaneously, new relevant terms were added as keywords to be included. However, it is worth mentioning that most of the keywords to include were found through the first step. In this step, terms to exclude are predominant. This step is required to minimize the occurrence of false positives.

Step 5. When all the random samples contain two or less false positives, the iteration is stopped. During this phase, unrelated WoS categories are studied to identify additional false positives and refine the analysis. It is important to conduct this step at the end to avoid removing apparent false positives which are inserted into unrelated categories. For instance, the category “mineralogy” could apparently be unrelated to the considered topic. However, it could still include risk or reliability analyses related to mine or mining equipment.

Step 6. The relevant pieces of information related to the remaining papers are extracted. The required information includes, but is not limited to, authors, year of publication, journal, title, abstract, keywords, and reference list.

It is worth mentioning that most of the analyses are performed through VOSviewer (Van Eck and Waltman, 2010), which is a renowned software for constructing bibliometric maps through a method called Visualization of Similarities (VoS). Some of the principles and maths behind VOSviewer could be found in (Haghani et al., 2021; Van Eck and Waltman, 2010; Waltman et al., 2010).

3. Findings

The application methodology presented in Section 2 resulted in 18,509 documents (date of search: February 2023), among which 12,767 are tagged as “article” (i.e., almost 70 %), while 5571 are

regarded as “proceeding paper”. Among the extracted documents, about 30 % is published as All Open Access (5691 documents). The former papers are analysed considering the following categories:

- General statistics (Section 3.1).
- Clustering of literature (Section 3.2).
- Clustering of literature based on bibliographic coupling (Section 3.3).
- Authorship and co-authorship analysis (Section 3.4).
- Temporal evolution (Section 3.5).
- Influential studies (Section 3.6).

3.1. General statistics

The documents arising from the search belong to several WoS categories, among which over 30 are characterised by at least 200 documents. Fig. 3 summarizes the WoS categories containing more than 900 documents. “Engineering Electrical Electronic” (number of publications equal to 5453) is by far the most common WoS category, followed by “Instruments Instrumentation” (number of publications equal to 2599) and “Computer Science Artificial Intelligence” (number of publications equal to 2593). Based on Fig. 3, it is possible to state that a particular interest is devoted to automation and control systems, energy fuels, telecommunications, material science, and civil engineering.

Another bibliometric perspective allows to identify the most relevant journals in the field of ML and DL application for safety purposes. The journal with the highest number of publications is IEEE Access, which presents 594 documents. It is followed by Sensors and Measurements characterised by 546 and 394 documents, respectively. 306 and 301 documents are published in Mechanical Systems and Signal Processing and IEEE Transactions on Instrumentation and Measurement, respectively. The preceding figures demonstrate the prevalent utilization of ML and DL in processing sensor-acquired or measured data to classify the condition of an asset or predict a forthcoming state. Furthermore, high interest is devoted to both the energy and the civil sector, denoted by the 231 and 207 documents of Energies and Structural Health Monitoring an International Journal, respectively. There are also other relevant journals which deal with broader topics that are worth mentioning such as Applied Sciences (341 documents) and Reliability Engineering and System Safety (196 documents). A list of the ten most relevant journals is summarised in Fig. 4.

Another interesting analysis regards the number of documents published in the last ten years (see Fig. 5). According to Fig. 5, the




Fig. 3. WoS categories with the highest number of documents.




Fig. 4. Top ten journals with regards to number of documents.




Fig. 5. Number of documents published between 2012 and 2022.

application of ML and DL in safety, risk, reliability, resilience, and maintenance analysis has progressively increased, and it is still increasing. The documents published in 2012 were only 336, while 3967 documents were published in 2022. The advances of technologies in different filed of engineering processes (e.g., maintenance planning for the turbofan of airplanes), required sound methods to handle the complexity of the process. ML and DL are capable to deal with the former complexity, thus, they progressively received more attention. The former fact is also related to the abilities of ML and DL since they could provide proper performance and accuracy. Moreover, the advances in sensors and digital technologies and the increase of computational power and efficiency of computers could have facilitated the widespread adoption of ML and DL techniques. In this context, it is worth mentioning that between 2012 and 2022, 16,385 documents were published, which accounts for about 88 % of the total documents retrieved through the search.

Finally, it could be interesting to study the most prolific countries and the collaborations among them. Through VOSviewer, by imposing a minimum number of documents for a given country equal to 15, Fig. 6 is obtained. Specifically, 70 countries produced at least 15 documents. In Fig. 6, the colour represents the average publication year, while the size of each node and the links identify the number of documents and the co-authorship of each country. People's Republic of China (PRC) and United States of America (USA) are the leading countries regarding number of documents, number of citations, and links. Considering the number of documents, other than PRC and USA, other countries produced over 300 documents: India, England, South Korea, Canada, Italy, Germany, Iran, France, Australia, Spain, Taiwan, Brasil, and Japan. The former countries can be considered as the most prolific ones in ML and DL for safety purposes.

3.2. Clustering of literature based on keywords' co-occurrence

To cluster the collected documents, a semantic analysis of the keywords is performed through the VoS methodology as explained by Van Eck and Waltman (2007). VoS allows to aggregate the documents based on their similarities regarding different factors. First, the co-occurrence of keywords (i.e., the number of times two keywords are mentioned together) is investigated through VOSviewer software developed by Van Eck and Waltman (2010). The former software allows to conduct a VoS, and, therefore, visualise the objects in a network where each node represents an object and the distances among different objects denote their similarities (Haghani et al., 2022).

The process is carried out after the specification of a thesaurus, which excluded undesired terms and aggregate identical terms written differently (e.g., "remaining useful life" and "remaining useful lifetime"). Only terms with at least 30 occurrences were considered. The application of VoS to the keywords' co-occurrence results in six clusters which are summarised in Fig. 7 and Table 1. In Fig. 7, the average number of citations and the average publication year are also shown. The size of each node represents the number of occurrences of the associated term. Table 1 lists the most frequent terms which are used to assign a name to the cluster, the selected prominent youngest terms (i.e., the ones with the highest average publication year), and the selected most cited on average terms (i.e., the ones with the highest number of citations). The six clusters are identified: (I) wind turbine, power systems, cyber-physical systems, and maintenance, (II) Structural and civil engineering, (III) Rotating machinery and signal processing, (IV) Clustering and data reduction, (V) Battery and aero engine prognostics, and (VI) Rotating machinery, deep learning, and data manipulation.

First, it is worth mentioning that each term could belong to only one cluster, but it could be linked to all the others. This peculiar feature allows to study the relationships among different clusters. For instance, even though "neural network" belongs to the second cluster, it is linked to all the others denoting an adoption of neural networks in all the clusters.

The name of each cluster is based on the following considerations. Cluster I deal with mixed topics since it contains terms such as "wind turbine", "cyber physical system", "oil", and "power system". However, it is possible to state that it is strongly related to maintenance and related activities. It includes the terms "maintenance", "preventive maintenance", "condition-based maintenance", "predictive maintenance", and "maintenance engineering". Cluster II is mainly related to structural and civil engineering due to the presence of "structural health monitoring", "bridge", "structural damage detection", "beam", and "structural reliability". Cluster III contains both terms related to rotating equipment such as "rolling bearing", "induction motor", "rolling element bearing", and "gearbox" and terms related to signal processing such as "empirical mode decomposition", "wavelet transform", "ensemble empirical mode decomposition", and "discrete wavelet transform". The term "clustering"




Fig. 6. Collaborations among different countries.

is included in Cluster I, but it presents links with the other cluster such as Cluster IV, which is identified as “Clustering and data reduction”. It presents terms such as “gaussian mixture model”, “k-nearest neighbours”, “fuzzy clustering”, and “fuzzy c-means”. It includes typical algorithms of data reduction such as “principal component analysis”, “independent component analysis”, “kernel component analysis”, and “linear discriminant analysis”. Cluster V is predominantly linked to the prognostics of batteries due to the presence of terms such as “remaining useful life”, “prognostics and health management”, “lithium-ion battery”, “battery capacity”, “health estimation”, “state of health”, and “prognostics”. Finally, Cluster VI contains terms such as “bearing”, “rotating machine”, and “planetary gearbox” which are strongly related to rotating equipment. It is possible to find “deep neural network”, “generative adversarial network”, “autoencoder”, “feature fusion”, and “feature learning”.

From a general perspective, the most common ML algorithm is the “neural network” since this term is the most frequently used. It is followed by “support vector machine”. Considering DL, the most occurred term is “convolutional neural network”, which could be considered as the most popular DL algorithm. The terms, “fault diagnosis”, “fault detection”, and “feature extraction” co-occurs with terms from all the other clusters, denoting their diffusion in all the identified divisions. Both Cluster III and Cluster VI are related to rotating equipment, as they have a common border and many co-occurred terms. For instance, “empirical mode decomposition” is linked to terms belonging to the two former clusters. A similar consideration can be made for the term “variational mode decomposition”. “Acoustic” is a term associated with Cluster II, and it co-occurs with “vibration”, which is a term of Cluster III. It co-occurs with “rolling bearing”, while “vibration” has a link to




Fig. 7. Keywords' co-occurrence network and identified clusters (upper image), average citations (bottom left), and average publication year (bottom right).

“structural health monitoring”. Both acoustic and vibration signals are used for the analysis of structural or rolling elements even though they present significant differences. The term “image” and “image processing” belonging to Cluster II co-occur with the term “convolutional neural network” of Cluster VI, denoting the popularity of CNN within the context of image analysis. Furthermore, “image processing” co-occurs with “fault diagnosis” and “classification” of Cluster III, possibly highlighting the adoption of image processing techniques for diagnosis of fault and their classification (e.g., different failure modes).

A more detailed analysis of each cluster is provided below:

Cluster I. Cluster I presents the term “wind turbine”, which is related to the terms “scada” and “scada data”, possibly denoting the employment of data acquired through scada for the diagnosis and fault detection of wind turbines. Indeed, “scada” data is also linked to the terms “diagnosis” and “fault detection” of Cluster IV. This finding is aligned with previous works that mentioned that data coming from SCADA are effective to identify wind turbine performance at low costs (Leahy et al., 2016; Kim et al., 2011). The terms “cyber-physical system” and

Table 1
Identified clusters and associated selected most frequent, prominent youngest, and most cited on average terms.

Cluster	Topic	Selected most frequent terms	Selected prominent youngest terms	Selected most cited on average
I (red)	Wind turbine, power systems, cyber physical systems, and maintenance	System, anomaly detection, optimisation, artificial intelligence, predictive maintenance, reliability, wind turbine, maintenance, random forest, decision tree, risk assessment, condition-based maintenance	Explainable artificial intelligence, digital twin, federated learning, deep reinforcement learning, extreme gradient boosting, maintenance engineering, internet, remote sensing, resilience	Implementation, fuzzy, fuzzy logic, frequency ration, Supervisory control and data acquisition (SCADA) data, hazard
II (green)	Structural and civil engineering	Neural network, structural health monitoring, identification, damage detection, genetic algorithm, performance, sensor, acoustic, pattern recognition, crack detection, bridge	Semantic segmentation, deformation, mechanism, surrogate model, reconstruction, computer vision, unmanned aerial vehicle	Response surface, vision, health monitoring, structural reliability, slope stability, response surface method, image segmentation, modal identification, cable-stayed bridge
III (blue)	Rotating machinery and signal processing	Fault diagnosis, support vector machine, classification, machine, vibration, rolling bearing, condition monitoring, empirical mode decomposition, wavelet transform, induction motor	Circuit faults, mode decomposition, variational mode decomposition, fuzzy entropy	Rolling element bearing, defect, induction machine, ensemble empirical mode decomposition, signal, statistical feature, singular value decomposition
IV (yellow)	Clustering and data reduction	Diagnosis, fault detection, principal component analysis, selection, diagnostics, gaussian mixture model, k-nearest neighbour, dimensionality reduction	Variational autoencoder, denoising autoencoder, high-speed train, data driven, sparse autoencoder	Self-organizing map, sensor fusion, fisher discriminant analysis, Bayesian inference, independent component analysis, Bayesian classifier, statistical process control
V (violet)	Battery and aero engine prognostics	Prognostics, remaining useful life, long short-term memory neural network, remaining useful life estimation, lithium-ion battery, regression, recurrent neural network, battery, aero engine	Predictive model, computational modeling, mathematical model, health prognostics, online state	Relevance vector machine, pack, combination, state of charge, health estimation, battery management system, electric vehicle
VI (light blue)	Rotating machinery, deep learning, and data manipulation	Convolutional neural network, feature extraction, rotating machine, bearing, transfer learning, autoencoder	Graph neural network, meta learning, adaptation models, data models, employee welfare, task analysis, informatics, attention mechanism, few-shot learning	Intelligent fault diagnosis, feature learning, stacked denoising autoencoder, sparse filtering, intelligent diagnosis, planetary gearbox, deep convolutional network

“cybersecurity” co-occur with the term “anomaly detection”. In this cluster, the terms “railway”, “earthquake”, “landslide”, and “landslide susceptibility” also appears, but they are characterised by a lower number of occurrences, and they are quite isolated compared to the other terms. Considering the most prominent youngest terms of Cluster I (see Table 1), it is possible to state that the focus is shifting towards resilience analysis. Moreover, “remote sensing” and “digital twin” seem to be recently integrated with the safety framework. Considering ML and DL tools, “extreme gradient boosting”, “federated learning”, and “deep reinforcement learning” appear to be popular recent approaches.

Cluster II. In this cluster, the terms “concrete” and “beam” have links with “damage detection” and “crack detection”. Moreover, “beam” has a link with “natural frequency”, while “concrete” is characterised by co-occurrence with the term “acoustic”. The term “bridge” also co-occurs with “damage detection”, but also “modal identification”. In this cluster, it is interesting to see a co-occurrence of the term “computer vision” with the following terms: “bridge”, “crack detection”, “inspection”, and “damage detection”. Computer vision is employed for inspection related to the detection of cracks and damages. It emerged to be as a prominent recent term, denoting a modern new solution to evaluate the health of a structure. In this context, also the term “image” and “vision” co-occur with “damage detection” and “crack detection”, underlying how the images and their related processing could be a common solution to assess cracks and damages.

Cluster III. This cluster mainly covers the fault diagnosis of rotating equipment, denoting the importance of signal processing techniques such as “wavelet transform” and “empirical mode decomposition”. It emerged that a prominent young technique is “variational mode decomposition”, which is employed in fault diagnosis of rotating equipment. It is also worth mentioning that among the rotating machinery falling in this group, the “reciprocating compressor” is the one which is less frequently considered since it has a lower number of occurrences compared to “rolling bearing”, “induction motor”, or “centrifugal pump”.

Cluster IV. Other than dimensionality reduction and clustering techniques, this cluster includes different fields such as “turbine”, “high-speed train”, “engine”, “chemical process”, and “nuclear power plant”. The analysis depicted “variational autoencoder” and “denoising autoencoder” as prominent youngest terms, which overlaps with Cluster VI. Another interesting finding is that “high-speed train” also resulted as a prominent youngest term, possibly denoting current and future area of development.

Cluster V. Among the most frequent terms, “remaining useful life” and “long short-term memory neural network” emerges, denoting the popularity of Long Short-Term Memory NN (LSTMNN) for estimating the RUL of batteries. The term “electric vehicle” falls in this cluster as well due to its relationships with batteries. This cluster also reports the terms “aero engine” and “turbofan engine”, which have links with “prognostics and health management” and “remaining useful life”, denoting the popularity of predictive models for aero engines. In this cluster the term “mathematical model” appears as one of the most prominent. It co-occurs with the term “degradation”, possibly identifying the recent construction of degradation mathematical models. Furthermore, “mathematical model” co-occurs with “convolutional neural network”, “neural network”, and “support vector machine”, which could mean that mathematical models have been recently integrated with ML and DL algorithms.

Cluster VI. In this cluster, the terms “small sample” and “few-shot learning” appears, possibly highlighting the need to diagnose failure under sparse data. Furthermore, “few-shot learning” emerged as a prominent youngest term, which could denote the recent need to train models with limited data. Another prominent youngest term is “graph neural network”, which presents co-occurrence with “anomaly detection” (Cluster II). The former aspect could represent a recent trend in the adoption of a “graph neural network” to detect anomaly conditions. “Meta learning” is another interesting prominent youngest term, which shows a connection with “fault diagnosis”. Thus, it is possible that recently “meta learning” could have been exploited for diagnosing

faults. Finally, “employee welfare” and “task analysis” were depicted as prominent youngest terms, possibly representing an increased attention towards the abilities, skills, and welfare of operators during fault diagnosis activities mainly related to rotating equipment.

3.3. Clustering of literature based on bibliographic coupling

Through VOSviewer, an additional cluster analysis is performed by considering the reference lists of different documents. The former analysis allows to evaluate the similarity among different documents based on the references they cite. Then, the documents are aggregated based on the authors to identify similarities among different authors. In this study, authors with at least twenty documents were considered. The results arising from the analysis are shown in [Fig. 8](#) and [Table 2](#). In [Fig. 8](#), each node represents a different author, and its size denotes the number of documents the author published. A link connects given authors to others with a similar reference list. Considering [Table 2](#), the topic associated with each cluster is chosen based on the Google Scholar pages of the top cited researchers, followed by a screened of the Scopus page in case the Google Scholar page was not present or did not provide any description.

The bibliographic coupling resulted in five clusters. Each author can be associated with a single cluster, but he/she could be characterized by links with other clusters. This is very common for authors belonging to Cluster 1, Cluster 2, Cluster 3, and Cluster 4, which present wide overlapping areas. The previous scenario possibly denotes a multidisciplinary nature of the field and leads to difficulties in determining specific topics for each cluster. Indeed, the former clusters share similar topics which are not reported in [Table 2](#) for identifying peculiar prominent topics. As a matter of fact, “rolling bearing”, “rotating machinery”, and “failure analysis” are key terms that are listed for most of the most cited authors of Cluster 1, Cluster 2, Cluster 3, and Cluster 4. Based on

the former consideration, it is possible to state that many scholars have been focusing on fault detection and diagnosis of rotating machineries. This trend could be related to different factors such as the importance of rotating equipment and their complex fault behaviours (e.g., different failure modes), which has led to the adoption of ML and DL algorithms. Rotating devices such as bearings are used for several applications and systems. Finally, bearings present multiple similarities despite their eventual different sizes, applications, and usages.

Considering the single clusters, Cluster 1 contains authors that deal with RUL of batteries and critical infrastructures (e.g., nuclear plants), while Cluster 2 includes authors that treat fatigue and fracture, damage modelling, machine health monitoring and signal processing. Authors that study random vibration, model predictive control, smart materials and structures, and dynamics and vibration are assigned to Cluster 3, while Cluster 4 is associated with the following topics: control systems and artificial intelligence in condition monitoring. Cluster 5 is the most isolated one compared to the remaining networks; thus, authors belonging to Cluster 5 have quite different reference lists compared to the rest. Only two authors are associated with this cluster and the common topics are SHM and damage detection, wind turbine, and wind farm. It is also worth mentioning that Cluster 1 seems to present a sub-cluster of authors that is more distant from the remaining clusters.

3.4. Authorship and co-authorship analysis

To investigate the pattern of authorship and co-authorship, it is possible to build a collaboration network through VOSviewer. Filtering out the authors with less than 15 documents and the authors that show limited connections to the remaining network (default of VOSviewer), Fig. 9 is obtained. In Fig. 9 each node represents a distinct author, while each link identifies a collaboration between two authors. The node size is related to the number of documents realized by the corresponding




Fig. 8. Bibliographic coupling of authors with more than 20 papers.

author, while the thickness of each link is proportional to the number of co-authorships between the two authors at its extremes. The thickness of the link could also be referred as link strength. In this context, it is important to introduce two metrics which are the number of links of each author (i.e., the number of co-authors in the network) and the total link strength. The latter arises from the aggregation of the number of links and the link strength of each link associated with an author in the network (Haghani et al., 2021; Haghani et al., 2022). The number of links and the total link strength could be investigated to determine to which extent a given author is collaborating with other authors of the network. It is worth mentioning that in the process, it emerged that Zio, E., Worden, K., and Dervilis, N. could be re-conducted to Zio, Enrico, Worden, Keith, and Dervilis Nikolaos respectively. The former are authors that presented two different nomenclatures, however, there could be others that are characterised by the same anomaly. This aspect could make the works of some authors to be scattered across different names, and, therefore, it could result in an apparent lower contribution to the literature.

The analysis depicted 18 clusters. Each cluster is composed of at least three authors. The biggest cluster include 27 distinct authors. Considering between parentheses the number of links (first number) and the total link strength (second number), the authors characterised by the highest link strength are: Li, Chuan (12, 125), Cabrera, Diego (5, 110), Cerrada, Mariela (5, 104), Chen, Xuefeng (14, 96), Chen, Jinglong (6, 96), and Sanchez, Rene-Vinicio (5, 96). On the other hand, the analysis depicted the following authors as the ones with the highest number of links: Liu, Jie (15), Chen, Xuefeng (14), Yan, Ruqiang (14), Li, Chuan (12), and Li, Weihua (12). The analysis highlights also the authors that have collaborations outside of their cluster. For instance, Li, Weihua has collaborated with authors of six other clusters. Li, Chuan, Wang, Dong, and Zhang, Wei have collaborated with authors belonging to five other clusters. Finally, the following authors have co-authored a document with authors placed in three different clusters: Zhang, Shaoui, Zhu, Zhongkui, Shen, Changqing, Jiang, Xingxing, Zio, Enrico.

It is worth mentioning that some authors with at least 15 documents were excluded from the previous analysis due to the absence of connection with the network. However, their contribution to the field is still very relevant and proficient. By analyzing authors who have produced at least 15 documents, regardless of their connections to the rest of the network, Fig. 10 can be obtained. Considering Fig. 10, there are 12 authors that produced at least 20 documents and who were discarded in the former analysis: Kim, Jong-Myon (91), Worden, Keith (62), Yu, Jianbo (42), Dervilis, Nikolaos (34), Yan, Xuefeng (24), Wang, Huawei (21), Benbouzid, Mohamed (20), Cha, Young-Jin (20), Khan, Faisal (20), Sugumaran, V. (20), Wang, Tao (20), Worden, Keith (20), and Zhang, Jian (20).

3.5. Temporal evolution

To explore the evolution of terms used as keywords, the keywords' co-occurrence analysis was conducted through VOSviewer for five different periods, following the procedure described in Patriarca (2020). Specifically, the analysis is carried out five different times (one for each period), and each time only the papers published during that period are considered. Furthermore, two different thresholds are considered for the minimum number of occurrences of a given term: 15 and 30. The identified period are as follows: 2003–2006 (Period I), 2007–2010 (Period II), 2011–2014 (Period III), 2015–2018 (Period IV), and 2019–2022 (Period V).

3.5.1. Period I: 2003–2006

Considering Period I, Fig. 11 shows the clusters obtained when considering 15 and 30 number of occurrences as thresholds of exclusion.

Based on Fig. 11, it is possible to state that “neural network” and “support vector machine” were the most popular ML algorithms. The concepts of “fault diagnosis” and “diagnosis” were already considered. It

Table 2
Clusters of bibliographic coupled authors.

Cluster	Dominant Topic	# authors	Authors with largest number of publications	Author with largest number of citations
1 (red)	Industry 4.0, RUL for Battery, Critical infrastructure (e.g., nuclear-power, renewable energy system)	54	Kim, Jong-Myon (91), Zio, Enrico (72), Liu, Jie (50), Li, Hui (48), Yu, Jianbo (42), Baoping (41)	Zio, Enrico (2,545), Tang, Baoping (1,757), Kim, Jong-Myon (1,666), Cha, Young-Jin (1,414), Gao, Robert X. (1,299), Sugumaran, V. (1,267), Zhou, Jianzhong (1,199), Wang, Peng (1,050), Zuo, Ming J. (1,032), Lu, Chen (1,020), Lee, Jay (1,014), Li, Hui (1,012)
2 (green)	Fatigue and Fracture, Damage Modeling, Machine Health Monitoring and Signal Processing	21	Zhang, Wei (60), Li, Xiang (46), Wang, Dong Lei (46), Shen, Changqing (41)	Li, Xinyu (2,109), Wen, Long (2,014), Guo, Liang (1,965), Wang, Dong (1,575), Pecht, Michael (1,369), Shen, Changqing (1,337)
3 (blue)	Random vibration, Model predictive control, Smart materials and structures, Dynamics and vibration, Lab on a chip Soft materials, and wearable devices	18	Chen, Xuefeng (57), Yan, Ruqiang (55), Chen, Jinglong (50), Jia, Minping (48), Li, Weihua (44)	Cheng, Xuefeng (3,403), Yan, Ruqiang (3,214), Li, Weihua (2,205), Shao, Haidong (1,464), Jiang, Hongkai (1,398), Jia, Minping (1,291), Chen, Zhuyun (1,253), Sun, Chuang (1,143)
4 (yellow)	Control systems, AI in Condition Monitoring	5	Li, Chuan (57), Cerrada, Mariela (44), Cabrera, Diego (43), Sanchez, Rene-Vinicio (40)	Li, Chuan (2,664), Sanchez, Rene-Vinicio (1,760), Cabrera, Diego (1,636), Cerrada, Mariela (1,412)
5 (violet)	Structural Health Monitoring and damage detection, wind turbine, and wind farm	2	Worden, Keith (62), Dervilis, Nikolaos (34)	Worden, Keith (962), Dervilis, Nikolaos (327)




Fig. 9. Network of co-authorship for authors with at least 15 documents and connections with the network.

is worth noting that “damage detection” and “structural health monitoring” were used commonly during this period. Besides, “rotating machinery” and the related “condition monitoring” were already treated. Finally, “principal component analysis” and “wavelet transform” emerges as the most popular approaches for data pre-processing (e.g., data reduction).

3.5.2. Period II: 2007–2010

As depicted in Fig. 12, the number of relevant terms associated with Period II increases. This trend is related to the increase in popularity of ML applications for safety purposes.

Once again, “neural network” and “support vector machine” are highlighted as the most popular ML algorithms. Considering ML algorithms, this period sees the increase in popularity of “decision tree” and “clustering”. The attention of this period is also directed towards “feature selection”, “feature extraction”, “fault classification”, and “wavelet transform”. Another interesting finding is the appearance of “rolling bearing” and “induction motor”, possibly denoting a higher focus on the former devices. The term “vibration” appears among the most relevant ones, possibly highlighting the popularity of studying vibrations for fault detection and diagnosis. Finally, the terms “reliability” and “structural reliability analysis” underlines the focus also on reliability analysis other than fault diagnosis and damage detection.

3.5.3. Period III: 2011–2014

During Period III, the number of relevant terms increases once again (see Fig. 13). New algorithms and new fields of application are characterised by an increase in popularity.

Period III sees the appearance of several algorithms such as “support vector regression”, “gaussian mixture model”, “fuzzy clustering”, and

“fuzzy neural network”. The last two terms, along with the term “fuzzy logic”, possibly denote a new trend, which could be identified as the integration of ML algorithms and fuzzy logic. Moreover, “empirical mode decomposition” as a data pre-processing technique has gained attention during this period. An additional finding is the appearance of “maintenance” and “optimisation” in the same cluster, possibly highlighting the employment of ML algorithms in maintenance planning and optimisation. The term “optimisation” could also refer to a higher attention towards the optimisation of ML algorithm and their related computational time. For the first time, “prognostic” and “remaining useful life” emerge as relevant terms. This could relate to the increased importance of prediction capabilities. Finally, the term “bridge” and “acoustic” are depicted as more popular compared to the previous periods. The former could mean that bridge safety was also studied through ML algorithms during Period III, while the latter could highlight the higher focus dedicated to acoustic signals in safety frameworks. In the previous periods, only vibration signals appear to be commonly considered within the proposed frameworks.

3.5.4. Period IV: 2015–2018

Period IV sees a wider adoption of DL algorithms, along with the integration of new approaches in ML and DL applications for safety purposes.

The increased attention towards DL is denoted by the appearance of relevant DL algorithms (see Fig. 14) such as “convolutional neural network”, “long short-term memory neural network”, “recurrent neural network”, and “deep neural network”. During Period IV, it is possible to state that there was a rise in the adoption of DL algorithms. The term “transfer learning” also experienced an increase in the number of occurrences. Furthermore, “condition-based maintenance”, “predictive

3.6. Influential studies

A final analysis is performed considering the most cited articles. Specifically, for this step of analysis, the documents with over 300 citations are considered. Among the identified documents, 57 are characterised by several citations higher than 300. The 57 documents are clustered based on the topics reported in their title, abstract, and keywords, as shown in Table 3.

As depicted in Table 3, the health monitoring and the fault detection of rotating machinery such as bearings is among the most predominant fields (Cluster A). In this context, NN is the most common ML algorithm (Li et al., 2000; Ali et al., 2015; Bin et al., 2012; Samanta et al., 2003; Prieto et al., 2012), while considering DL algorithms, CNN is one of the most employed (Wen et al., 2017; Ince et al., 2016; Janssens, 2016; Zhang et al., 2018; Zhang et al., 2017; Shao et al., 2018; Jiang et al., 2018; Xia et al., 2017; Jia et al., 2018), eventually in a transfer learning framework (Guo et al., 2018; Yang et al., 2019). Sparse autoencoder also emerged as a popular tool adopted in the former context (Wen et al., 2017; Chen and Li, 2017; Jia et al., 2018). Documents adopting CNN are usually more recent compared to the documents where neural networks are exploited. In the aforementioned context, DL is also used for automatic feature extraction. The former findings are aligned with the ones described in the previous section. It is worth mentioning that Cluster A includes also studies related to rotating machines of wind turbines such as the gearbox (Jiang et al., 2018) or motors of autonomous aerial vehicles (Lu et al., 2017), or bearings of locomotives (Yang et al., 2019). Furthermore, in (Wen et al., 2017) an axial piston is also considered.

Considering Cluster B, different review studies were developed during the past years. Most of the former documents treat the adoption of ML or DL in health management or failure diagnosis (Isermann, 2005; Liu et al., 2018; Bellini et al., 2008; Lei et al., 2020; Lei et al., 2020; Khan and Yairi, 2018). Among the former works, there are studies also related to rotating machineries such as induction motors (Liu et al., 2018; Bellini et al., 2008), denoting the popularity of this field.

Cluster C includes documents that treat the RUL prediction of rotating machines and tools. In this context, NN (Huang et al., 2007; Gebraeel et al., 2004) (i.e., ML) and RNN (Guo et al., 2017; Zhao et al., 2017) (i.e., DL) are the most popular algorithms, while relevance vector machine is considered in (Wang et al., 2018). Once again, the documents adopting DL are more recent compared to the ones considering ML.

In Cluster D, the works related to the health monitoring and the prediction of RUL for batteries and aeroengine are included. LSTMNN appears a common solution also for batteries (Zhang et al., 2018) and aircraft engine (Wu et al., 2018).

Finally, Cluster E contains work on SHM and damage detection (Abdeljaber et al., 2017; Cha et al., 2018; Lin et al., 2017), and landslide (Stumpf and Kerle, 2011; Gomez and Kavzoglu, 2005). Thus, it could be related to civil and structural engineering. In this cluster, CNN emerged as a popular tool once again (Cha et al., 2018; Abdeljaber et al., 2017; Lin et al., 2017), denoting its popularity. This trend could be related to the advantages of CNNs and their ability to autonomously extract relevant features.

4. Discussion

The findings of the present study could be related to three major areas: i) fields of application, ii) popular algorithms and tools, and iii) past, present, and possible future trends. The former areas are discussed in the following sections.

4.1. Fields of application

This study highlights the flexibility of ML and DL through the identified different fields of application. In this context, it is worth noting that the detected clusters usually present wide overlapping areas, possibly denoting similarities.





Fig. 11. Keywords' co-occurrence of terms published between 2003 and 2006: (a) 15 as threshold and (b) 30 as threshold.


Among the fields of application, the failure diagnosis, detection, and classification of rotating machineries (e.g., rolling bearings, motors) emerged as the most popular. The former aspect is underlined by the keywords' co-occurrence analysis, the bibliographic coupling of authors, and the most influential studies with regard to the number of citations. This trend could be related to the diffusion of rotating machines, such as bearings for a wide variety of equipment (Liu and Fan, 2022). Furthermore, the abilities of ML and DL are well aligned with the complex nature of rotating machineries. Indeed, AI-based tools usually show a higher accuracy compared to other condition monitoring approaches (Manikandan and Duraivelu, 2021).


Another common field of application is the structural and civil engineering, especially in SHM and damage detection. Despite the different nature, there are some similarities between this field and the previous one. Indeed, it appears that "vibration" and "acoustic" are exploited for the health monitoring of both the fields.

Finally, another popular field is related to the health monitoring and the prognostic of batteries. Indeed, batteries have a pivotal role in many aspects of daily life (Tang and Yuan, 2022) and serve numerous technologies, such as electric vehicles (Ma et al., 2023). Furthermore, they are an important enabler of the transition from fossil fuels to green energy (Nagulapati et al., 2021).

ML and DL are also used in other fields such as maritime (Zhang et al., 2022; Abaei et al., 2021) nuclear power plant (Worrell et al., 2019), and aeroengine (Zhuang et al., 2023), however, their degree of employment appear to be still lower compared to the former fields. Thus, it could be worth examining more in detail other fields of application thanks to the generalisability of ML and DL algorithms.










Table 3
Clusters of the documents with over300 citations. The number of citations

Cluster	Topics/themes	Most cited documents
A	ML and DL for rotating machine health monitoring and fault detection/diagnosis/classification	Jia et al., (Jia et al., 2016) (1061), Wen et al., (Wen et al., 2017) (903), Lei et al., (Lei et al., 2016)(715), Ince et al., (Ince et al., 2016) (684), Janssens et al., (Janssens, 2016) (636), Zhang et al., (Zhang et al., 2018) (624), Zhang et al., (Zhang et al., 2017) (581), Wen et al., (Wen et al., 2017) (538), Li et al., (Li et al., 2000) (509), Guo et al., (Guo et al., 2018) (508), Ali et al., (Ali et al., 2015) (507), Chen and Li (Chen and Li, 2017) (480), Lu et al., (Lu et al., 2017) (479), Shao et al., (Shao et al., 2018) (442), Sun et al., (Sun et al., 2016) (433), Zhang et al., (Zhang et al., 2015) (383), Jiang et al., (Jiang et al., 2018) (379), Yang et al., (Yang et al., 2019) (372), Gan et al., (Gan and Wang, 2016) (372), Malhi and Gao (Malhi and Gao, 2004) (353), Xia et al., (Xia et al., 2017) (351), Bin et al., (Bin et al., 2012) (339), Samanta et al., (Samanta et al., 2003) (337), Prieto et al., (Prieto et al., 2012) (314), Lu et al., (Lu et al., 2017) (313), Jia et al., (Jia et al., 2018) (312), Jia et al., (Jia et al., 2018) (308), Kona and Chattopadhyay (Kona and Chattopadhyay, 2011) (305) Isermann (Isermann, 2005) (980), Qin (Qin, 2012) (912), Liu et al., (Liu et al., 2018) (890), Bellini et al., (Bellini et al., 2008) (778), Lei et al., (Lei et al., 2020) (685), Mitra and Gopalakrishnan (Mitra and Gopalakrishnan, 2016) (518), Khan and Yahir (Khan and Yairi, 2018) (503), Kadlec et al., (Kadlec et al., 2011) (344)
B	Review studies	
C	RUL prediction rotating machines and tools	Guo et al., (Guo et al., 2017) (587), Wang et al., (Wang et al., 2018) (432), Zhao et al., (Zhao et al., 2017) (385), Huang et al., (Huang et al., 2007) (365), Gebraeel et al., (Gebraeel et al., 2004) (335)
D	RUL prediction and health monitoring of batteries and aeroengine	Li et al., (Li et al., 2018) (622), Severson et al., (Severson, 2019) (615), Zhang et al., (Zhang et al., 2018) (426), Tamilselvan and Wang (Tamilselvan and Wang, 2013) (409), Wu et al., (Wu et al., 2018) (392), Nuhic et al., (Nuhic et al., 2013) (350), Hu et al., (Hu et al., 2015) (304), Weng et al., (Weng et al., 2013) (301)
E	Structural health monitoring and civil engineering (e.g., landslide)	Cha et al., (Cha et al., 2018) (590), Abdeljaber et al., (Abdeljaber et al., 2017) (565), Batman and Sudret (Blatman and Sudret, 2010) (504), Stumpf and Kerle (Stumpf and Kerle, 2011) (441), Lin et al., (Lin et al., 2017) (317), Gomez and Kavzoglu (Gomez and Kavzoglu, 2005) (304)
F	Maintenance of other systems	Chen (Chen and Aihara, 1995) (491), Yu and Qin (Yu and Qin, 2008) (390)

4.2. Popular algorithms and tools

Considering the ML algorithms, the most popular one is the NN as depicted by both the keywords’ co-occurrence analysis and the analysis of the most influential studies. This factor could be related to the ability of NNs to extract complex patterns for different applications (Fink et al., 2014). On the other hand, the most popular DL algorithm is the CNN. CNN has the ability of big data processing (Zhu et al., 2017) and it is well established in the context of computer vision tasks (Yamashita et al., 2018), such as image or object recognition. Another popular DL algorithm is the RNN, which is extensively employed for the RUL prediction of different devices such as batteries or aeroengines. Indeed, RNN can store and process complex signals, along with predicting future sequences (Salehinejad et al., 1801). RNN are also diffused in different variants, such as Gated Recurrent Unit (GRU) (Chen et al., 2019) and LSTM (Shi and Chehade, 2021).

Since ML and DL usually require processing a signal, they are often integrated with other tools that could be adopted for pre-processing the signal (i.e., feature extraction, feature selection, and noise removal). Different approaches emerged as popular for the data pre-processing phase. Among them, Principal Component Analysis (PCA) (Gu et al., 2018), Empirical Mode Decomposition (EMD) or Ensemble EMD (EEMD) (Zhang et al., 2020); Variational Mode Decomposition (VMD) (Habbouche et al., 2021), and Wavelet Transform (WT) (Kankar et al., 2011) are worth mentioning.

Finally, it appears that other tools are integrated with ML and DL such as Bayesian inference or Hidden Markov Model. For instance, ML and DL algorithms require to tune hyperparameters, which is an optimisation problem. In this contexts Bayesian optimisation is usually more efficient compared to other optimisation algorithms (Wu et al., 2019). On the other hand, Hidden Markov Model could be integrated with RNN for prediction purposes (Zhuang et al., 2023).

4.3. Past, present, and possible future trends

Based on the keywords’ co-occurrence analysis presented in Sections 3.2 and 3.5, it is possible to state that the present field of study has seen a deep evolution during the past two decades. The former aspect is also underlined by the progressive increase in the number of documents published each year.

During the first years of the past decades, only ML algorithms were adopted. Specifically, NNs and SVM were mainly employed in diagnosis of rotating equipment, damage detection, and SHM. This trend possibly identifies the adoption of ML for classification purposes. In this period, one of techniques that appear to be commonly integrated with ML is PCA. PCA is indeed a common dimensionality reduction algorithm, which identifies directions named principal components characterised by maximum variation of the data (Ringnér, 2008). Moreover, it is worth noting that some studies consider PCA as ML thanks to its unsupervised learning capabilities (Peng et al., 2020).

Next other approaches and algorithms such as DTs and clustering were considered in different frameworks. The former fact possibly denotes the diffusion of unsupervised ML. Moreover, other tools such as WTs were included in ML-based frameworks. WTs could have been preferred to other approaches such as Fourier Transform (FT) since it is able to deal with non-stationary time series (Sleziak et al., 2015). Since “reliability” is also a term that appears to be more relevant during this period, it is possible to state that more importance was given to reliability analysis other than failure diagnosis and damage detection.

The period between 2011 and 2014 has seen ML reaching its maturity since new algorithms (e.g., gaussian mixture model) and new application fields (e.g., bridges) emerged as relevant. Moreover, the appearance of prognostic and RUL possibly denotes an increase in attention towards regression problems other than the already common classification ones. Stated differently, the studies also concentrated on predicting future conditions to facilitate planning of maintenance activities. The aforementioned period is also characterised by an increase in popularity of other pre-processing techniques such as EMD, possibly to its ability to deal with both non-stationary and non-linear signals (Leoni et al., 2023). However, to experience an increase in popularity of DL algorithms, it is required to consider the next four-year period (2015–2018). This finding is aligned with other studies which state how DL has become popular after 2014 (Li et al., 2020) or how CNN has seen a recent burst of citations (Su et al., 2021). This trend could be related to both the advances in computer capabilities and ML (Hoang and Kang, 2019). The popularity of DL algorithms and their widespread adoption could be related to their advantages compared to ML algorithms. For instance, DL approaches could automatically perform feature extraction and feature selection (Zhang et al., 2020). Moreover, is deemed to be a fundamental factor to achieve human or super-human AI systems




Fig. 16. ML and DL evolution over time based on the adopted algorithms, fields of application, and purposes (e.g., maintenance).

(Matsuo, 2022). Furthermore, DL is very suited to process images, which emerged as a popular topic between 2015 and 2018. Thus, the focus during this period was also directed towards the adoption of images to perform different safety tasks such as fault diagnosis or damage detection. Another important finding is that both risk and safety are treated more in detail since they appear as more relevant during this period. Accordingly, this trend could denote that researchers also focused on risk and safety management and not only reliability analysis.

Finally, during the past four years (2018–2022), ML and DL has seen an increase in the number of application fields, other than an increase in the number of documents related to already treated field such as batteries. This period is also characterised by an increase in popularity of Variational Mode Decomposition (VMD), possibly due to its ability to deal with non-stationary and non-linear signals, along with being more robust than EMD under noise and sampling errors (Nazari and Sakhaei, 2020). Moreover, both transfer learning and deep transfer learning appear as more popular during the last four years compared to the previous period. Transfer learning, by considering the transfer of knowledge across domains, can solve a common problem of ML frameworks, which is the presence of many unlabelled data (Zhuang, et al., 2020). In other word, transfer learning aims to enhance learners by transferring information or data from a domain to a related one (Weiss et al., 2016). This trend could also be aligned with the identification of few-shot learning as a prominent youngest term. Few-shot learning has been recently employed to tackle small datasets (Wang et al., 2020). Indeed, few-shot learning uses prior knowledge with few available information to generalize new tasks (e.g., image classification) (Wang et al., 2020). Similarly, generative adversarial learning and GAN appeared during the past four years. In fact, GAN could also be used under data scarcity, since they could generate virtual data based on the real observations (Yoo et al., 2021). Another prominent youngest term is federated learning. Indeed, its introduction is very recent (i.e., 2016) and it could tackle the absence of labelled data, while preserving data privacy (Li et al., 2020). In fact, data privacy is of prominent importance nowadays, confirmed also by the appearance of cybersecurity between 2018 and 2022. As a matter of fact, federated learning allows to run collaborative ML across multiple users without sharing users' data with the service provider (Banabilah et al., 2022). Deep reinforcement learning appears as the youngest terms as well. Indeed, deep reinforcement learning has recently become popular in different engineering fields to solve problems that were inaccessible due to high complexity such as non-linearity or high dimensionality (Garnier et al., 2021).

Besides, *meta-learning* emerged as a prominent youngest term. It can solve an algorithm selection problem (Khan et al., 2020), whose importance has increased due to the several algorithms that are available. Moreover, *meta-learning* is capable of learn new tasks by acquiring knowledge from known prior tasks (Ma et al., 2022). Finally, ML and DL were also extended to the very recent concepts of vulnerability and resilience analysis as depicted by the appearance of “vulnerability” and “resilience”.

Based on the former considerations, it is possible to state that, during the next years, studies could be focused on the expansion of not only DL algorithms but also of reinforcement, federated, meta, few-shot, and transfer learning. The focus seems to be shifted towards tackling the absence of data or labelled data and assuring the privacy of data. In this context, new application fields could emerge such as high-speed train (detected as a youngest term). Finally, it is expected to consider more frequently images and computer vision for diagnosis and prediction purposes when adopting DL algorithms. Terms related to image processing are identified as quite recent. All the findings of this section are summarised in Fig. 16.

5. Conclusions

This paper presents a SBA about the adoption of ML and DL in the context of safety analysis, including risk, reliability, resilience, vulnerability, fault detection and diagnosis, and maintenance planning. The search conducted through WoS allowed to identify 18,509 documents dealing with several industrial and non-industrial fields (e.g., bridges). ML and DL are flexible tools that can be employed for very different applications.

From a methodological perspective, this paper proposes a new approach to conduct a bibliometric analysis by exploiting at first specific journals to identify useful keywords and subsequently expand the search to multidisciplinary journals as well. From a theoretical perspective, this paper investigates the intellectual structure of research on ML and DL applications for safety purposes. Specifically, the diffusion of ML and DL in different fields is studied, along with considering the popularity of different algorithms. This has been possible thanks to the inclusion of several fields, contrary to the most common choice of focusing on a single field of application. Topics and keywords are also investigated, allowing for a clustering of the documents and the authors. Finally, the temporal evolution of keywords' co-occurrence is evaluated to identify past trends and potential future evolutions.

Among the main findings of the present work, the following ones are worth mentioning:

- (1) The most predominant fields are rotating machineries, batteries, and SHM, followed by aeroengines and turbines.
- (2) The most popular ML algorithm is NN, while the most popular DL algorithm is CNN.
- (3) The authors' bibliographic coupling and co-authorship network highlight the highly multidisciplinary nature of ML and DL since many relevant authors treat different fields.
- (4) Health monitoring has become increasingly coupled with RUL prediction, with RNN being a particularly popular tool for this purpose.
- (5) DL has reached a maturity level during the past four years thanks to the widespread adoption.
- (6) The temporal trend shows that ML algorithms were integrated at first with feature selection, feature extraction, and dimensionality reduction tools (e.g., PCA), while DL has been adopted in the past decade to automatically extract and select features.
- (7) Recently, the focus is on the treatment of unlabelled or few data, while preserving data privacy due to the increase in popularity of few-shot learning, federated learning, deep reinforcement learning, generative adversarial learning, and *meta*-learning.
- (8) At first only failure diagnosis and damage detection appear to be considered, during the years, also more general reliability, risk, and safety analyses were treated through ML and DL, while very recently ML and DL have seen application also in resilience and vulnerability.

It is also worth mentioning that new fields of application have progressively been introduced. Thus, it could be worthy to continue following this path to exploit the potential and abilities of ML and DL for usually less considered fields. It is possible to expect a higher level of diffusion of federated learning, deep reinforcement learning, *meta*-learning, and few-shot learning, similar to what happened for transfer learning and DL. For the same consideration, it is possible to expect the introduction of new approaches similarly to the former ones. Finally, another interesting finding is the evolution of tools that are used with ML and DL. For instance, at the beginning, WT was very popular, then EMD has seen an increase in popularity, and last, VMD has experienced a wide diffusion. This trend could be related to the need to improve the data pre-processing techniques along with the DL and ML algorithms. Put simply, advances in ML and DL applications for safety purposes may require the development of complementary methods.

As with any other work, this study certainly presents some limitations. First, the identified documents are related to the adopted string, thus, excluding or including different terms could lead to slightly different results. Despite trying to minimise the number of false positives while maximising the coverage, false positives could still be present, while relevant works could still be excluded. It could be possible to progressively refine the keywords' string. Furthermore, the analysis reflects the documents published during the past years, thus, it could be interesting to repeat it in the future. ML and DL are constantly evolving over time, and it could be tough to keep track of their advances. Finally, in the temporal analysis, the citation bursts of papers and keywords were not considered. It follows that it could be interesting to investigate them, along with the automated clustering arising from tools such as CiteSpace, similar to what previous studies did (Huang et al., 2020; Tavakoli et al., 2023).

CRediT authorship contribution statement

Leonardo Leoni: Writing – review & editing, Writing – original draft, Visualization, Validation, Software, Methodology, Investigation, Formal analysis, Data curation, Conceptualization. **Ahmad Bahoo-Toroody:** Writing – review & editing, Visualization, Validation,

Software, Methodology, Investigation, Formal analysis, Data curation, Conceptualization. **Mohammad Mahdi Abaei:** Writing – review & editing, Visualization, Validation, Software, Methodology, Investigation, Formal analysis, Data curation, Conceptualization. **Alessandra Cantini:** Writing – review & editing, Visualization, Validation, Software, Methodology, Investigation, Formal analysis, Data curation, Conceptualization. **Farshad BahooToroody:** Writing – review & editing, Visualization, Validation, Software, Methodology, Investigation, Formal analysis, Data curation, Conceptualization. **Filippo De Carlo:** Writing – review & editing, Visualization, Validation, Supervision, Software, Methodology, Investigation, Formal analysis, Data curation, Conceptualization.

Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Appendix

((TS=(“deep learning” OR “deep-learning” OR “machine learning” OR “statistical learning” OR “supervised learning” OR “unsupervised learning” OR “semisupervised learning” OR “semi-supervised learning” OR “transfer learning” OR “cost-sensitive learning” OR “ensemble learn*” OR “federated learning” OR “reinforcement learning” OR “clustering” OR “text mining” OR “rule-based learning” OR “association rule mining” OR “collaborative learning” OR “parameter optimization of classifiers” OR “parameter optimisation of classifiers” OR “hybrid learning” OR “hybrid-learning” OR “extreme learning machine” OR “supervised method*” OR “unsupervised method*” OR “supervised approach*” OR “unsupervised approach*” OR “representation learning” OR “feature learning” OR “*meta*-learning” OR “natural language processing”) OR AK=(“Artificial Neural Network*” OR “Long-short term memory” OR “backpropagation neural network” OR “back propagation neural network” OR “feed forward neural network” OR “feedforward neural network” OR “recurrent neural network” OR “neural network*” OR “Convolutional neural network” OR “convolutional network” OR “deep belief network” OR “generative adversarial network” OR “autoencoder” OR “support vector machine*” OR “support vector regression” OR “relevant vector machine” OR “Random forest” OR “gradient boosting” OR “boosting tree ensemble” OR “K-nearest neighbor*” OR “K-nearest neighbour*” OR “deep intra-class adaptive network” OR “Naive Bayes” OR “classifier” OR “Decision Tree” OR “Gaussian mixture model*” OR “Gaussian mixture regression” OR “Random process tree” OR “AdaBoost” OR “confusion matrix” OR “Fuzzy C-Means” OR “hierarchical cluster*” OR “autoregressive integrated moving average” OR “multilayer perceptron” OR “multi-layer perceptron” OR “K-Means” OR “spectral cluster*” OR “extremely randomized tree” OR “extremely randomised tree” OR “K-medoid*” OR “spatial cluster*”)).

AND.

((TS=(“Hazard and Operability analysis” OR “Failure mode effects analysis” OR “Failure mode effects and criticality analysis” OR “Risk priority number” OR “Function resonance analysis method” OR “Fault tree” OR “Root cause analysis” OR “common cause failure*” OR “Cognitive reliability and error analysis method” OR “human reliability analysis” OR “preliminary hazard analysis” OR “process hazard assessment” OR “health hazard predict*” OR “state of health estimat*” OR “safety hazard predict*” OR “Event Tree” OR “Fault prognosis” OR “Fault detection and identification” OR “Fault diagnosis” OR “Fault detection” OR “Fault identification” OR “Fault detection and diagnosis” OR “Fault predict*” OR “Fault classification” OR “fault type identification” OR “Fault assessment” OR “Fault mitigation” OR “Fault integrity” OR “Fault propagation” OR “Fault model*” OR “Elimination of fault*” OR “Avoidance of fault*” OR “Tolerance of fault*” OR “Failure

prognosis" OR "Failure detection and identification" OR "Failure diagnosis" OR "Failure detection" OR "Failure identification" OR "Failure detection and diagnosis" OR "Failure predict*" OR "Failure classification" OR "Failure assessment" OR "Failure analysis" OR "failure mode identification" OR "failure modes identification" OR "failure probability" OR "integrity and mitigation of failure*" OR "Failure mitigation" OR "Failure integrity" OR "Analysis of failure mode*" OR "failure model*" OR "Elimination of failure*" OR "Avoidance of failure*" OR "Tolerance of failure*" OR "Mean time between failure" OR "Mean time to failure" OR "functional failure" OR "Unseen failure" OR "failure mode" OR "failure level" OR "Unseen fault" OR "failure event" OR "faulty scenario" OR "fault type" OR "failure probability" OR "failure frequency" OR "potential fault condition*" OR "component failure" OR "sub-system failure" OR "failure rate predict*" OR "failure rate estimat*" OR "failure rate evaluat*" OR "Degradation assessment" OR "Degradation model*" OR "Degradation predict*" OR "Degradation process*" OR "Degradation state" OR "operational degradation" OR "Degradation indicator*" OR "Degradation trend" OR "run-to-failure degradation" OR "Deterioration assessment" OR "Deterioration model*" OR "Deterioration predict*" OR "Deterioration process*" OR "Deterioration state" OR "operational deterioration" OR "Deterioration indicator*" OR "Deterioration trend" OR "Damage assessment" OR "Damage quantification" OR "Damage detection" OR "Damage identification" OR "Consequence model*" OR "deformation monitoring" OR "Consequence analysis" OR "consequence evaluat*" OR "Consequence assessment" OR "Failure probability evaluat*" OR "Failure probability estimat*" OR "Failure probability predict*" OR "Failure probability updat*" OR "risk failure probability" OR "Remaining useful lifetime" OR "Remaining useful life" OR "Remaining useful life time" OR "Remaining useful life-time" OR "life predict*" OR "remaining life predict*" OR "remaining life estimat*" OR "remaining life updat*" OR "remaining life evaluat*" OR "Average useful life" OR "RUL estimat*" OR "RUL predict*" OR "Prognostic and health management" OR "Prognostic & health management" OR "Prognostics and health management" OR "Prognostics and health management" OR "health assessment" OR "health monitor*" OR "health index construction" OR "health state identification" OR "state of health identification" OR "health status" OR "health state" OR "health indicator" OR "health image" OR "health condition" OR "health index" OR "Reliability Assessment" OR "Reliability analysis" OR "Reliability updat*" OR "Reliability evaluat*" OR "Reliability estimat*" OR "Reliability measur*" OR "Reliability monitor*" OR "Reliability predict*" OR "Reliability life design" OR "updating reliability" OR "Reliability model*" OR "Reliability management" OR "Reliability distribution" OR "reliability design" OR "survival analysis" OR "Risk Assessment" OR "Risk analysis" OR "Risk updat*" OR "Risk evaluat*" OR "Risk estimat*" OR "Risk measur*" OR "Risk monitor*" OR "Risk predict*" OR "risk management" OR "Dynamic risk assessment" OR "Probabilistic risk assessment" OR "Risk indicator" OR "Risk factor" OR "assessing evolving risk" OR "Quantitative risk assessment" OR "safety risk" OR "Risk mitigation" OR "risk and reliability analysis" OR "risk and reliability assessment" OR "updating risk" OR "risk warning" OR "risk correlation analysis" OR "risk reduction" OR "risk prevent*" OR "preventing risk" OR "prevent risk" OR "predictive risk analytics" OR "risk model*" OR "risk event" OR "risk source" OR "emerging risk" OR "Safety Assessment" OR "Safety analysis" OR "Safety updat*" OR "Safety evaluat*" OR "Safety estimat*" OR "Safety measur*" OR "Safety monitor*" OR "Safety predict*" OR "Safety management" OR "Safety and reliability analysis" OR "Safety and reliability assessment" OR "updating safety" OR "Safety warning" OR "predictive Safety analytics" OR "Safety model*" OR "safety design" OR "preventive safety" OR "safe and reliable service*" OR "safe and reliable operation*" OR "safe and desired behavior" OR "safe and desired behaviour" OR "safety education and training" OR "safety-management strateg*" OR "safety-management polic*" OR "safety performance" OR "safety standards development" OR "Resilience Assessment" OR "Resilience analysis" OR "Resilience updat*" OR "Resilience evaluat*" OR "Resilience estimat*"

OR "Resilience measur*" OR "Resilience monitor*" OR "Resilience predict*" OR "Resilience management" OR "Resilience and reliability analysis" OR "Resilience and reliability assessment" OR "updating resilience" OR "Resilience model*" OR "resilience design" OR "management of resilience" OR "Emergency planning" OR "Emergency evaluation" OR "Predictive maintenance" OR "Preventive maintenance" OR "condition-based maintenance" OR "condition based maintenance" OR "prognostic maintenance" OR "risk-based maintenance" OR "risk based maintenance" OR "maintenance plan*" OR "maintenance decision-making" OR "operation and maintenance" OR "inspection plan*" OR "risk-based inspection" OR "intelligent maintenance" OR "smart maintenance" OR "maintenance 4.0" OR "selective maintenance" OR "maintenance selection" OR "maintenance optim*" OR "proactive maintenance" OR "maintenance scheduling" OR "maintenance schedule" OR "opportunistic maintenance" OR "defect inspection" OR "condition monitoring" OR "condition-based monitoring" OR "predictive monitoring" OR "intelligent monitoring" OR "Intelligent diagnosis" OR "Intelligent diagnostic" OR "Diagnosis model*" OR "predictive statistic*" OR "reliability parameter estimat*" OR "reliability parameter evaluat*" OR "reliability parameter predict*" OR "anomaly detect*" OR "abnormal condition detect*" OR "anomaly predict*" OR "abnormal condition predict*" OR "vulnerability model*" OR "vulnerability management" OR "integrity evaluat*" OR "Integrity management" OR "Availability Assessment" OR "Availability analysis" OR "Availability updat*" OR "Availability evaluat*" OR "Availability estimat*" OR "Availability measur*" OR "Availability monitor*" OR "Availability predict*" OR "updating Availability" OR "Availability model*").

AND.

TS=("Chemical process*" OR "battery" OR "batteries" OR "petrochemical industry" OR "Petrochemical process*" OR "Chemical industry" OR "reinforced concrete" OR "aircraft" OR "engine" OR "engines" OR "motor" OR "motors" OR "oil pipeline*" OR "gas pipeline*" OR "buried pipeline*" OR "corroded oil" OR "drilling operation" OR "corroded pipeline*" OR "construction site" OR "industrial plant*" OR "engineering system*" OR "safety-critical asset*" OR "safety-critical application*" OR "bearing*" OR "landslide" OR "slope stability" OR "open-pit mine dump" OR "pavement" OR "lithium-ion batteries" OR "mechatronic system*" OR "Electro-hydrostatic actuator" OR "multi-state system*" OR "multi state system*" OR "gas leak*" OR "process system engineering" OR "tunnelling excavation" OR "civil engineering" OR "industrial application" OR "Infrastructure system*" OR "steel rebar and concrete" OR "process operation*" OR "Pipeline leak*" OR "gearbox*" OR "lifting operation*" OR "belt conveyor" OR "braking system*" OR "high-speed train" OR "Drilling and blasting operation" OR "turbine disk" OR "railway" OR "Blast-induced rockfall" OR "industrial product" OR "pump" OR "compressor" OR "power plant*" OR "ship*" OR "autonomous ship*" OR "oil spill*" OR "casting molding process" OR "Casting moulding process" OR "safety-critical operation*" OR "Oil and gas industry" OR "Oil & gas industry" OR "industrial sector" OR "power distribution" OR "industrial control system*" OR "bolted connection*" OR "Coal and gas outburst" OR "coal mine" OR "corroded beam" OR "crude oil" OR "natural gas" OR "pump" OR "critical component" OR "aviation" OR "object strike" OR "offshore platform*" OR "off-shore platform*" OR "off shore platform*" OR "onshore platform*" OR "on-shore platform*" OR "on shore platform*" OR "turbine" OR "C-MAPSS" OR "Nuclear plant*" OR "Industrial engineering" OR "process industry" OR "process industries" OR "coal burst" OR "seismic event" OR "burst hazardous area*" OR "burst hazardous zone*" OR "mechanical system*" OR "mechanical equipment" OR "nuclear power plant*" OR "complex physical system*" OR "Passive safety system*" OR "socio-technical system*" OR "sociotechnical system*" OR "cyberphysical system*" OR "cyber-physical system*" OR "multi-component system*" OR "unattended machinery plant*" OR "high-value asset*" OR "Autonomous shipping" OR "Autonomous vessel" OR "Vessel" OR "autonomous navigation" OR "water supply network" OR "aero-propulsion system*" OR "aero propulsion system*" OR "offshore wind asset" OR "flip chip" OR

“weld” OR “industrial equipment” OR “industrial system” OR “complex system” OR “Industrial process” OR “continuous miner” OR “oil and gas operation” OR “oil & gas operation” OR “chemical accident” OR “chemical incident” OR “process incident” OR “process accident” OR “explosion” OR “jet fire” OR “jet-fire” OR “flame propagation” OR “flat slab” OR “confined space accident” OR “gas operation” OR “air traffic” OR “trucks” OR “falling object” OR “impact loading” OR “train incident” OR “train accident” OR “rail incident” OR “rail accident” OR “crack propagation” OR “hazardous material” OR “hazardous substance” OR “fuel leak” OR “safety-critical system” OR “safety valve” OR “ship navigation” OR “collision avoidance” OR “ship collision” OR “flammable liquid” OR “transportation” OR “autonomous vehicle” OR “power system” OR “turbofan” OR “human error” OR “railroad” OR “rail” OR “unmanned aerial vehicle” OR “bridge” OR “ferry” OR “ferries” OR “crack detection” OR “machinery” OR “dam” OR “inverter drive”)).

OR

TS=(“Flight safety” OR “structural reliability” OR “structural health monitoring” OR “Crane safety” OR “Drilling safety” OR “Pipeline monitoring” OR “pipeline safety” OR “ship risk profile” OR “ship detention risk” OR “safety of pipeline” OR “grounding risk” OR “aviation safety” OR “airline safety” OR “system safety” OR “maritime safety” OR “process safety” OR “fire safety” OR “fire risk assessment” OR “fire and explosion risk” OR “power system reliability” OR “Infrastructure resilience” OR “maritime risk assessment” OR “navigation safety” OR “chemical process fault diagnosis” OR “power outage estimate” OR “power outage predict” OR “operational safety” OR “ship collision risk” OR “ship safety” OR “aircraft damage model” OR “system resilience” OR “ship behavior predict” OR “ship behaviour predict” OR “physical training safety” OR “engineering safety” OR “safe and efficient navigation” OR “pipeline reliability” OR “leak identification” OR “leak detect” OR “kick detect” OR “corrosion analysis” OR “system operational reliability” OR “asset reliability” OR “operation risk” OR “socio-technical system risk” OR “socio-technical system resilience” OR “socio-technical system reliability” OR “structural damage detect” OR “pipe breaks detect” OR “pipe break detect” OR “fire status predict” OR “explosibility predict” OR “minimum ignition energy predict” OR “seismic risk” OR “construction safety” OR “structural integrity” OR “structural deterioration” OR “structural degradation” OR “air traffic safety” OR “air traffic management safety” OR “prediction of injury risk” OR “prediction of injury severity” OR “oil and gas safety” OR “oil & gas safety” OR “oil and gas reliability” OR “oil & gas reliability” OR “oil and gas risk” OR “oil & gas risk” OR “leak risk” OR “rail wear analysis” OR “wear behavior predict” OR “wear behaviour predict” OR “pipe failure predict” OR “pipe deterioration” OR “pipe degradation” OR “pipeline risk” OR “corrosion predict” OR “fatigue predict” OR “prediction of incident outcome” OR “human reliability” OR “human unreliability” OR “human error rate prediction” OR “human error identification” OR “equipment degradation” OR “equipment failure” OR “failure pressure detect” OR “shutdown pressure detect” OR “asset integrity management” OR “asset integrity evaluation” OR “asset integrity and reliability” OR “structural damage diagnosis”)).

NOT TS=(“Drug” OR “Water quality” OR “Coastal water” OR “nano-hybrid” OR “ionic liquid” OR “dissolved solid” OR “air quality” OR “greenhouse gas emission” OR “sentiment” OR “sentimental analysis” OR “salinity” OR “finance” OR “financial security” OR “financial risk” OR “mobility optim” OR “organic pollutant” OR “healthcare” OR “health care” OR “patient” OR “patient safety” OR “epidemiological” OR “PM2.5 concentration” OR “pollution” OR “dissolved oxygen” OR “heart” OR “tissue” OR “dissolved oxygen” OR “epidemic” OR “Covid-19 outbreak” OR “infection” OR “environmental assessment” OR “sport” OR “ski” OR “avalanche” OR “touring region” OR “pH value” OR “chromium” OR “medical” OR “doctor” OR “waste sorting” OR “waste management” OR “wastewater characteristic” OR “food” OR “food security” OR “public health” OR “fluid rheology” OR “stringent effluent” OR “health protection” OR “contaminant” OR

“contamination” OR “climate” OR “interference coordination” OR “cellular” OR “physiolog” OR “psycholog” OR “eye” OR “hygiene” OR “molecular” OR “molecule” OR “immune system” OR “medicinal” OR “surgical care” OR “surgeon” OR “hospital” OR “wound” OR “bitten” OR “poison” OR “health service” OR “suspended solid” OR “microscopy” OR “ergonomics and environmental hygiene” OR “stereoscopic” OR “Reputation” OR “Whatsapp” OR “facebook” OR “twitter” OR “viber” OR “wechat” OR “sms” OR “messenger” OR “windows live message” OR “Cryptography” OR “animal” OR “insect” OR “dog” OR “horse” OR “sex” OR “female” OR “male” OR “child” OR “spouse” OR “partner” OR “employment contract” OR “employee age” OR “Athlete” OR “respiratory” OR “ventilation” OR “oxygen pulse” OR “O2P” OR “VO2max” OR “maximum oxygen” OR “Photocatalytic” OR “occupational safety” OR “occupational health” OR “occupational risk” OR “occupational injur” OR “occupational health and safety” OR “occupational accident” OR “occupational incident” OR “occupational fatality” OR “occupational ergonomics” OR “occupational stress” OR “occupational therapy” OR “occupational fall” OR “personnel safety” OR “workplace safety” OR “Personnel protective equipment” OR “falling from height” OR “fall prevention” OR “job safety” OR “fall injur” OR “fall-related injur” OR “job safety” OR “work accident” OR “work incident” OR “fatigue causal network” OR “brain” OR “tumor” OR “cancer” OR “stock” OR “attack detection” OR “glucose” OR “diabetes” OR “blood” OR “photoplethysmography” OR “electrocardiography” OR “crowdsourcing” OR “crowdsourcing” OR “employees’ opinion” OR “radiomic” OR “radiological” OR “radiology” OR “veterinary” OR “dopamine” OR “cranial” OR “dorsal” OR “cortex” OR “adult” OR “cash flow” OR “bank” OR “cash management” OR “financial time series” OR “obesity” OR “obese” OR “biomarker” OR “genome” OR “disease” OR “price predict” OR “vehicle sale” OR “vehicle transaction” OR “medicine” OR “energy forecast” OR “weather forecast” OR “solar forecast” OR “licence plate” OR “drowsiness detect” OR “electrocardiogram” OR “indoor surveillance” OR “sepsis” OR “clinical” OR “clinician” OR “e-commerce” OR “traffic prediction” OR “train delay” OR “trains delay” OR “botanic” OR “olive oil” OR “cultivar” OR “security surveillance” OR “person identification” OR “person re-identification” OR “water body” OR “water bodies” OR “land cover” OR “load forecast” OR “collection risk” OR “supply chain” OR “insider threat” OR “forensic investigation” OR “crime” OR “surveillance video” OR “video surveillance” OR “vehicle identification” OR “vehicle re-identification” OR “pose estimat” OR “object pose” OR “geological target” OR “email” OR “e-mail” OR “spam email” OR “ham email” OR “spam detect” OR “spam filter” OR “intrusion detect” OR “in-vehicle intrusion” OR “crop” OR “maize” OR “corn” OR “vehicle count” OR “materials discovery” OR “material discovery” OR “discovery of new material” OR “financial stability” OR “market uncertainty” OR “leaf phenology” OR “forest tree” OR “forest ecosystem” OR “ecosystem process” OR “vegetation” OR “biophysical” OR “beech” OR “adversarial attack” OR “energy management” OR “exhaust pollutant” OR “pollutant predict” OR “departure time” OR “delay predict” OR “work video” OR “location awareness” OR “environmental modelling” OR “environmental modelling” OR “visual scene” OR “visual perception” OR “speech” OR “speaker” OR “travel information” OR “consensus of multi-agent system” OR “consensus in multi-agent system” OR “turbulence modeling” OR “turbulence modelling” OR “human activity recognition” OR “building energy prediction” OR “peak power demand” OR “Vehicle recognition” OR “vehicle tracking” OR “vehicle-tracking” OR “person identification” OR “finger-vein” OR “building energy use” OR “secure transmission” OR “wind forecasting” OR “wind power” OR “wind energy” OR “power curve monitoring” OR “theft detection” OR “electricity theft” OR “distributed denial of service” OR “road user” OR “road crash” OR “road user behaviour” OR “road user behavior” OR “automobile crash” OR “car crash” OR “driver fatigue” OR “Pedestrian-vehicle interaction” OR “vehicular traffic” OR “harsh driving” OR “wildfire” OR “traffic accident” OR “fatal accident” OR “human fatigue” OR “near crash” OR “driver behavior” OR “driver behaviour” OR

“traffic injur*” OR “crash injur*” OR “traffic crash*” OR “vehicle crash test” OR “Road safety” OR “Road user safety” OR “behavior-based safety” OR “behaviour-based safety” OR “crash risk” OR “crash prevent*” OR “crash predict*” OR “crash detect*” OR “crash prediction and detection” OR “crash mitigation” OR “traffic injury severity predict*” OR “Target tracking” OR “forest health monitoring” OR “foliar sampling” OR “crown loss estimat*” OR “bioremediation” OR “toluene” OR “fungi” OR “biological waste” OR “CO2 solubility” OR “gas solubility” OR “Aqueous NaCl solutions” OR “carbon dioxide-water” OR “vapor–liquid equilibria” OR “energy modelling” OR “energy modeling” OR “energy planning” OR “workplace accident*” OR “fraud detect*” OR “role engineering” OR “role mining” OR “earth magnetic field” OR “document layout analysis” OR “saturation line forecasting” OR “workers’ unsafe action*” OR “marine fauna” OR “fish” OR “sea trial*” OR “surveillance system” OR “trespass*” OR “suicide” OR “voice recognition” OR “teaching” OR “pedagogy” OR “STEM education” OR “encrypted data” OR “compressed data” OR “data leak” OR “crowd activity” OR “crowd activities” OR “bone*” OR “knee joint*” OR “orthopaedic” OR “cruciate ligament*” OR “ozonation” OR “Mesoporous Fe3O4/graphene oxide” OR “nanohybrid” OR “land degradation” OR “social capital” OR “degraded landscape*” OR “desertification” OR “livelihoods” OR “forest fire” OR “cloud workload predict*” OR “licensed assisted access” OR “licensed-assisted access” OR “unlicensed” OR “flood risk analysis” OR “flash flood susceptibility” OR “electron” OR “electrons” OR “indoor safety” OR “indoor security” OR “price forecast*” OR “insurance price” OR “insurance pricing” OR “vehicle insurance” OR “pricing strategy” OR “pricing strategies” OR “traffic sign” OR “traffic signs” OR “price risk” OR “crude oil price” OR “apiarist” OR “apiarists” OR “bee swarming” OR “quantitative finance” OR “facial skin” OR “fever” OR “object detect*” OR “Android app” OR “Android apps” OR “logic bomb*” OR “DNA” OR “biological” OR “cytotoxicity” OR “nanoparticles” OR “submicroscopic particles” OR “sub-microscopic particles” OR “financial distress model” OR “smart city” OR “smart cities” OR “psychophysiological” OR “biosensor” OR “biosensors” OR “alien plant” OR “alien plants”).

References

- Abaei, M.M., Hekkenberg, R., BahooToroody, A., 2021. A multinomial process tree for reliability assessment of machinery in autonomous ships. *Reliab. Eng. Syst. Saf.* 210, 107484.
- Abdeljaber, O., Avci, O., Kiranyaz, S., Gabbouj, M., Inman, D.J., 2017. Real-time vibration-based structural damage detection using one-dimensional convolutional neural networks. *J. Sound Vib.* 388, 154–170.
- Ahmed, S.F., et al., 2023. Deep learning modelling techniques: current progress, applications, advantages, and challenges. *Artif. Intell. Rev.* 1–97.
- Ali, L., Alnajjar, F., Khan, W., Serhani, M.A., Al Jassmi, H., 2022. Bibliometric analysis and review of deep learning-based crack detection literature published between 2010 and 2022. *Buildings* 12 (4), 432.
- Ali, J.B., Fnaiech, N., Saidi, L., Chebel-Morello, B., Fnaiech, F., 2015. Application of empirical mode decomposition and artificial neural network for automatic bearing fault diagnosis based on vibration signals. *Appl. Acoust.* 89, 16–27.
- Andrews, J., Tolo, S., 2023. Dynamic and dependent tree theory (D2T2): a framework for the analysis of fault trees with dependent basic events. *Reliab. Eng. Syst. Saf.* 230, 108959.
- Arena, S., Florian, E., Zennaro, I., Orrù, P.F., Sgarbossa, F., 2022. A novel decision support system for managing predictive maintenance strategies based on machine learning approaches. *Saf. Sci.* 146, 105529.
- Azimi, M., Eslamlou, A.D., Pekcan, G., 2020. Data-driven structural health monitoring and damage detection through deep learning: state-of-the-art review. *Sensors* 20 (10), 2778.
- BahooToroody, A., Abaei, M.M., Banda, O.V., Kujala, P., De Carlo, F., Abbassi, R., 2022. Prognostic health management of repairable ship systems through different autonomy degree; from current condition to fully autonomous ship. *Reliab. Eng. Syst. Saf.* 221, 108355.
- Banabilah, S., Aloqaily, M., Alsayed, E., Malik, N., Jararweh, Y., 2022. Federated learning review: fundamentals, enabling technologies, and future applications. *Inf. Process. Manag.* 59 (6), 103061.
- Bellini, A., Filippetti, F., Tassoni, C., Capolino, G.-A., 2008. Advances in diagnostic techniques for induction machines. *IEEE Trans. Ind. Electron.* 55 (12), 4109–4126.
- Belter, C.W., Seidel, D.J., 2013. A bibliometric analysis of climate engineering research. *Wiley Interdiscip. Rev. Clim. Chang.* 4 (5), 417–427.
- Bin, G.F., Gao, J.J., Li, X.J., Dhillon, B.S., 2012. Early fault diagnosis of rotating machinery based on wavelet packets—empirical mode decomposition feature extraction and neural network. *Mech. Syst. Sig. Process.* 27, 696–711.
- Blatman, G., Sudret, B., 2010. An adaptive algorithm to build up sparse polynomial chaos expansions for stochastic finite element analysis. *Probab. Eng. Mech.* 25 (2), 183–197.
- Catelani, M., Ciani, L., Venzi, M., 2018. Failure modes, mechanisms and effect analysis on temperature redundant sensor stage. *Reliab. Eng. Syst. Saf.* 180, 425–433.
- Cha, Y.-J., Choi, W., Suh, G., Mahmoudkhani, S., Büyükköztürk, O., 2018. Autonomous structural visual inspection using region-based deep learning for detecting multiple damage types. *Comput. Aid. Civ. Inf. Eng.* 33 (9), 731–747.
- Che, C., Wang, H., Ni, X., Fu, Q., 2020. Domain adaptive deep belief network for rolling bearing fault diagnosis. *Comput. Ind. Eng.* 143, 106427.
- Chellappandi, P., Vijayakumar, C.S., 2018. Bibliometrics, scientometrics, webometrics/cybermetrics, informetrics and altmetrics—an emerging field in library and information science research. *Shanlax Int. J. Educ.* 7 (1), 5–8.
- Chen, L., Aihara, K., 1995. Chaotic simulated annealing by a neural network model with transient chaos. *Neural Netw.* 8 (6), 915–930.
- Chen, P., Huang, Y., Mou, J., Van Gelder, P., 2019. Probabilistic risk analysis for ship-ship collision: state-of-the-art. *Saf. Sci.* 117, 108–122.
- Chen, J., Jing, H., Chang, Y., Liu, Q., 2019. Gated recurrent unit based recurrent neural network for remaining useful life prediction of nonlinear deterioration process. *Reliab. Eng. Syst. Saf.* 185, 372–382.
- Chen, Z., Li, W., 2017. Multisensor feature fusion for bearing fault diagnosis using sparse autoencoder and deep belief network. *IEEE Trans. Instrum. Meas.* 66 (7), 1693–1702.
- Chen, J., Li, D., Huang, R., Chen, Z., Li, W., 2023. Aero-engine remaining useful life prediction method with self-adaptive multimodal data fusion and cluster-ensemble transfer regression. *Reliab. Eng. Syst. Saf.* 234, 109151.
- Cheng, K., Lu, Z., 2021. Adaptive Bayesian support vector regression model for structural reliability analysis. *Reliab. Eng. Syst. Saf.* 206, 107286.
- Choudhary, A., Mian, T., Fatima, S., 2021. Convolutional neural network based bearing fault diagnosis of rotating machine using thermal images. *Measurement* 176, 109196.
- Cui, M., Wang, Y., Lin, X., Zhong, M., 2020. Fault diagnosis of rolling bearings based on an improved stack autoencoder and support vector machine. *IEEE Sens. J.* 21 (4), 4927–4937.
- Dimiduk, D.M., Holm, E.A., Niezgoda, S.R., 2018. Perspectives on the impact of machine learning, deep learning, and artificial intelligence on materials, processes, and structures engineering. *Integr. Mater. Manuf. Innov.* 7, 157–172.
- Fecarotti, C., Andrews, J., Pesenti, R., 2021. A mathematical programming model to select maintenance strategies in railway networks. *Reliab. Eng. Syst. Saf.* 216, 107940.
- Fernandes, M., Corchado, J.M., Marreiros, G., 2022. Machine learning techniques applied to mechanical fault diagnosis and fault prognosis in the context of real industrial manufacturing use-cases: a systematic literature review. *Appl. Intell.* 52 (12), 14246–14280.
- Fink, O., Zio, E., Weidmann, U., 2014. Predicting component reliability and level of degradation with complex-valued neural networks. *Reliab. Eng. Syst. Saf.* 121, 198–206.
- Flah, M., Nunez, I., Ben Chaabene, W., Nehdi, M.L., 2021. Machine learning algorithms in civil structural health monitoring: a systematic review. *Arch. Comput. Meth. Eng.* 28, 2621–2643.
- Gan, M., Wang, C., et al., 2016. Construction of hierarchical diagnosis network based on deep learning and its application in the fault pattern recognition of rolling element bearings. *Mech. Syst. Sig. Process.* 72, 92–104.
- Garnier, P., Viquerat, J., Rabault, J., Larcher, A., Kuhnle, A., Hachem, E., 2021. A review on deep reinforcement learning for fluid mechanics. *Comput. Fluids* 225, 104973.
- Gebraeel, N., Lawley, M., Liu, R., Parmeshwaran, V., 2004. Residual life predictions from vibration-based degradation signals: a neural network approach. *IEEE Trans. Ind. Electron.* 51 (3), 694–700.
- Gomez, H., Kavzoglu, T., 2005. Assessment of shallow landslide susceptibility using artificial neural networks in Jabonosa River Basin, Venezuela. *Eng. Geol.* 78 (1–2), 11–27.
- Gu, Y.-K., Zhou, X.-Q., Yu, D.-P., Shen, Y.-J., 2018. Fault diagnosis method of rolling bearing using principal component analysis and support vector machine. *J. Mech. Sci. Technol.* 32, 5079–5088.
- Guo, L., Li, N., Jia, F., Lei, Y., Lin, J., 2017. A recurrent neural network based health indicator for remaining useful life prediction of bearings. *Neurocomputing* 240, 98–109.
- Guo, L., Lei, Y., Xing, S., Yan, T., Li, N., 2018. Deep convolutional transfer learning network: a new method for intelligent fault diagnosis of machines with unlabeled data. *IEEE Trans. Ind. Electron.* 66 (9), 7316–7325.
- Habbouche, H., Amirat, Y., Benkedjouh, T., Benbouzid, M., 2021. Bearing fault event-triggered diagnosis using a variational mode decomposition-based machine learning approach. *IEEE Trans. Energy Convers.* 37 (1), 466–474.
- Haghani, M., Behnood, A., Oviedo-Trespalacios, O., Bliemer, M.C., 2021. Structural anatomy and temporal trends of road accident research: full-scope analyses of the field. *J. Saf. Res.* 79, 173–198.
- Haghani, M., Bliemer, M.C., 2020. Covid-19 pandemic and the unprecedented mobilisation of scholarly efforts prompted by a health crisis: Scientometric comparisons across SARS, MERS and 2019-nCoV literature. *Scientometrics* 125, 2695–2726.
- Haghani, M., Kuligowski, E., Rajabifard, A., Kolden, C.A., 2022. The state of wildfire and bushfire science: temporal trends, research divisions and knowledge gaps. *Saf. Sci.* 153, 105797.

- Han, T., Li, Y.-F., 2022. Out-of-distribution detection-assisted trustworthy machinery fault diagnosis approach with uncertainty-aware deep ensembles. *Reliab. Eng. Syst. Saf.* 226, 108648.
- Hao, S., Ge, F.-X., Li, Y., Jiang, J., 2020. Multisensor bearing fault diagnosis based on one-dimensional convolutional long short-term memory networks. *Measurement* 159, 107802.
- He, M., He, D., 2017. Deep learning based approach for bearing fault diagnosis. *IEEE Trans. Ind. Appl.* 53 (3), 3057–3065.
- Hegde, J., Rokseth, B., 2020. Applications of machine learning methods for engineering risk assessment—a review. *Saf. Sci.* 122, 104492.
- Hoang, D.-T., Kang, H.-J., 2019. A survey on deep learning based bearing fault diagnosis. *Neurocomputing* 335, 327–335.
- Hu, T., Guo, Y., Gu, L., Zhou, Y., Zhang, Z., Zhou, Z., 2022. Remaining useful life prediction of bearings under different working conditions using a deep feature disentanglement based transfer learning method. *Reliab. Eng. Syst. Saf.* 219, 108265.
- Hu, X., Jiang, J., Cao, D., Egardt, B., 2015. Battery health prognosis for electric vehicles using sample entropy and sparse Bayesian predictive modeling. *IEEE Trans. Ind. Electron.* 63 (4), 2645–2656.
- Huang, R., Xi, L., Li, X., Liu, C.R., Qiu, H., Lee, J., 2007. Residual life predictions for ball bearings based on self-organizing map and back propagation neural network methods. *Mech. Syst. Sig. Process.* 21 (1), 193–207.
- Huang, J., You, J.-X., Liu, H.-C., Song, M.-S., 2020. Failure mode and effect analysis improvement: a systematic literature review and future research agenda. *Reliab. Eng. Syst. Saf.* 199, 106885.
- Ince, T., Kiranyaz, S., Eren, L., Askar, M., Gabbouj, M., 2016. Real-time motor fault detection by 1-D convolutional neural networks. *IEEE Trans. Ind. Electron.* 63 (11), 7067–7075.
- Isermann, R., 2005. Model-based fault-detection and diagnosis—status and applications. *Annu. Rev. Control.* 29 (1), 71–85.
- Janssens, O., et al., 2016. Convolutional neural network based fault detection for rotating machinery. *J. Sound Vib.* 377, 331–345.
- Jia, F., Lei, Y., Lin, J., Zhou, X., Lu, N., 2016. Deep neural networks: a promising tool for fault characteristic mining and intelligent diagnosis of rotating machinery with massive data. *Mech. Syst. Sig. Process.* 72, 303–315.
- Jia, F., Lei, Y., Guo, L., Lin, J., Xing, S., 2018. A neural network constructed by deep learning technique and its application to intelligent fault diagnosis of machines. *Neurocomputing* 272, 619–628.
- Jia, F., Lei, Y., Lu, N., Xing, S., 2018. Deep normalized convolutional neural network for imbalanced fault classification of machinery and its understanding via visualization. *Mech. Syst. Sig. Process.* 110, 349–367.
- Jiang, G., He, H., Yan, J., Xie, P., 2018. Multiscale convolutional neural networks for fault diagnosis of wind turbine gearbox. *IEEE Trans. Ind. Electron.* 66 (4), 3196–3207.
- Kadlec, P., Grbić, R., Gabrys, B., 2011. Review of adaptation mechanisms for data-driven soft sensors. *Comput. Chem. Eng.* 35 (1), 1–24.
- Kamat, P., Sugandhi, R., 2020. Bibliometric analysis of bearing fault detection using artificial intelligence. *Libr. Philos. Pract.* 1–21.
- Kankar, P.K., Sharma, S.C., Harsha, S.P., 2011. Fault diagnosis of ball bearings using continuous wavelet transform. *Appl. Soft Comput.* 11 (2), 2300–2312.
- Khan, S., Yairi, T., 2018. A review on the application of deep learning in system health management. *Mech. Syst. Sig. Process.* 107, 241–265.
- Khan, I., Zhang, X., Rehman, M., Ali, R., 2020. A literature survey and empirical study of meta-learning for classifier selection. *IEEE Access* 8, 10262–10281.
- Kim, K., Parthasarathy, G., Uluyol, O., Foslien, W., Sheng, S., Fleming, P., 2011. Use of SCADA data for failure detection in wind turbines. *Energy Sust.* 2071–2079.
- Konar, P., Chattopadhyay, P., 2011. Bearing fault detection of induction motor using wavelet and Support Vector Machines (SVMs). *Appl. Soft Comput.* 11 (6), 4203–4211.
- Kumar, S., Pandey, N., Lim, W.M., Chatterjee, A.N., Pandey, N., 2021. What do we know about transfer pricing? Insights from bibliometric analysis. *J. Bus. Res.* 134, 275–287.
- Lai, X., Deng, C., Tang, X., Gao, F., Han, X., Zheng, Y., 2022. Soft clustering of retired lithium-ion batteries for the secondary utilization using Gaussian mixture model based on electrochemical impedance spectroscopy. *J. Clean. Prod.* 339, 130786.
- Leahy, K., Hu, R.L., Konstantakopoulos, I.C., Spanos, C.J., Agogino, A.M., 2016. Diagnosing wind turbine faults using machine learning techniques applied to operational data. *IEEE international conference on prognostics and health management (icphm)*. *IEEE* 2016, 1–8.
- Lei, Y., Jia, F., Lin, J., Xing, S., Ding, S.X., 2016. An intelligent fault diagnosis method using unsupervised feature learning towards mechanical big data. *IEEE Trans. Ind. Electron.* 63 (5), 3137–3147.
- Lei, Y., Yang, B., Jiang, X., Jia, F., Li, N., Nandi, A.K., 2020. Applications of machine learning to machine fault diagnosis: a review and roadmap. *Mech. Syst. Sig. Process.* 138, 106587.
- Leoni, L., BahooToroody, A., De Carlo, F., Paltrinieri, N., 2019. Developing a risk-based maintenance model for a natural gas regulating and metering station using Bayesian network. *J. Loss Prev. Process Ind.* 57, 17–24.
- Leoni, L., De Carlo, F., Abaei, M.M., BahooToroody, A., Tucci, M., 2023. Failure diagnosis of a compressor subjected to surge events: a data-driven framework. *Reliab. Eng. Syst. Saf.* 109107.
- Li, B., Chow, M.-Y., Tipsuwan, Y., Hung, J.C., 2000. Neural-network-based motor rolling bearing fault diagnosis. *IEEE Trans. Ind. Electron.* 47 (5), 1060–1069.
- Li, X., Ding, Q., Sun, J.-Q., 2018. Remaining useful life estimation in prognostics using deep convolution neural networks. *Reliab. Eng. Syst. Saf.* 172, 1–11.
- Li, L., Fan, Y., Tse, M., Lin, K.-Y., 2020. A review of applications in federated learning. *Comput. Ind. Eng.* 149, 106854.
- Li, Y., Xu, Z., Wang, X., Wang, X., 2020. A bibliometric analysis on deep learning during 2007–2019. *Int. J. Mach. Learn. Cybern.* 11, 2807–2826.
- Li, D., Zhang, Z., Liu, P., Wang, Z., Zhang, L., 2020. Battery fault diagnosis for electric vehicles based on voltage abnormality by combining the long short-term memory neural network and the equivalent circuit model. *IEEE Trans. Power Electron.* 36 (2), 1303–1315.
- Li, T., Zhou, Z., Li, S., Sun, C., Yan, R., Chen, X., 2022. The emerging graph neural networks for intelligent fault diagnostics and prognostics: a guideline and a benchmark study. *Mech. Syst. Sig. Process.* 168, 108653.
- Lin, Y., Nie, Z., Ma, H., 2017. Structural damage detection with automatic feature-extraction through deep learning. *Comput. Aided Civ. Inf. Eng.* 32 (12), 1025–1046.
- Liu, S., Fan, L., 2022. An adaptive prediction approach for rolling bearing remaining useful life based on multistage model with three-source variability. *Reliab. Eng. Syst. Saf.* 218, 108182.
- Liu, R., Yang, B., Zio, E., Chen, X., 2018. Artificial intelligence for fault diagnosis of rotating machinery: a review. *Mech. Syst. Sig. Process.* 108, 33–47.
- Lu, H., Li, Y., Mu, S., Wang, D., Kim, H., Serikawa, S., 2017. Motor anomaly detection for unmanned aerial vehicles using reinforcement learning. *IEEE Internet Things J.* 5 (4), 2315–2322.
- Lu, C., Wang, Z.-Y., Qin, W.-L., Ma, J., 2017. Fault diagnosis of rotary machinery components using a stacked denoising autoencoder-based health state identification. *Signal Process.* 130, 377–388.
- Luther, B., Gunawan, I., Nguyen, N., 2023. Identifying effective risk management frameworks for complex socio-technical systems. *Saf. Sci.* 158, 105989.
- Ma, Y., Zhao, S., Wang, W., Li, Y., King, I., 2022. Multimodality in meta-learning: a comprehensive survey. *Knowl.-Based Syst.* 250, 108976.
- Ma, Y., Shan, C., Gao, J., Chen, H., 2023. Multiple health indicators fusion-based health prognostic for lithium-ion battery using transfer learning and hybrid deep learning method. *Reliab. Eng. Syst. Saf.* 229, 108818.
- Malhi, A., Gao, R.X., 2004. PCA-based feature selection scheme for machine defect classification. *IEEE Trans. Instrum. Meas.* 53 (6), 1517–1525.
- Manikandan, S., Durairvelu, K., 2021. Fault diagnosis of various rotating equipment using machine learning approaches—a review. *Proc. Inst. Mech. Eng. Part e: J. Process Mech. Eng.* 235 (2), 629–642.
- Matsuo, Y., et al., 2022. Deep learning, reinforcement learning, and world models. *Neural Netw.* 152, 267–275.
- Mitra, M., Gopalakrishnan, S., 2016. Guided wave based structural health monitoring: a review. *Smart Mater. Struct.* 25 (5), 053001.
- Nagulapati, V.M., Lee, H., Jung, D., Brigljevic, B., Choi, Y., Lim, H., 2021. Capacity estimation of batteries: Influence of training dataset size and diversity on data driven prognostic models. *Reliab. Eng. Syst. Saf.* 216, 108048.
- Nazari, M., Sakhaei, S.M., 2020. Successive variational mode decomposition. *Signal Process.* 174, 107610.
- Nistane, V.M., Harsha, S.P., 2018. Prognosis of degradation progress of ball bearings using supervised machine learning. *Proc. Inst. Mech. Eng. Part k: J. Multi-Body Dyn.* 232 (2), 183–198.
- Nuhic, A., Terzimehic, T., Soczka-Guth, T., Buchholz, M., Dietmayer, K., 2013. Health diagnosis and remaining useful life prognostics of lithium-ion batteries using data-driven methods. *J. Power Sources* 239, 680–688.
- Park, S., Lee, J.-J., Yun, C.-B., Inman, D.J., 2008. Electro-mechanical impedance-based wireless structural health monitoring using PCA-data compression and k-means clustering algorithms. *J. Intell. Mater. Syst. Struct.* 19 (4), 509–520.
- Patriarca, R., et al., 2020. Human reliability analysis: Exploring the intellectual structure of a research field. *Reliab. Eng. Syst. Saf.* 203, 107102.
- Peng, L., Han, G., Pagou, A.L., Shu, J., 2020. Electric submersible pump broken shaft fault diagnosis based on principal component analysis. *J. Pet. Sci. Eng.* 191, 107154.
- Prieto, M.D., Cirrincione, G., Espinosa, A.G., Ortega, J.A., Henao, H., 2012. Bearing fault detection by a novel condition-monitoring scheme based on statistical-time features and neural networks. *IEEE Trans. Ind. Electron.* 60 (8), 3398–3407.
- Qian, G., Liu, J., 2022. Development of deep reinforcement learning-based fault diagnosis method for rotating machinery in nuclear power plants. *Prog. Nucl. Energy* 152, 104401.
- Qin, S.J., 2012. Survey on data-driven industrial process monitoring and diagnosis. *Annu. Rev. Control.* 36 (2), 220–234.
- Rawson, A., Brito, M., Sabour, Z., Tran-Thanh, L., 2021. A machine learning approach for monitoring ship safety in extreme weather events. *Saf. Sci.* 141, 105336.
- Ren, Z., Fang, F., Yan, N., Wu, Y., 2022. State of the art in defect detection based on machine vision. *Int. J. Precis. Eng. Manuf.-Green Technol.* 9 (2), 661–691.
- Ringnér, M., 2008. What is principal component analysis? *Nat. Biotechnol.* 26 (3), 303–304.
- Salehinejad, H., Sankar, S., Barfett, J., Colak, E., Valaee, S., 2017. Recent advances in recurrent neural networks. *arXiv preprint arXiv:1801.01078*.
- Samanta, B., Al-Balushi, K.R., Al-Araimi, S.A., 2003. Artificial neural networks and support vector machines with genetic algorithm for bearing fault detection. *Eng. Appl. Artif. Intel.* 16 (7–8), 657–665.
- Satishkumar, R., Sugumar, V., 2016. Vibration based health assessment of bearings using random forest classifier. *Indian J. Sci. Technol.* 9 (10), 1–6.
- Schismenos, S., Chalaris, M., Stevens, G., 2021. Battery hazards and safety: a scoping review for lead acid and silver-zinc batteries. *Saf. Sci.* 140, 105290.
- Senanayaka, J.S.L., Van Khang, H., Robbersmyr, K.G., 2017. Towards online bearing fault detection using envelope analysis of vibration signal and decision tree classification algorithm. In: 2017 20th International Conference on Electrical Machines and Systems (ICEMS). *IEEE*, pp. 1–6.

- Severson, K.A., et al., 2019. Data-driven prediction of battery cycle life before capacity degradation. *Nat. Energy* 4 (5), 383–391.
- Shao, S., McAleer, S., Yan, R., Baldi, P., 2018. Highly accurate machine fault diagnosis using deep transfer learning. *IEEE Trans. Ind. Inf.* 15 (4), 2446–2455.
- Shi, Z., Chehade, A., 2021. A dual-LSTM framework combining change point detection and remaining useful life prediction. *Reliab. Eng. Syst. Saf.* 205, 107257.
- Slezziak, P., Hlavčová, K., Szolgay, J., 2015. Advantages of a time series analysis using wavelet transform as compared with a fourier analysis. *Slovak J. Civil Eng.* 23 (2), 30–36.
- Soltanali, H., Rohani, A., Abbaspour-Fard, M.H., Parida, A., Farinha, J.T., 2020. Development of a risk-based maintenance decision making approach for automotive production line. *Int. J. Syst. Assur. Eng. Manage.* 11 (1), 236–251.
- Stetco, A., et al., 2019. Machine learning methods for wind turbine condition monitoring: a review. *Renew. Energy* 133, 620–635.
- Stumpf, A., Kerle, N., 2011. Object-oriented mapping of landslides using Random Forests. *Remote Sens. Environ.* 115 (10), 2564–2577.
- Su, M., Peng, H., Li, S., 2021. A visualized bibliometric analysis of mapping research trends of machine learning in engineering (MLE). *Exp. Syst. Appl.* 186, 115728.
- Sun, W., Shao, S., Zhao, R., Yan, R., Zhang, X., Chen, X., 2016. A sparse auto-encoder-based deep neural network approach for induction motor faults classification. *Measurement* 89, 171–178.
- Tamilselvan, P., Wang, P., 2013. Failure diagnosis using deep belief learning based health state classification. *Reliab. Eng. Syst. Saf.* 115, 124–135.
- Tang, T., Yuan, H., 2022. A hybrid approach based on decomposition algorithm and neural network for remaining useful life prediction of lithium-ion battery. *Reliab. Eng. Syst. Saf.* 217, 108082.
- Tavakoli, S., Khojasteh, D., Haghani, M., Hirdaris, S., 2023. A review on the progress and research directions of ocean engineering. *Ocean Eng.* 272, 113617.
- Tuerxun, W., Chang, X., Hongyu, G., Zhijie, J., Huajian, Z., 2021. Fault diagnosis of wind turbines based on a support vector machine optimized by the sparrow search algorithm. *IEEE Access* 9, 69307–69315.
- Van Eck, N.J., Waltman, L., 2007. VOS: a new method for visualizing similarities between objects. In: *Advances in Data Analysis: Proceedings of the 30 th Annual Conference of the Gesellschaft für Klassifikation eV, Freie Universität Berlin, March 8–10, 2006*, Springer, pp. 299–306.
- Van Eck, N., Waltman, L., 2010. Software survey: VOSviewer, a computer program for bibliometric mapping. *Scientometrics* 84 (2), 523–538.
- Waltman, L., Van Eck, N.J., Noyons, E.C., 2010. A unified approach to mapping and clustering of bibliometric networks. *J. Informet.* 4 (4), 629–635.
- Wang, H., Chen, J., Qu, J., Ni, G., 2020. A new approach for safety life prediction of industrial rolling bearing based on state recognition and similarity analysis. *Saf. Sci.* 122, 104530.
- Wang, B., Lei, Y., Li, N., Li, N., 2018. A hybrid prognostics approach for estimating remaining useful life of rolling element bearings. *IEEE Trans. Reliab.* 69 (1), 401–412.
- Wang, L., Li, X., Guo, P., Guo, S., Yang, Z., Pei, P., 2022. Bibliometric analysis of prognostics and health management (PHM) in hydrogen fuel cell engines. *Int. J. Hydrogen Energy*.
- Wang, Y., Yao, Q., Kwok, J.T., Ni, L.M., 2020. Generalizing from a few examples: a survey on few-shot learning. *ACM Comput. Surv. (csur)* 53 (3), 1–34.
- Weiss, K., Khoshgoftar, T.M., Wang, D., 2016. A survey of transfer learning. *J. Big Data* 3 (1), 1–40.
- Wen, L., Gao, L., Li, X., 2017. A new deep transfer learning based on sparse auto-encoder for fault diagnosis. *IEEE Trans. Syst. Man Cybern.: Syst.* 49 (1), 136–144.
- Wen, L., Li, X., Gao, L., Zhang, Y., 2017. A new convolutional neural network-based data-driven fault diagnosis method. *IEEE Trans. Ind. Electron.* 65 (7), 5990–5998.
- Weng, C., Cui, Y., Sun, J., Peng, H., 2013. On-board state of health monitoring of lithium-ion batteries using incremental capacity analysis with support vector regression. *J. Power Sources* 235, 36–44.
- Worrell, C., Luangkesorn, L., Haight, J., Congedo, T., 2019. Machine learning of fire hazard model simulations for use in probabilistic safety assessments at nuclear power plants. *Reliab. Eng. Syst. Saf.* 183, 128–142.
- Wu, J., Chen, X.-Y., Zhang, H., Xiong, L.-D., Lei, H., Deng, S.-H., 2019. Hyperparameter optimization for machine learning models based on Bayesian optimization. *J. Electron. Sci. Technol.* 17 (1), 26–40.
- Wu, C., Sun, K., Xu, Y., Zhang, S., Huang, X., Zeng, S., 2019. Concrete crack detection method based on optical fiber sensing network and microbending principle. *Saf. Sci.* 117, 299–304.
- Wu, Y., Yuan, M., Dong, S., Lin, L., Liu, Y., 2018. Remaining useful life estimation of engineered systems using vanilla LSTM neural networks. *Neurocomputing* 275, 167–179.
- Xia, M., Li, T., Xu, L., Liu, L., De Silva, C.W., 2017. Fault diagnosis for rotating machinery using multiple sensors and convolutional neural networks. *IEEE/ASME Trans. Mechatron.* 23 (1), 101–110.
- Xu, X., Cao, D., Zhou, Y., Gao, J., 2020. Application of neural network algorithm in fault diagnosis of mechanical intelligence. *Mech. Syst. Sig. Process.* 141, 106625.
- Xu, Z., Saleh, J.H., 2021. Machine learning for reliability engineering and safety applications: review of current status and future opportunities. *Reliab. Eng. Syst. Saf.* 211, 107530.
- Yamashita, R., Nishio, M., Do, R.K.G., Togashi, K., 2018. Convolutional neural networks: an overview and application in radiology. *Insights Imag.* 9, 611–629.
- Yang, B., Lei, Y., Jia, F., Xing, S., 2019. An intelligent fault diagnosis approach based on transfer learning from laboratory bearings to locomotive bearings. *Mech. Syst. Sig. Process.* 122, 692–706.
- Yoo, Y., Jung, U.-J., Han, Y.H., Lee, J., 2021. Data augmentation-based prediction of system level performance under model and parameter uncertainties: role of designable generative adversarial networks (DGAN). *Reliab. Eng. Syst. Saf.* 206, 107316.
- Yu, J., Qin, S.J., 2008. Multimode process monitoring with Bayesian inference-based finite Gaussian mixture models. *AIChE J* 54 (7), 1811–1829.
- Zhang, Y., Ji, J., Ma, B., 2020. Fault diagnosis of reciprocating compressor using a novel ensemble empirical mode decomposition-convolutional deep belief network. *Measurement* 156, 107619.
- Zhang, M., Kujala, P., Hirdaris, S., 2022. A machine learning method for the evaluation of ship grounding risk in real operational conditions. *Reliab. Eng. Syst. Saf.* 226, 108697.
- Zhang, X., Liang, Y., Zhou, J., 2015. A novel bearing fault diagnosis model integrated permutation entropy, ensemble empirical mode decomposition and optimized SVM. *Measurement* 69, 164–179.
- Zhang, W., Peng, G., Li, C., Chen, Y., Zhang, Z., 2017. A new deep learning model for fault diagnosis with good anti-noise and domain adaptation ability on raw vibration signals. *Sensors* 17 (2), 425.
- Zhang, W., Li, C., Peng, G., Chen, Y., Zhang, Z., 2018. A deep convolutional neural network with new training methods for bearing fault diagnosis under noisy environment and different working load. *Mech. Syst. Sig. Process.* 100, 439–453.
- Zhang, Y., Xiong, R., He, H., Pecht, M.G., 2018. Long short-term memory recurrent neural network for remaining useful life prediction of lithium-ion batteries. *IEEE Trans. Veh. Technol.* 67 (7), 5695–5705.
- Zhang, Y., Shi, X., Zhang, H., Cao, Y., Terzija, V., 2022. Review on deep learning applications in frequency analysis and control of modern power system. *Int. J. Electr. Power Energy Syst.* 136, 107744.
- Zhang, S., Zhang, S., Wang, B., Habetler, T.G., 2020. Deep learning algorithms for bearing fault diagnostics—a comprehensive review. *IEEE Access* 8, 29857–29881.
- Zhao, R., Wang, D., Yan, R., Mao, K., Shen, F., Wang, J., 2017. Machine health monitoring using local feature-based gated recurrent unit networks. *IEEE Trans. Ind. Electron.* 65 (2), 1539–1548.
- Zhou, Y.-L., Maia, N.M., Sampaio, R.P., Wahab, M.A., 2017. Structural damage detection using transmissibility together with hierarchical clustering analysis and similarity measure. *Struct. Health Monit.* 16 (6), 711–731.
- Zhu, A., Li, X., Mo, Z., Wu, R., 2017. Wind power prediction based on a convolutional neural network. In: *2017 International Conference on Circuits, Devices and Systems (ICCCDS)*. IEEE, pp. 131–135.
- Zhuang, L., Xu, A., Wang, X.-L., 2023. A prognostic driven predictive maintenance framework based on Bayesian deep learning. *Reliab. Eng. Syst. Saf.* 234, 109181.
- Zhuang, F., et al., 2020. A comprehensive survey on transfer learning. In: *Proceedings of the IEEE*, vol. 109, no. 1, pp. 43–76.