
This is an electronic reprint of the original article.
This reprint may differ from the original in pagination and typographic detail.

Do, Dinh Thuan; Nguyen, Minh Sang Van; Jameel, Furqan; Jantti, Riku; Ansari, Imran Shafique

Performance Evaluation of Relay-Aided CR-NOMA for beyond 5G Communications

Published in:
IEEE Access

DOI:
[10.1109/ACCESS.2020.3010842](https://doi.org/10.1109/ACCESS.2020.3010842)

Published: 01/01/2020

Document Version
Publisher's PDF, also known as Version of record

Published under the following license:
CC BY

Please cite the original version:
Do, D. T., Nguyen, M. S. V., Jameel, F., Jantti, R., & Ansari, I. S. (2020). Performance Evaluation of Relay-Aided CR-NOMA for beyond 5G Communications. *IEEE Access*, 8, 134838-134855. Article 9145580.
<https://doi.org/10.1109/ACCESS.2020.3010842>

This material is protected by copyright and other intellectual property rights, and duplication or sale of all or part of any of the repository collections is not permitted, except that material may be duplicated by you for your research use or educational purposes in electronic or print form. You must obtain permission for any other use. Electronic or print copies may not be offered, whether for sale or otherwise to anyone who is not an authorised user.

Received June 28, 2020, accepted July 10, 2020, date of publication July 21, 2020, date of current version July 31, 2020.

Digital Object Identifier 10.1109/ACCESS.2020.3010842

Performance Evaluation of Relay-Aided CR-NOMA for Beyond 5G Communications

DINH-THUAN DO¹, (Senior Member, IEEE), MINH-SANG VAN NGUYEN²,
FURQAN JAMEEL³, RIKU JÄNTTI³, (Senior Member, IEEE),
AND IMRAN SHAFIQUE ANSARI⁴, (Member, IEEE)

¹Wireless Communications Research Group, Faculty of Electrical & Electronics Engineering, Ton Duc Thang University, Ho Chi Minh City 700000, Vietnam

²Faculty of Electronics Technology, Industrial University of Ho Chi Minh City (IUH), Ho Chi Minh City 700000, Vietnam

³Department of Communications and Networking, Aalto University, 02150 Espoo, Finland

⁴James Watt School of Engineering, University of Glasgow, Glasgow G12 8QQ, U.K.

Corresponding author: Dinh-Thuan Do (dodinhthuan@tdtu.edu.vn)

ABSTRACT Non-orthogonal multiple access (NOMA) is considered as one of the most promising technologies to handle the issue of spectrum scarcity in beyond fifth-generation (5G) networks. Integrating NOMA in cognitive radio (CR) network is expected to usher a new era of reliable, seamless, and massive connectivity. In this regard, this work explores the relay selection problem in CR networks when operating in the spectrum sharing model. Specifically, the secondary users (SUs) in the CR-NOMA network opportunistically access the licensed spectrum resources to boost the number of accessible SUs sharing the limited and dynamic spectrum resources. Moreover, to improve the performance of far users, partial relay selection architecture is exploited at full-duplex (FD) and half duplex (HD) relays for both uplink and downlink communications. For in-depth performance evaluation, we provide closed-form expressions of the outage probabilities of the users in FD and HD relay-aided CR-NOMA networks. In addition to this, the analytical expressions of asymptotic outage probabilities and ergodic capacity are also provided which unveils the critical factors affecting the performance of CR-NOMA networks. To validate the derived expressions, extensive simulations are performed that demonstrate the accuracy of analytical expressions for FD and HD relay-aided CR-NOMA networks.

INDEX TERMS Cognitive radio network, full-duplex, relay selection, Non-orthogonal multiple access (NOMA).

I. INTRODUCTION

Non-orthogonal multiple access (NOMA) has attracted increasing interest to make next-generation wireless communication systems come true. Two advantages of NOMA are the massive connectivity and capability of supporting higher spectral efficiency (SE) [1]. Many directions are introduced related to NOMA such as it has drawn significant attention in multiple-antenna systems due to the philosophy of diverse transceivers [2]–[4], in relaying networks [5], [6] in device-to-device (D2D) networks [7], and in downlink and uplink multi-cell networks as well [8]. In principle, during the same time and on the same frequency band simultaneous access is provided to multiple users in NOMA which is different from the traditional orthogonal multiple access (OMA).

The associate editor coordinating the review of this manuscript and approving it for publication was Kai Yang¹.

For example, by using power-domain multiplexing, NOMA exhibits an effective mechanism to serve massive connections. In the context of power-domain NOMA, the superimposed signal is processed at transmitter while successive interference cancellation (SIC) may be employed at the receivers to eliminate the mutual interference among different users [1]. A higher SE and energy efficiency (EE) are basic advantages of such a NOMA network and these characterizations are prominent relative to conventional OMA [8], [9].

A. RELATED WORK

In recent years, a plethora of studies have emerged that show the importance of employing NOMA in wireless networks. In this regard, a NOMA network for cooperative communications is investigated in [10]. In such NOMA networks, amplify and forward (AF) and decode and forward (DF) modes are implemented to provide signal processing at

the relay. This helped in serving the far NOMA users with poor channel quality. In parallel, cognitive radio (CR) has emerged as a spectrum sharing architecture that concerns with enhancing the spectrum utilization by permitting a secondary user (SU) to occupy idle primary user (PU)'s spectrum resource. However, the normal communications of the PU must be guaranteed to isolate disturbance from the SU. The binary detection problem is employed in a situation that performs spectrum sensing from the SU who can sense idle spectrum resources [11], [12]. It is worth noting that the SU can only access the idle channel in the traditional schemes when the absence of the PU is awarded and has to deny signal from the SU if the presence of the PU is confirmed. In many scenarios of CR networks, not only the SU may access the spectrum bands of the PU, but also the interference caused by SUs is tolerable [13]. According to [14], they introduced three techniques including spectrum sharing, opportunistic spectrum access, and sensing-based enhanced spectrum sharing to employ CR in practice.

The combination of NOMA and CR can help in spectrum reuse and open new opportunities to cater to the growing demands of cellular users. The spectrum sharing method has been widely implemented and such technique benefits from its low implementation complexity. In [15]–[17], CR-NOMA is well analyzed to highlight system performance related to spectrum sharing. There is a significant increase in CR-NOMA being implemented in comparison to CR-OMA. Furthermore, a massive number of users can be served as integrating NOMA with CR network will raise its potential in further improving the spectrum efficiency [15], [18], [19]. The authors in [18] considered the impact of users pairing in the proposed CR-NOMA. They indicated that a SU is a user possessing strong channel condition and such SU squeezed into the spectrum owned by the PU user who met the situation of poor channel condition [18]. a special case of the CR system, in this case, is a model of NOMA. The stochastic geometry model is performed in underlay CR in which NOMA users are evaluated in terms of the outage probability as in [15]. The multiple-antenna CR-NOMA network is further examined together with a joint antenna selection problem as in [19].

Some relatively recent studies also investigate the inventive mechanism in cooperative NOMA and CR networks [20], [21]. Others use intermediate relays to improve the performance, e.g., the authors of [22] studied a full-duplex cooperative NOMA system. More specifically, they derived the closed-form expressions for the outage probabilities, ergodic rates, diversity orders, and system throughput in two transmission modes including delay-limited and delay-tolerant transmissions. The authors in [23] first introduced the advantages and disadvantages of uplink and downlink NOMA transmissions in a cellular system and they indicated key distinctions such as detection and decoding processing, implementation complexity, the intra-cell interference, and inter-cell interference.

In another trend of research, multi-relay NOMA networks have been studied to further improve the performance of cooperative NOMA networks. Relay selection (RS) is proposed and the full diversity gain for multi-relay networks remains intact as an effective method to reduce system complexity [24]. More system models regarding several RS schemes were considered in [25]–[28]. The two-stage max-min RS scheme is proposed in [26] and fixed power allocation (PA) is applied in the proposed relay-aided NOMA network. In such relay-aided NOMA network, a subset of relays is selected to satisfy the quality of service (QoS) at the low-rate user in the first stage, and then in the second stage max-min scheme is selected with a suitable relay from this subset to serve user possessing at the high data rate. Different from the traditional relay-aided OMA scheme, the two-stage max-min scheme was indicated with improved outage performance. The adaptive PA at the relays and QoS requirements at the users are studied in [27] and they showed that the proposed two-stage DF and AF schemes in such NOMA are better than that of the relay-aided NOMA scheme in [26]. Particularly, the price of higher overhead occurs if channel state varies in case of the PA coefficients known at each receiver. The optimal outage performance can not be achieved in the relay-aided NOMA schemes in [26], [27] as the users were sorted by their QoS requirements, regardless of their channel conditions. The partial RS and joint user and RS schemes are considered in [28] and [29].

B. MOTIVATION AND CONTRIBUTION

The review of related studies highlights the issue that there are several benefits of employing CR-NOMA in the next-generation wireless networks. However, the performance of such networks is not well-understood, especially from the point of view of secondary source-destination pairing. To the best of the authors' knowledge, the existing literature lacks a relay aided CR-NOMA paradigm that provides the benefit of both spectrum efficiency and large-scale connectivity. Since both FD and half-duplex (HD) relays have their different applications, it is desirable to evaluate the performance of FD and HD relay-aided CR-NOMA networks. To further improve the performance, a partial relay selection (PRS) technique has been adopted to improve the diversity gains and to reduce the overhead of CR-NOMA networks. The major contribution of this work is summarized as follows:

- 1) A novel uplink/downlink relay-aided communications architecture for CR-NOMA is considered. To make the model more practical, the limiting impact of interference from the primary source to the relays is considered during the relay selection process.
- 2) The PRS technique is employed to select the relay for forwarding the message to the destination. The PRS technique has shown to improve the performance of distant users. The degraded performance due to self-interference existing in FD relays as compared to HD

relays and the performance gains by employing PRS are also studied in this paper.

- 3) The closed-form expressions of outage probabilities for FD and HD relay-aided CR-NOMA networks are derived. In addition, the analytical expressions for asymptotic outage probabilities and ergodic capacity are presented. The derived expressions have been corroborated by performing Monte Carlo simulations.

C. ORGANIZATION

The rest of the paper is organized as follows. In Section II, we establish a system model and provide relevant details. The outage behavior of CR-NOMA is discussed in Section III. Section IV presents outage performance in CR-NOMA. In Sections V and VI, the ergodic capacity analysis for CR-NOMA and CR-OMA is provided, respectively. Simulation results in Section VII are provided to assess the accuracy of derived expressions. Finally, Section VIII provides the conclusion and future research directions.




FIGURE 1. Combining relay selection and uplink/downlink scheme in the secondary network of CR-NOMA.

II. SYSTEM MODEL

Fig. 1 demonstrates a relay-aided CR-NOMA network having a primary source PS and several intermediate relays $\{R_k | k = 1, 2, \dots, K\}$ employing relaying protocols [30], [31], [32], i.e. DF scheme. There are two source-destination pairs, $G_1 = \{S_1, D_1\}$ and $G_2 = \{S_2, D_2\}$, operating in the same frequency band and using NOMA technique. We consider a worst-case communication scenario for the secondary sources S_1 and S_2 . Specifically, we assume there the direct link between secondary source-destination pairs undergo deep fading and the communication is only possible via intermediate relays. More specifically, there are two phases for uplink-downlink CR-NOMA transmission: (i) uplink phase indicated that S_1 and S_2 can form a NOMA pair [23] to transmit simultaneously to R_k , (ii) in downlink phase R_k

can concurrently transmit a superimposed composite signal, consisting of the decoded symbols, transmitted by sources to D_1 and D_2 . In CR-NOMA, limiting interference is in noticeable terms since the PS make interference to multiple relays R_k and two destinations. In this case, both uplink and downlink require SIC performed similarly at both the source-destination pairs with respect to maximum achievable system capacity.

Wireless channels in such CR-NOMA are subjected to Rayleigh flat fading plus additive white Gaussian noise. The complex channel coefficients for the links $S_1 \rightarrow R_k$, $R_k \rightarrow D_1$, $S_2 \rightarrow R_k$, $R_k \rightarrow D_2$, $PS \rightarrow R_k$, $PS \rightarrow D_1$, $PS \rightarrow D_2$ are represented by $|g_{1,uk}|^2 \sim CN(0, \lambda_{1,uk})$, $|h_{1,dk}|^2 \sim CN(0, \lambda_{1,dk})$, $|g_{2,uk}|^2 \sim CN(0, \lambda_{2,uk})$, $|h_{2,dk}|^2 \sim CN(0, \lambda_{2,dk})$, $|g_{r,ps}|^2 \sim CN(0, \lambda_{r,ps})$, $|h_{1,ps}|^2 \sim CN(0, \lambda_{1,ps})$ and $|h_{2,ps}|^2 \sim CN(0, \lambda_{2,ps})$, respectively.

Following the principle of uplink NOMA, both S_1 and S_2 transmit symbols x_1 and x_2 simultaneously during the considered time slots.¹ In NOMA, portion of allocated powers are $a_1 P_S$ and $a_2 P_S$ for two signals x_1 and x_2 , respectively. In this paper, the power allocation coefficients are a_1 and a_2 for the first hop transmission while a_3 and a_4 for the second one, and P_S is the total transmit power of sources. Concurrently, both destinations D_1 and D_2 are able to receive signal from relay R_k which transmits the superimposed composite signal $x_S = \sqrt{a_3 P_R} x_1 + \sqrt{a_4 P_R} x_2$ with a processing delay t following the principle of downlink NOMA. It is noted that P_R is the total transmit power of R_k , and x_1, x_2 are data symbols decoded at R_k . This constraint must be satisfied, i.e. $a_1 + a_2 = 1$ and $a_3 + a_4 = 1$ are the total transmission power requirement constraints that need to be satisfied for many practical scenarios. To implement advantages of FD mode, R_k can transmit/receive signals simultaneously from sources or destinations.

According to uplink NOMA, R_k first decodes x_1 with better channel conditions by treating x_2 , having worse channel conditions, as noise. SIC is then carried out at R_k to obtain symbol x_2 . Therefore, the signal to interference plus noise ratio (SINR) received at R_k , associated with x_1 and x_2 under the impact of interference from the PS , are respectively given by

$$\gamma_{x1}^{S1-R} = \frac{a_1 \rho_S |g_{1,uk}|^2}{a_2 \rho_S |g_{2,uk}|^2 + \rho_P |g_{r,ps}|^2 + I_R + 1}, \quad (1)$$

$$\gamma_{x2}^{S1-R} = \frac{a_2 \rho_S |g_{2,uk}|^2}{a_1 \rho_S |\tilde{g}_{1,uk}|^2 + \rho_P |g_{r,ps}|^2 + I_R + 1}, \quad (2)$$

where $\rho_S = \frac{P_S}{\sigma^2}$, $\rho_P = \frac{P_P}{\sigma^2}$ with P_P is transmit power at the primary source PS , interference channel related to SIC

¹The system model does not consider any PU as there are already many studies focusing on the outage performance of PUs. However, the performance of relay aided secondary source-destination pairs is not well explored in the literature. Therefore, this work mainly focuses on the performance of NOAM-enabled secondary user/destination. The joint performance of primary and secondary user/destination can be evaluated in future studies.

imperfection characterized by $\tilde{g}_{1,uk} \sim CN(0, \tau_1 \lambda_{1im})$ and σ^2 is denoted as noise variance. Here, residual self-interference is I_R , which can be considered a constant as in [17] for simplicity of analysis. Moreover, SIC imperfection level at the relay is related to level of residual interference, and such term is denoted by τ_1 ($0 \leq \tau_1 \leq 1$). Two main cases are $\tau_1 = 0$ and $\tau_1 = 1$ corresponding to perfect SIC and imperfect SIC, respectively.

On the contrary, according to the principle of downlink NOMA, D_1 decodes x_1 by treating x_2 as noise. Therefore, the SINR received at D_1 under the impact of interference from the PS is computed by

$$\gamma_{x1}^{R-D1} = \frac{a_3 \rho_R |h_{1,dk}|^2}{a_4 \rho_R |h_{1,dk}|^2 + \rho_P |h_{1,ps}|^2 + 1}. \quad (3)$$

Conversely, D_2 considers its own low powered symbol x_2 as noise to decode high powered symbol x_1 , and then, SIC is enabled at D_2 to achieve x_2 . Therefore, the SINRs received at D_2 , associated with x_1 and x_2 under interference impact of the PS , are given by

$$\gamma_{x1 \rightarrow x2}^{R-D2} = \frac{a_3 \rho_R |h_{2,dk}|^2}{a_4 \rho_R |h_{2,dk}|^2 + \rho_P |h_{2,ps}|^2 + 1}, \quad (4)$$

$$\gamma_{x2}^{R-D2} = \frac{a_4 \rho_R |h_{2,dk}|^2}{a_3 \rho_R |h_{2,dk}|^2 + \rho_P |h_{2,ps}|^2 + 1}, \quad (5)$$

where $\rho_R = \frac{P_R}{\sigma^2}$, corresponding interference channel of imperfect SIC $\tilde{h}_{2,dk} \sim CN(0, \tau_2 \lambda_{2im})$, and $\gamma_{x1 \rightarrow x2}^{R-D2}$ represents the SINR required at D_2 to decode symbol x_1 . The level of residual interference at D_2 because of SIC imperfection is denoted by τ_2 , which indicates similar behavior to τ_1 .

Regarding PRS, the helping relay is able to select based on only the CSI of the $S_1 \rightarrow R_k$ links and $S_2 \rightarrow R_k$ links. In particular, the index of the selected relay R_{k^*} using PRS scheme are given by

$$k_1^* = \arg \max_{k_1=1, \dots, K} (|g_{1,uk}|^2), \quad (6)$$

and

$$k_2^* = \arg \max_{k_2=1, \dots, K} (|g_{2,uk}|^2). \quad (7)$$

III. OUTAGE PROBABILITY ANALYSIS FOR RELAY-AIDED CR-NOMA

This section provides details of the derivation of outage probability for both FD and HD relay-aided CR-NOMA.

A. THE FD RELAY-AIDED CR-NOMA

According to the required quality of service, R_1 and R_2 are assumed to be the predefined target rate thresholds of G_1 and G_2 , respectively. Then, γ_{th1}^{FD} , γ_{th2}^{FD} are signal to noise ratio (SNR) thresholds. The exact outage probability of G_1 and G_2 are computed in the following subsections.

1) OUTAGE PROBABILITY OF G_1

The exact outage probability of G_1 can be written as

$$\begin{aligned} OP_1^{FD} &= 1 - \Pr \left(\gamma_{x1}^{S1-Rk*} \geq \gamma_{th1}^{FD} \cap \gamma_{x1}^{Rk*-D1} \geq \gamma_{th1}^{FD} \right) \\ &= 1 - \underbrace{\Pr \left(\gamma_{x1}^{S1-Rk*} \geq \gamma_{th1}^{FD} \right)}_{A_1} \times \underbrace{\Pr \left(\gamma_{x1}^{Rk*-D1} \geq \gamma_{th1}^{FD} \right)}_{A_2}. \end{aligned} \quad (8)$$

Proposition 1: The closed-form expression for the outage probability of the G_1 is derived as

$$\begin{aligned} OP_1^{FD} &= 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \\ &\times \frac{j \rho_R \lambda_{1,uk} \lambda_{1,uk} \lambda_{1,dk}}{(i \alpha_2^{FD} \lambda_{2,uk} + j \lambda_{1,uk}) (i \alpha_3^{FD} \lambda_{r,ps} + \lambda_{1,uk})} \\ &\times \frac{(a_3 - \gamma_{th1}^{FD} a_4)}{(\gamma_{th1}^{FD} \rho_P \lambda_{1,ps} + (a_3 - \gamma_{th1}^{FD} a_4) \rho_R \lambda_{1,dk})} \\ &\times \exp \left(-\frac{i \alpha_4^{FD}}{\lambda_{1,uk}} - \frac{\gamma_{th1}^{FD}}{(a_3 \rho_R - \gamma_{th1}^{FD} a_4 \rho_R) \lambda_{1,dk}} \right), \end{aligned} \quad (9)$$

where $\gamma_{th1}^{FD} = 2^{R_1} - 1$, $\alpha_1^{FD} = \gamma_{th1}^{FD} (I_R + 1)$, $\alpha_2^{FD} = \frac{\gamma_{th1} a_2}{a_1}$, $\alpha_3^{FD} = \frac{\gamma_{th1}^{FD} \rho_P}{a_1 \rho_S}$ and $\alpha_4^{FD} = \frac{\alpha_1}{a_1 \rho_S}$.

Proof: See Appendix A.

2) OUTAGE PROBABILITY OF G_2

The exact outage probability of G_2 with imperfect SIC can be written as

$$OP_{2-isic}^{FD} = 1 - \Pr \left(\gamma_{x2}^{S1-Rk*} \geq \gamma_{th2}^{FD} \cap \gamma_{x2}^{Rk*-D2} \geq \gamma_{th2}^{FD} \right). \quad (10)$$

Proposition 2: The closed-form expression for the outage probability of the G_2 is derived as

$$\begin{aligned} OP_{2-isic}^{FD} &= 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \\ &\times \frac{j \lambda_{2,uk} \lambda_{2,uk}}{(i \beta_2^{FD} \tau_1 \lambda_{1im} + j \lambda_{2,uk}) (i \beta_3^{FD} \lambda_{r,ps} + \lambda_{2,uk})} \\ &\times \frac{\lambda_{2,dk} \lambda_{2,dk}}{(m_1^{FD} \tau_2 \lambda_{2im} + \lambda_{2,dk}) (m_2^{FD} \lambda_{2,ps} + \lambda_{2,dk})} \\ &\times \frac{(a_3 \rho_R - \gamma_{th1}^{FD} a_4 \rho_R) \lambda_{2,dk}}{(\gamma_{th1}^{FD} \rho_P \lambda_{2,ps} + (a_3 \rho_R - \gamma_{th1}^{FD} a_4 \rho_R) \lambda_{2,dk})} \\ &\times \exp \left(-\frac{i \beta_4^{FD}}{\lambda_{2,uk}} - \frac{m_3^{FD}}{\lambda_{2,dk}} - \frac{\gamma_{th1}^{FD}}{(a_3 \rho_R - \gamma_{th1}^{FD} a_4 \rho_R) \lambda_{2,dk}} \right), \end{aligned} \quad (11)$$

where $\gamma_{th2}^{FD} = 2^{R_2} - 1$, $\beta_1^{FD} = \gamma_{th2}^{FD} (I_R + 1)$, $\beta_2^{FD} = \frac{\gamma_{th2}^{FD} a_1}{a_2}$, $\beta_3^{FD} = \frac{\gamma_{th2}^{FD} \rho_P}{a_2 \rho_S}$, $\beta_4^{FD} = \frac{\beta_1^{FD}}{a_2 \rho_S}$, $m_1^{FD} = \frac{\gamma_{th2}^{FD} a_3}{a_4}$, $m_2^{FD} = \frac{\gamma_{th2}^{FD} \rho_P}{a_4 \rho_R}$ and $m_3^{FD} = \frac{\gamma_{th2}^{FD}}{a_4 \rho_R}$.

Proof: See Appendix B.

Then, by substituting $\tau_1 = \tau_2 = 0$ in (10) and (11), the exact outage probability of G_2 under perfect SIC (psic) can be obtained as

$$\begin{aligned} OP_{2-psic}^{FD} &= 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \\ &\times \frac{j\lambda_{2,uk}\lambda_{2,uk}}{(i\beta_2^{FD}\lambda_2 + j\lambda_{2,uk})(i\beta_3^{FD}\lambda_{r,ps} + \lambda_{2,uk})} \\ &\times \frac{\lambda_{2,dk}\lambda_{2,dk}}{\lambda_{2,dk}(m_2^{FD}\lambda_{2,ps} + \lambda_{2,dk})} \\ &\times \frac{(a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R)\lambda_{2,dk}}{\gamma_{th1}^{FD}\rho_P\lambda_{2,ps} + (a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R)\lambda_{2,dk}} \\ &\times \exp\left(-\frac{i\beta_4^{FD}}{\lambda_{2,uk}} - \frac{m_3^{FD}}{\lambda_{2,dk}} - \frac{\gamma_{th1}^{FD}}{(a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R)\lambda_{2,dk}}\right). \end{aligned} \quad (12)$$

B. THE HD RELAY-AIDED CR-NOMA

1) OUTAGE PROBABILITY OF G_1

Similar to (8) and (9), and we replace $I_R = 0$, the outage probability of G_1 in HD-NOMA is given by

$$\begin{aligned} OP_1^{HD} &= 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \\ &\times \frac{j\rho_R\lambda_{1,uk}\lambda_{1,uk}\lambda_{1,dk}}{(i\alpha_2^{HD}\lambda_{2,uk} + j\lambda_{1,uk})(i\alpha_3^{HD}\lambda_{r,ps} + \lambda_{1,uk})} \\ &\times \frac{(a_3 - \gamma_{th1}^{HD}a_4)}{(\gamma_{th1}^{HD}\rho_P\lambda_{1,ps} + (a_3 - \gamma_{th1}^{HD}a_4)\rho_R\lambda_{1,dk})} \\ &\times \exp\left(-\frac{i\alpha_4^{HD}}{\lambda_{1,uk}} - \frac{\gamma_{th1}^{HD}}{(a_3\rho_R - \gamma_{th1}^{HD}a_4\rho_R)\lambda_{1,dk}}\right), \end{aligned} \quad (13)$$

where $\gamma_{th1}^{HD} = 2^{2R_1} - 1$, $\alpha_2^{HD} = \frac{\gamma_{th1}^{HD}a_2}{a_1}$, $\alpha_3^{HD} = \frac{\gamma_{th1}^{HD}\rho_P}{a_1\rho_S}$, $\alpha_4^{HD} = \frac{\gamma_{th1}^{HD}}{a_1\rho_S}$.

2) OUTAGE PROBABILITY OF G_2

The outage probability of G_2 in HD-NOMA with isic is expressed by

$$\begin{aligned} OP_{2-isic}^{HD} &= 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \\ &\times \frac{j\lambda_{2,uk}\lambda_{2,uk}}{(i\beta_2^{HD}\tau_1\lambda_{1im} + j\lambda_{2,uk})(i\beta_3^{HD}\lambda_{r,ps} + \lambda_{2,uk})} \\ &\times \frac{\lambda_{2,dk}\lambda_{2,dk}}{(m_1^{HD}\tau_2\lambda_{2im} + \lambda_{2,dk})(m_2^{HD}\lambda_{2,ps} + \lambda_{2,dk})} \end{aligned}$$

$$\begin{aligned} &\times \frac{(a_3\rho_R - \gamma_{th1}^{HD}a_4\rho_R)\lambda_{2,dk}}{\gamma_{th1}^{HD}\rho_P\lambda_{2,ps} + (a_3\rho_R - \gamma_{th1}^{HD}a_4\rho_R)\lambda_{2,dk}} \\ &\times \exp\left(-\frac{i\beta_4^{HD}}{\lambda_{2,uk}} - \frac{m_3^{HD}}{\lambda_{2,dk}} - \frac{\gamma_{th1}^{HD}}{(a_3\rho_R - \gamma_{th1}^{HD}a_4\rho_R)\lambda_{2,dk}}\right), \end{aligned} \quad (14)$$

where $\gamma_{th2}^{HD} = 2^{2R_2} - 1$, $\beta_2^{HD} = \frac{\gamma_{th2}^{HD}a_1}{a_2}$, $\beta_3^{HD} = \frac{\gamma_{th2}^{HD}\rho_P}{a_2\rho_S}$, $\beta_4^{HD} = \frac{\gamma_{th2}^{HD}}{a_2\rho_S}$, $m_1^{HD} = \frac{\gamma_{th2}^{HD}a_3}{a_4}$, $m_2^{HD} = \frac{\gamma_{th2}^{HD}\rho_P}{a_4\rho_R}$, $m_3^{HD} = \frac{\gamma_{th2}^{HD}}{a_4\rho_R}$.

The exact outage probability of G_2 under perfect SIC can be obtained as

$$\begin{aligned} OP_{2-psic}^{HD} &= 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \\ &\times \frac{j\lambda_{2,uk}\lambda_{2,uk}}{j\lambda_{2,uk}(i\beta_3^{HD}\lambda_{r,ps} + \lambda_{2,uk})} \\ &\times \frac{\lambda_{2,dk}\lambda_{2,dk}}{\lambda_{2,dk}(m_2^{HD}\lambda_{2,ps} + \lambda_{2,dk})} \\ &\times \frac{(a_3\rho_R - \gamma_{th1}^{HD}a_4\rho_R)\lambda_{2,dk}}{\gamma_{th1}^{HD}\rho_P\lambda_{2,ps} + (a_3\rho_R - \gamma_{th1}^{HD}a_4\rho_R)\lambda_{2,dk}} \\ &\times \exp\left(-\frac{i\beta_4^{HD}}{\lambda_{2,uk}} - \frac{m_3^{HD}}{\lambda_{2,dk}} - \frac{\gamma_{th1}^{HD}}{(a_3\rho_R - \gamma_{th1}^{HD}a_4\rho_R)\lambda_{2,dk}}\right). \end{aligned} \quad (15)$$

C. ANALYSIS ON ASYMPTOTIC OUTAGE PROBABILITY

Based on the previous results, an asymptotic analysis for both D_1 and D_2 will be carried out to evaluate the outage behavior, i.e., OP_1^{FD} and OP_2^{FD} , respectively. Particularly, the following expressions provide insightful details for the proposed system in the high SNR regime.

1) ASYMPTOTIC OUTAGE PROBABILITY FD IN THE FD RELAY-AIDED CR-NOMA

a) Asymptotic Outage Probability FD at G_1

Based on the above analytical results in (9), by using $\exp(-x) = 1 - x$ the asymptotic outage probability of D_1 with is given by

$$\begin{aligned} OP_1^{FD-asym} &= 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \\ &\times \frac{j\rho_R\lambda_{1,uk}\lambda_{1,uk}\lambda_{1,dk}}{(i\alpha_2^{FD}\lambda_{2,uk} + j\lambda_{1,uk})(i\alpha_3^{FD}\lambda_{r,ps} + \lambda_{1,uk})} \\ &\times \frac{(a_3 - \gamma_{th1}^{FD}a_4)}{(\gamma_{th1}^{FD}\rho_P\lambda_{1,ps} + (a_3 - \gamma_{th1}^{FD}a_4)\rho_R\lambda_{1,dk})} \\ &\times \left(1 - \frac{i\alpha_4^{FD}}{\lambda_{1,uk}} - \frac{\gamma_{th1}^{FD}}{(a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R)\lambda_{1,dk}}\right). \end{aligned} \quad (16)$$

To look at the lower bound, when $\rho_S, \rho_R, \rho_P \rightarrow \infty$, the asymptotic outage probability of G_1 is obtained as

$$OP_1^{FD-floor} = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \times \frac{j\lambda_{1,uk}\lambda_{1,uk}}{(i\alpha_2^{FD}\lambda_{2,uk} + j\lambda_{1,uk}) \left(\frac{\gamma_{th1}^{FD}}{a_1} \lambda_{r,ps} + \lambda_{1,uk} \right)} \times \frac{(a_3 - \gamma_{th1}^{FD} a_4) \lambda_{1,dk}}{\gamma_{th1}^{FD} \lambda_{1,ps} + (a_3 - \gamma_{th1}^{FD} a_4) \lambda_{1,dk}}. \quad (17)$$

b) Asymptotic Outage Probability FD at G_2

The asymptotic outage probability of G_2 under imperfect SIC is given by

$$OP_{2-isic}^{FD-asym} = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \times \frac{j\lambda_{2,uk}\lambda_{2,uk}}{(i\beta_2^{FD}\tau_1\lambda_{1im} + j\lambda_{2,uk}) (i\beta_3^{FD}\lambda_{r,ps} + \lambda_{2,uk})} \times \frac{\lambda_{2,dk}\lambda_{2,dk}}{(m_1^{FD}\tau_2\lambda_{2im} + \lambda_{2,dk}) (m_2^{FD}\lambda_{2,ps} + \lambda_{2,dk})} \times \frac{(a_3\rho_R - \gamma_{th1}^{FD} a_4\rho_R) \lambda_{2,dk}}{\gamma_{th1}^{FD} \rho_P \lambda_{2,ps} + (a_3\rho_R - \gamma_{th1}^{FD} a_4\rho_R) \lambda_{2,dk}} \times \left(1 - \frac{i\beta_4^{FD}}{\lambda_{2,uk}} - \frac{m_3^{FD}}{\lambda_{2,dk}} - \frac{\gamma_{th1}^{FD}}{(a_3\rho_R - \gamma_{th1}^{FD} a_4\rho_R) \lambda_{2,dk}} \right). \quad (18)$$

Similarly, the asymptotic outage probability of G_2 under perfect SIC is computed by

$$OP_{2-psic}^{FD-asym} = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \times \frac{j\lambda_{2,uk}\lambda_{2,uk}}{j\lambda_{2,uk} (i\beta_3^{FD}\lambda_{r,ps} + \lambda_{2,uk})} \times \frac{\lambda_{2,dk}\lambda_{2,dk}}{\lambda_{2,dk} (m_2^{FD}\lambda_{2,ps} + \lambda_{2,dk})} \times \frac{(a_3\rho_R - \gamma_{th1}^{FD} a_4\rho_R) \lambda_{2,dk}}{\gamma_{th1}^{FD} \rho_P \lambda_{2,ps} + (a_3\rho_R - \gamma_{th1}^{FD} a_4\rho_R) \lambda_{2,dk}} \times \left(1 - \frac{i\beta_4^{FD}}{\lambda_{2,uk}} - \frac{m_3^{FD}}{\lambda_{2,dk}} - \frac{\gamma_{th1}^{FD}}{(a_3\rho_R - \gamma_{th1}^{FD} a_4\rho_R) \lambda_{2,dk}} \right). \quad (19)$$

When $\rho_S, \rho_R, \rho_P \rightarrow \infty$, the asymptotic outage probability of G_2 under imperfect SIC with is determined by

$$OP_{2-isic}^{FD-floor} = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \times \frac{j\lambda_{2,uk}\lambda_{2,uk}}{(i\beta_2^{FD}\tau_1\lambda_{1im} + j\lambda_{2,uk}) \left(\frac{i\gamma_{th2}^{FD}\lambda_{r,ps}}{a_2} + \lambda_{2,uk} \right)} \times \frac{\lambda_{2,dk}\lambda_{2,dk}}{(m_1^{FD}\tau_2\lambda_{2im} + \lambda_{2,dk}) \left(\frac{\gamma_{th2}^{FD}\lambda_{2,ps}}{a_4} + \lambda_{2,dk} \right)} \times \frac{(a_3 - \gamma_{th1}^{FD} a_4) \lambda_{2,dk}}{\gamma_{th1}^{FD} \lambda_{2,ps} + (a_3 - \gamma_{th1}^{FD} a_4) \lambda_{2,dk}}, \quad (20)$$

and G_2 under ipsic case is determined by

$$OP_{2-isic}^{FD-floor} = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \times \frac{j\lambda_{2,uk}\lambda_{2,uk}}{j\lambda_{2,uk} \left(\frac{i\gamma_{th2}^{FD}\lambda_{r,ps}}{a_2} + \lambda_{2,uk} \right)} \times \frac{\lambda_{2,dk}\lambda_{2,dk} (a_3 - \gamma_{th1}^{FD} a_4) \lambda_{2,dk}}{\lambda_{2,dk} \left(\frac{\gamma_{th2}^{FD}\lambda_{2,ps}}{a_4} + \lambda_{2,dk} \right) (\gamma_{th1}^{FD} \lambda_{2,ps} + (a_3 - \gamma_{th1}^{FD} a_4) \lambda_{2,dk})}. \quad (21)$$

2) ASYMPTOTIC OUTAGE PROBABILITY HD IN THE HD RELAY-AIDED CR-NOMA

a) Asymptotic Outage Probability HD at G_1

Based on the above analytical results in (13), by using $\exp(-x) = 1 - x$, the asymptotic outage probability of G_1 is obtained as

$$OP_1^{HD-asym} = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \times \frac{j\rho_R\lambda_{1,uk}\lambda_{1,uk}\lambda_{1,dk}}{(i\alpha_2^{HD}\lambda_{2,uk} + j\lambda_{1,uk}) (i\alpha_3^{HD}\lambda_{r,ps} + \lambda_{1,uk})} \times \frac{(a_3 - \gamma_{th1}^{HD} a_4)}{(\gamma_{th1}^{HD} \rho_P \lambda_{1,ps} + (a_3 - \gamma_{th1}^{HD} a_4) \rho_R \lambda_{1,dk})} \times \left(1 - \frac{i\alpha_4^{HD}}{\lambda_{1,uk}} - \frac{\gamma_{th1}^{HD}}{(a_3\rho_R - \gamma_{th1}^{HD} a_4\rho_R) \lambda_{1,dk}} \right). \quad (22)$$

To look the lower bound, when $\rho_S, \rho_R, \rho_P \rightarrow \infty$, the asymptotic outage probability of G_1 is

obtained as

$$OP_1^{HD-floor} = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \times \frac{j \rho_R \lambda_{1,uk} \lambda_{1,dk}}{(i \alpha_2^{HD} \lambda_{2,uk} + j \lambda_{1,uk}) (i \alpha_3^{HD} \lambda_{r,ps} + \lambda_{1,uk})} \times \frac{(a_3 - \gamma_{th1}^{HD} a_4)}{(\gamma_{th1}^{HD} \rho_P \lambda_{1,ps} + (a_3 - \gamma_{th1}^{HD} a_4) \rho_R \lambda_{1,dk})}. \quad (23)$$

b) Asymptotic Outage Probability HD at G_2

Similar to FD, the asymptotic outage probability of HD scenario at G_2 under isic case is determined by

$$OP_{2-isic}^{HD-asym} = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \times \frac{j \lambda_{2,uk} \lambda_{2,dk}}{(i \beta_2^{HD} \tau_1 \lambda_{1im} + j \lambda_{2,uk}) (i \beta_3^{HD} \lambda_{r,ps} + \lambda_{2,uk})} \times \frac{\lambda_{2,dk} \lambda_{2,dk}}{(m_1^{HD} \tau_2 \lambda_{2im} + \lambda_{2,dk}) (m_2^{HD} \lambda_{2,ps} + \lambda_{2,dk})} \times \frac{(a_3 \rho_R - \gamma_{th1} a_4 \rho_R) \lambda_{2,dk}}{\gamma_{th1}^{HD} \rho_P \lambda_{2,ps} + (a_3 \rho_R - \gamma_{th1}^{HD} a_4 \rho_R) \lambda_{2,dk}} \times \left(1 - \frac{i \beta_4^{HD}}{\lambda_{2,uk}} - \frac{m_3^{HD}}{\lambda_{2,dk}} - \frac{\gamma_{th1}^{HD}}{(a_3 \rho_R - \gamma_{th1}^{HD} a_4 \rho_R) \lambda_{2,dk}} \right), \quad (24)$$

and asymptotic outage probability in HD mode at G_2 with psic is obtained as

$$OP_{2-psic}^{HD-asym} = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \times \frac{j \lambda_{2,uk} \lambda_{2,dk}}{j \lambda_{2,uk} (i \beta_3^{HD} \lambda_{r,ps} + \lambda_{2,uk})} \times \frac{\lambda_{2,dk} \lambda_{2,dk}}{\lambda_{2,dk} (m_2^{HD} \lambda_{2,ps} + \lambda_{2,dk})} \times \frac{(a_3 \rho_R - \gamma_{th1} a_4 \rho_R) \lambda_{2,dk}}{\gamma_{th1}^{HD} \rho_P \lambda_{2,ps} + (a_3 \rho_R - \gamma_{th1}^{HD} a_4 \rho_R) \lambda_{2,dk}} \times \left(1 - \frac{i \beta_4^{HD}}{\lambda_{2,uk}} - \frac{m_3^{HD}}{\lambda_{2,dk}} - \frac{\gamma_{th1}}{(a_3 \rho_R - \gamma_{th1}^{HD} a_4 \rho_R) \lambda_{2,dk}} \right). \quad (25)$$

When $\rho_S, \rho_R, \rho_P \rightarrow \infty$, the asymptotic outage probability of G_2 under isic is obtained as

$$OP_{2-isic}^{HD-floor} = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \times \frac{j \lambda_{2,uk} \lambda_{2,dk}}{(i \beta_2^{HD} \tau_1 \lambda_{1im} + j \lambda_{2,uk}) (i \beta_3^{HD} \lambda_{r,ps} + \lambda_{2,uk})}$$

$$\times \frac{\lambda_{2,dk} \lambda_{2,dk}}{(m_1^{HD} \tau_2 \lambda_{2im} + \lambda_{2,dk}) (m_2^{HD} \lambda_{2,ps} + \lambda_{2,dk})} \times \frac{(a_3 \rho_R - \gamma_{th1} a_4 \rho_R) \lambda_{2,dk}}{\gamma_{th1}^{HD} \rho_P \lambda_{2,ps} + (a_3 \rho_R - \gamma_{th1}^{HD} a_4 \rho_R) \lambda_{2,dk}}, \quad (26)$$

and asymptotic outage probability of G_2 under psic is obtained as

$$OP_{2-psic}^{HD-floor} = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \times \frac{j \lambda_{2,uk} \lambda_{2,dk}}{j \lambda_{2,uk} (i \beta_3^{HD} \lambda_{r,ps} + \lambda_{2,uk})} \times \frac{\lambda_{2,dk} \lambda_{2,dk}}{\lambda_{2,dk} (m_2^{HD} \lambda_{2,ps} + \lambda_{2,dk})} \times \frac{(a_3 \rho_R - \gamma_{th1} a_4 \rho_R) \lambda_{2,dk}}{\gamma_{th1}^{HD} \rho_P \lambda_{2,ps} + (a_3 \rho_R - \gamma_{th1}^{HD} a_4 \rho_R) \lambda_{2,dk}}. \quad (27)$$

IV. OUTAGE PROBABILITY FOR RELAY-AIDED CR-OMA

This phase resembles uplink CR-OMA, R_k first decodes x_1 with better channel conditions by treating x_2 having worse channel conditions, as noise. SIC is then carried out at R_k to obtain symbol x_2 . Therefore, the SINRs received at R_k , associated with x_1 and x_2 under the impact of interference from the PS, are respectively given by

$$\gamma_{x1-OMA}^{S1-R} = \frac{\rho_S |g_{1,uk}|^2}{\rho_P |g_{r,ps}|^2 + I_R + 1}, \quad (28)$$

$$\gamma_{x2-OMA}^{S1-R} = \frac{\rho_S |g_{2,uk}|^2}{\rho_P |g_{r,ps}|^2 + I_R + 1}. \quad (29)$$

By contrast, according to the principle of downlink OMA, D_1 decodes x_1 . Therefore, the received SINR at D_1 is given by

$$\gamma_{x1-OMA}^{R-D1} = \frac{\rho_R |h_{1,dk}|^2}{\rho_P |h_{1,ps}|^2 + 1}. \quad (30)$$

Therefore, the received SINR at D_2 is given by

$$\gamma_{x2-OMA}^{R-D2} = \frac{\rho_R |h_{2,dk}|^2}{\rho_P |h_{2,ps}|^2 + 1}. \quad (31)$$

A. THE FD RELAY-AIDED CR-OMA

1) OUTAGE PROBABILITY OF G_1

The exact outage probability of G_1 can be written as

$$OP_{1-OMA}^{FD} = 1 - \Pr \left(\gamma_{x1-OMA}^{S1-R*} \geq \gamma_{th1}^{FD-O} \cap \gamma_{x1-OMA}^{Rk*-D1} \geq \gamma_{th1}^{FD-O} \right), \quad (32)$$

where $\gamma_{th1}^{FD-O} = 2^{2R_1} - 1$.

Proposition 3: The closed-form expression for the outage probability of the G_1 is derived as

$$\begin{aligned}
 OP_{1-OMA}^{FD} &= 1 - \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \\
 &\times \frac{\rho_S \rho_R \lambda_{1,uk} \lambda_{1,dk}}{\left(i \gamma_{th1}^{FD-O} \rho_P \lambda_{r,ps} + \rho_S \lambda_{1,uk} \right) \left(\gamma_{th1}^{FD-O} \rho_P \lambda_{1,ps} + \rho_R \lambda_{1,dk} \right)} \\
 &\times \exp \left(-\frac{i}{\lambda_{1,uk}} \left(\frac{\gamma_{th1}^{FD-O} I_R}{\rho_S} + \frac{\gamma_{th1}^{FD-O}}{\rho_S} \right) - \frac{\gamma_{th1}^{FD-O}}{\rho_R \lambda_{1,dk}} \right). \quad (33)
 \end{aligned}$$

Proof: See Appendix C.

2) OUTAGE PROBABILITY OF G_2

The exact outage probability of G_2 can be written as

$$\begin{aligned}
 OP_{2-OMA}^{FD} &= 1 - \Pr \left(\gamma_{x2-OMA}^{S1-Rk*} \geq \gamma_{th2}^{FD-O} \right. \\
 &\quad \left. \cap \gamma_{x2-OMA}^{Rk*-D2} \geq \gamma_{th2}^{FD-O} \right) \\
 &= 1 - \Pr \left(\underbrace{\gamma_{x2-OMA}^{S1-Rk*} \geq \gamma_{th2}^{FD-O}}_{D_1} \right) \\
 &\quad \times \Pr \left(\underbrace{\gamma_{x2-OMA}^{Rk*-D2} \geq \gamma_{th2}^{FD-O}}_{D_2} \right), \quad (34)
 \end{aligned}$$

where $\gamma_{th2}^{FD-O} = 2^{2R_2} - 1$.

Similar the computations of C_1 and C_2 from appendix applicable to D_1 and D_2 , the closed-form expression for the outage probability of G_2 is derived as

$$\begin{aligned}
 OP_{2-OMA}^{FD} &= 1 - \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \\
 &\times \frac{\rho_S \rho_R \lambda_{2,dk} \lambda_{2,uk}}{\left(i \gamma_{th2}^{FD-O} \rho_P \lambda_{r,ps} + \rho_S \lambda_{2,uk} \right) \left(\gamma_{th2}^{FD-O} \rho_P \lambda_{2,ps} + \rho_R \lambda_{2,dk} \right)} \\
 &\times \exp \left(-\frac{i}{\lambda_{2,uk}} \left(\frac{\gamma_{th2}^{FD-O} I_R}{\rho_S} + \frac{\gamma_{th2}^{FD-O}}{\rho_S} \right) - \frac{\gamma_{th2}^{FD-O}}{\rho_R \lambda_{2,dk}} \right). \quad (35)
 \end{aligned}$$

B. THE HD RELAY-AIDED CR-OMA

Similar to (32) and (33) and by substituting $I_R = 0$, the outage probability of G_1 in HD-NOMA network is expressed as

$$\begin{aligned}
 OP_{1-OMA}^{HD} &= 1 - \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \\
 &\times \frac{\rho_S \rho_R \lambda_{1,uk} \lambda_{1,dk}}{\left(i \gamma_{th1}^{HD-O} \rho_P \lambda_{r,ps} + \rho_S \lambda_{1,uk} \right) \left(\gamma_{th1}^{HD-O} \rho_P \lambda_{1,ps} + \rho_R \lambda_{1,dk} \right)} \\
 &\times \exp \left(-\frac{i \gamma_{th1}^{HD-O}}{\rho_S \lambda_{1,uk}} - \frac{\gamma_{th1}^{HD-O}}{\rho_R \lambda_{1,dk}} \right), \quad (36)
 \end{aligned}$$

and outage probability of G_2 in HD-NOMA network is obtained as

$$\begin{aligned}
 OP_{2-OMA}^{HD} &= 1 - \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \\
 &\times \frac{\rho_S \rho_R \lambda_{2,dk} \lambda_{2,uk}}{\left(i \gamma_{th2}^{HD-O} \rho_P \lambda_{r,ps} + \rho_S \lambda_{2,uk} \right) \left(\gamma_{th2}^{HD-O} \rho_P \lambda_{2,ps} + \rho_R \lambda_{2,dk} \right)} \\
 &\times \exp \left(-\frac{i \gamma_{th2}^{HD-O}}{\rho_S \lambda_{2,uk}} - \frac{\gamma_{th2}^{HD-O}}{\rho_R \lambda_{2,dk}} \right), \quad (37)
 \end{aligned}$$

where $\gamma_{th1}^{HD-O} = 2^{4R_1} - 1$ and $\gamma_{th2}^{HD-O} = 2^{4R_2} - 1$.

C. ANALYSIS ON ASYMPTOTIC OUTAGE PROBABILITY

1) CASE OF FD IN RELAY-AIDED CR-OMA

Based on the above analytical results in (33) and with the help of $\exp(-x) = 1 - x$, the asymptotic outage probability of G_1 with is obtained as

$$\begin{aligned}
 OP_{1-OMA}^{FD-asym} &= 1 - \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \\
 &\times \frac{\rho_S \rho_R \lambda_{1,uk} \lambda_{1,dk}}{\left(i \gamma_{th1}^{FD-O} \rho_P \lambda_{r,ps} + \rho_S \lambda_{1,uk} \right) \left(\gamma_{th1}^{FD-O} \rho_P \lambda_{1,ps} + \rho_R \lambda_{1,dk} \right)} \\
 &\times \left(1 - \frac{i}{\lambda_{1,uk}} \left(\frac{\gamma_{th1}^{FD-O} I_R}{\rho_S} + \frac{\gamma_{th1}^{FD-O}}{\rho_S} \right) - \frac{\gamma_{th1}^{FD-O}}{\rho_R \lambda_{1,dk}} \right). \quad (38)
 \end{aligned}$$

The lower bound can be determined, when $\rho_S, \rho_R, \rho_P \rightarrow \infty$, the asymptotic outage probability of G_1 is obtained as

$$\begin{aligned}
 OP_{1-OMA}^{FD-floor} &= 1 - \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \\
 &\times \frac{\lambda_{1,uk} \lambda_{1,dk}}{\left(i \gamma_{th1}^{FD-O} \lambda_{r,ps} + \lambda_{1,uk} \right) \left(\gamma_{th1}^{FD-O} \lambda_{1,ps} + \lambda_{1,dk} \right)}. \quad (39)
 \end{aligned}$$

Similarly, we have G_2

$$\begin{aligned}
 OP_{2-OMA}^{FD-asym} &= 1 - \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \\
 &\times \frac{\rho_S \rho_R \lambda_{2,dk} \lambda_{2,uk}}{\left(i \gamma_{th2}^{FD-O} \rho_P \lambda_{r,ps} + \rho_S \lambda_{2,uk} \right) \left(\gamma_{th2}^{FD-O} \rho_P \lambda_{2,ps} + \rho_R \lambda_{2,dk} \right)} \\
 &\times \left(1 - \frac{i}{\lambda_{2,uk}} \left(\frac{\gamma_{th2}^{FD-O} I_R}{\rho_S} + \frac{\gamma_{th2}^{FD-O}}{\rho_S} \right) - \frac{\gamma_{th2}^{FD-O}}{\rho_R \lambda_{2,dk}} \right), \quad (40)
 \end{aligned}$$

and

$$OP_{2-OMA}^{FD-floor} = 1 - \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \times \frac{\lambda_{2,dk} \lambda_{2,uk}}{\left(i\gamma_{th2}^{FD-O} \lambda_{r,ps} + \lambda_{2,uk}\right) \left(\gamma_{th2}^{FD-O} \lambda_{2ps} + \lambda_{2,dk}\right)}. \quad (41)$$

2) CASE OF HD IN RELAY-AIDED CR-OMA

Based on the analytical results in (36) and by using $\exp(-x) = 1 - x$, the asymptotic outage probability of G_1 is obtained as

$$OP_{1-OMA}^{HD-asym} = 1 - \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \times \frac{\rho_S \rho_R \lambda_{1,uk} \lambda_{1,dk}}{\left(i\gamma_{th1}^{HD-O} \rho_P \lambda_{r,ps} + \rho_S \lambda_{1,uk}\right) \left(\gamma_{th1}^{HD-O} \rho_P \lambda_{1,ps} + \rho_R \lambda_{1,dk}\right)} \times \left(1 - \frac{i\gamma_{th1}^{HD-O}}{\rho_S \lambda_{1,uk}} - \frac{\gamma_{th1}^{HD-O}}{\rho_R \lambda_{1,dk}}\right). \quad (42)$$

With regard to the lower bound, when $\rho_S, \rho_R, \rho_P \rightarrow \infty$, the asymptotic outage probability of G_1 with is obtained as

$$OP_{1-OMA}^{HD-floor} = 1 - \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \times \frac{\lambda_{1,uk} \lambda_{1,dk}}{\left(i\gamma_{th1}^{HD-O} \lambda_{r,ps} + \lambda_{1,uk}\right) \left(\gamma_{th1}^{HD-O} \lambda_{1,ps} + \lambda_{1,dk}\right)}. \quad (43)$$

In a similar manner, we can obtain

$$OP_{2-OMA}^{HD-asym} = 1 - \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \times \frac{\rho_S \rho_R \lambda_{2,dk} \lambda_{2,uk}}{\left(i\gamma_{th2}^{HD-O} \rho_P \lambda_{r,ps} + \rho_S \lambda_{2,uk}\right) \left(\gamma_{th2}^{HD-O} \rho_P \lambda_{2ps} + \rho_R \lambda_{2,dk}\right)} \times \left(1 - \frac{i\gamma_{th2}^{HD-O}}{\rho_S \lambda_{2,uk}} - \frac{\gamma_{th2}^{HD-O}}{\rho_R \lambda_{2,dk}}\right), \quad (44)$$

and

$$OP_{2-OMA}^{HD-floor} = 1 - \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \times \frac{\lambda_{2,dk} \lambda_{2,uk}}{\left(i\gamma_{th2}^{HD-O} \lambda_{r,ps} + \lambda_{2,uk}\right) \left(\gamma_{th2}^{HD-O} \lambda_{2ps} + \lambda_{2,dk}\right)}. \quad (45)$$

V. ERGODIC CAPACITY ANALYSIS FOR RELAY-AIDED CR-NOMA

A. THE FD RELAY-AIDED CR-NOMA

1) ERGODIC CAPACITY OF S_1 TO D_1

By using (1), (3), and (4), the achievable capacity associated with symbol x_1 is given as

$$C_{G_1}^{FD} = \log_2 \left(1 + \min \left(\gamma_{x_1}^{S1-Rk*}, \gamma_{x_1}^{Rk*-D1}, \gamma_{x_1 \rightarrow x_2}^{Rk*-D2}\right)\right), \quad (46)$$

$$\bar{C}_{G_1}^{FD} = E \left(\log_2 (1 + H_1)\right) = \frac{1}{\ln 2} \int_0^\infty \frac{1 - F_{H_1}(x)}{1 + x} dx, \quad (47)$$

where $H_1 = \min \left(\gamma_{x_1}^{S1-Rk*}, \gamma_{x_1}^{Rk*-D1}, \gamma_{x_1 \rightarrow x_2}^{Rk*-D2}\right)$. The CDF of H_1 can be written as

$$F_{H_1}(x) = \Pr \left(\min \left(\gamma_{x_1}^{S1-Rk*}, \gamma_{x_1}^{Rk*-D1}, \gamma_{x_1 \rightarrow x_2}^{Rk*-D2}\right) < x\right) = 1 - \left(1 - F_{\gamma_{x_1}^{S1-Rk*}}(x)\right) \left(1 - F_{\gamma_{x_1}^{Rk*-D1}}(x)\right) \times \left(1 - F_{\gamma_{x_1 \rightarrow x_2}^{Rk*-D2}}(x)\right). \quad (48)$$

Base on (76), $F_{\gamma_{x_1}^{S1-Rk*}}(x)$ can be written as

$$F_{\gamma_{x_1}^{S1-Rk*}}(x) = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \times \frac{j \lambda_{1,uk} \lambda_{1,dk}}{\left(i \varepsilon_1 \lambda_{2,uk} x + j \lambda_{1,uk}\right) \left(i \varepsilon_2 \lambda_{r,ps} x + \lambda_{1,uk}\right)} \times \exp \left(-\frac{i \varepsilon_3^{FD} x}{\lambda_{1,uk}}\right), \quad (49)$$

where $\varepsilon_1 = \frac{a_2}{a_1}$, $\varepsilon_2 = \frac{\rho_P}{a_1 \rho_S}$, $\varepsilon_3^{FD} = \frac{I_{R+1}}{a_1 \rho_S}$.

Based on (77), $F_{\gamma_{x_1}^{Rk*-D1}}(x)$ can be written as

$$F_{\gamma_{x_1}^{Rk*-D1}}(x) = 1 - \frac{(a_3 \rho_R - a_4 \rho_R x) \lambda_{1,dk}}{\rho_P \lambda_{1,ps} x + (a_3 \rho_R - a_4 \rho_R x) \lambda_{1,dk}} \times \exp \left(-\frac{x}{(a_3 \rho_R - a_4 \rho_R x) \lambda_{1,dk}}\right). \quad (50)$$

From (82), $F_{\gamma_{x_1 \rightarrow x_2}^{Rk*-D2}}(x)$ can be written as

$$F_{\gamma_{x_1 \rightarrow x_2}^{Rk*-D2}}(x) = 1 - \frac{(a_3 \rho_R - a_4 \rho_R x) \lambda_{2,dk}}{\rho_P \lambda_{2,ps} x + (a_3 \rho_R - a_4 \rho_R x) \lambda_{2,dk}} \times \exp \left(-\frac{x}{(a_3 \rho_R - a_4 \rho_R x) \lambda_{2,dk}}\right). \quad (51)$$

From (49)-(51), $F_{H_1}(x)$ can be written as

$$F_{H_1}(x) = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} q_1 q_2 q_3 \times \exp \left(-\frac{i \varepsilon_3^{FD} x}{\lambda_{1,uk}} - \frac{x}{(a_3 \rho_R - a_4 \rho_R x) \lambda_{1,dk}} - \frac{x}{(a_3 \rho_R - a_4 \rho_R x) \lambda_{2,dk}}\right), \quad (52)$$

where $q_1 = \frac{j \lambda_{1,uk} \lambda_{1,dk}}{(i \varepsilon_1 \lambda_{2,uk} x + j \lambda_{1,uk})(i \varepsilon_2 \lambda_{r,ps} x + \lambda_{1,uk})}$, $q_2 = \frac{(a_3 \rho_R - a_4 \rho_R x) \lambda_{1,dk}}{\rho_P \lambda_{1,ps} x + (a_3 \rho_R - a_4 \rho_R x) \lambda_{1,dk}}$, $q_3 = \frac{(a_3 \rho_R - a_4 \rho_R x) \lambda_{2,dk}}{\rho_P \lambda_{2,ps} x + (a_3 \rho_R - a_4 \rho_R x) \lambda_{2,dk}}$.

Then, the expression for the ergodic capacity of the G_1 can be derived as

$$\bar{C}_{G_1}^{FD} = \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \frac{1}{\ln 2} \times \int_0^{\frac{a_3}{a_4}} \frac{q_1 q_2 q_3}{1+x} \exp \left(-\frac{i \xi_3^{FD} x}{\lambda_{1,uk}} - \frac{x}{(a_3 \rho_R - a_4 \rho_R x) \lambda_{1,dk}} \right) dx. \quad (53)$$

2) ERGODIC CAPACITY OF S_2 TO D_2

By using (2) and (5), the achievable capacity associated with symbol x_2 is given as

$$C_{G_2-isc}^{FD} = \log_2 \left(1 + \min \left(\gamma_{x_2}^{S1-Rk*}, \gamma_{x_2}^{Rk*-D2} \right) \right), \quad (54)$$

$$\bar{C}_{G_2-isc}^{FD} = E \left(\log_2 (1 + H_2) \right) = \frac{1}{\ln 2} \int_0^\infty \frac{1 - F_{H_2}(x)}{1+x} dx, \quad (55)$$

where $H_2 = \min \left(\gamma_{x_2}^{S1-Rk*}, \gamma_{x_2}^{Rk*-D2} \right)$. The cumulative distribution function (CDF) of H_2 can be written as

$$F_{H_2}(x) = \Pr \left(\min \left(\gamma_{x_2}^{S1-Rk*}, \gamma_{x_2}^{Rk*-D2} \right) < x \right) = 1 - \left(1 - F_{\gamma_{x_2}^{S1-Rk*}}(x) \right) \left(1 - F_{\gamma_{x_2}^{Rk*-D2}}(x) \right). \quad (56)$$

Based on (79), $F_{\gamma_{x_2}^{S1-Rk*}}(x)$ is obtained as

$$F_{\gamma_{x_2}^{S1-Rk*}}(x) = 1 - \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \times \frac{j \lambda_{2,uk} \lambda_{2,dk}}{(i \xi_1 \lambda_{1im} x + j \lambda_{2,uk}) (i \xi_2 \lambda_{r,ps} x + \lambda_{2,uk})} \times \exp \left(-\frac{i \xi_3^{FD} x}{\lambda_{2,uk}} \right), \quad (57)$$

where $\xi_1 = \frac{a_1}{a_2}$, $\xi_2 = \frac{\rho p}{a_2 \rho_S}$ and $\xi_3^{FD} = \frac{I_R + 1}{a_2 \rho_S}$.

Similarly, from result of (80), $F_{\gamma_{x_2}^{Rk*-D2}}(x)$ can be written as

$$F_{\gamma_{x_2}^{Rk*-D2}}(x) = 1 - \frac{\lambda_{2,dk} \lambda_{2,dk}}{(v_1 \lambda_{2im} x + \lambda_{2,dk}) (v_2 \lambda_{2,ps} x + \lambda_{2,dk})} \times \exp \left(-\frac{x}{a_4 \rho_R \lambda_{2,dk}} \right). \quad (58)$$

Finally, replacing (57) and (58) into (55), the expression for the ergodic capacity of the G_2 can be derived as

$$\bar{C}_{G_2-isc}^{FD} = \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \frac{1}{\ln 2} \times \int_0^\infty \frac{s_1 s_2}{1+x} \exp \left(-\frac{i \xi_3^{FD} x}{\lambda_{2,uk}} - \frac{x}{a_4 \rho_R \lambda_{2,dk}} \right) dx, \quad (59)$$

where $s_1 = \frac{j \lambda_{2,uk} \lambda_{2,dk}}{(i \xi_1 \lambda_{1im} x + j \lambda_{2,uk}) (i \xi_2 \lambda_{r,ps} x + \lambda_{2,uk})}$, $s_2 = \frac{\lambda_{2,dk} \lambda_{2,dk}}{(v_1 \lambda_{2im} x + \lambda_{2,dk}) (v_2 \lambda_{2,ps} x + \lambda_{2,dk})}$.

Now, by substituting $\tau_1 = \tau_2 = 0$ in (59), the exact ergodic capacity of G_2 under psic can be obtained as

$$\bar{C}_{G_2-psic}^{FD} = \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \frac{1}{\ln 2} \times \int_0^\infty \frac{s_3 s_4}{1+x} \exp \left(-\frac{i \xi_3^{FD} x}{\lambda_{2,uk}} - \frac{x}{a_4 \rho_R \lambda_{2,dk}} \right) dx, \quad (60)$$

where $s_3 = \frac{\lambda_{2,uk}}{(i \xi_2 \lambda_{r,ps} x + \lambda_{2,uk})}$ and $s_4 = \frac{\lambda_{2,dk}}{(v_2 \lambda_{2,ps} x + \lambda_{2,dk})}$.

B. THE HD RELAY-AIDED CR-NOMA

1) ERGODIC CAPACITY OF S_1 TO D_1

Similar to (47) and (53), when we have $I_R = 0$, the ergodic capacity of G_1 in HD-NOMA is formulated by

$$\bar{C}_{G_1}^{HD} = \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \frac{1}{2 \ln 2} \times \int_0^{\frac{a_3}{a_4}} \frac{q_1 q_2 q_3}{1+x} \exp \left(-\frac{i \xi_3^{HD} x}{\lambda_{1,uk}} - \frac{x}{(a_3 \rho_R - a_4 \rho_R x) \lambda_{1,dk}} \right) dx, \quad (61)$$

where $\xi_3^{HD} = \frac{1}{a_1 \rho_S}$.

2) ERGODIC CAPACITY OF S_2 TO D_2

Similar to (55) and (59), by substituting $I_R = 0$, ergodic capacity of G_2 under isic in HD-NOMA is given by

$$\bar{C}_{G_2-isc}^{HD} = \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \frac{1}{2 \ln 2} \times \int_0^\infty \frac{s_1 s_2}{1+x} \exp \left(-\frac{i \xi_3^{HD} x}{\lambda_{2,uk}} - \frac{x}{a_4 \rho_R \lambda_{2,dk}} \right) dx, \quad (62)$$

where $\xi_3^{HD} = \frac{1}{a_2 \rho_S}$.

Now, by substituting $\tau_1 = \tau_2 = 0$ in (62), the exact ergodic capacity of G_2 under isic can be obtained as

$$\bar{C}_{G_2-psic}^{HD} = \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \frac{1}{2 \ln 2} \times \int_0^\infty \frac{s_3 s_4}{1+x} \exp \left(-\frac{i \xi_3^{HD} x}{\lambda_{2,uk}} - \frac{x}{a_4 \rho_R \lambda_{2,dk}} \right) dx. \quad (63)$$

VI. ERGODIC CAPACITY ANALYSIS FOR RELAY-AIDED CR-OMA

A. THE FD RELAY-AIDED CR-OMA

1) ERGODIC CAPACITY OF S_1 TO D_1

The exact ergodic capacity of G_1 can be written as

$$C_{G_1-OMA}^{FD} = \frac{1}{2} \log_2 \left(1 + \min \left(\gamma_{x1-OMA}^{S1-Rk*}, \gamma_{x1-OMA}^{Rk*-D1} \right) \right), \quad (64)$$

$$\begin{aligned}\bar{C}_{G_1-OMA}^{FD} &= E\left(\frac{1}{2}\log_2\left(1 + H_1^{OMA}\right)\right) \\ &= \frac{1}{2\ln 2} \int_0^\infty \frac{1 - F_{H_1^{OMA}}(x)}{1+x} dx,\end{aligned}\quad (65)$$

where $H_1^{OMA} = \min(\gamma_{x1-OMA}^{S1-Rk*}, \gamma_{x1-OMA}^{Rk*-D1})$. The CDF of H_1 can be written as

$$\begin{aligned}F_{H_1^{OMA}}(x) &= \Pr\left(\min\left(\gamma_{x1-OMA}^{S1-Rk*}, \gamma_{x1-OMA}^{Rk*-D1}\right) < x\right) \\ &= 1 - \left(1 - F_{\gamma_{x1-OMA}^{S1-Rk*}}(x)\right)\left(1 - F_{\gamma_{x1-OMA}^{Rk*-D1}}(x)\right).\end{aligned}\quad (66)$$

Based on (85), $F_{\gamma_{x1-OMA}^{S1-Rk*}}(x)$ is obtained as

$$\begin{aligned}F_{\gamma_{x1-OMA}^{S1-Rk*}}(x) &= 1 - \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \\ &\quad \times \frac{\rho_S \lambda_{1,uk}}{i\rho_P \lambda_{r,ps}x + \rho_S \lambda_{1,uk}} \exp\left(-\frac{ix}{\lambda_{1,uk}} \left(\frac{I_R}{\rho_S} + \frac{1}{\rho_S}\right)\right).\end{aligned}\quad (67)$$

Based on (86), $F_{\gamma_{x1-OMA}^{Rk*-D1}}(x)$ is obtained as

$$\begin{aligned}F_{\gamma_{x1-OMA}^{Rk*-D1}}(x) &= 1 - \frac{\rho_R \lambda_{1,dk}}{\rho_P \lambda_{1,ps}x + \rho_R \lambda_{1,dk}} \\ &\quad \times \exp\left(-\frac{x}{\rho_R \lambda_{1,dk}}\right).\end{aligned}\quad (68)$$

The the ergodic capacity of the G_1 is formulated as

$$\begin{aligned}\bar{C}_{G_1-OMA}^{FD} &= \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \frac{1}{2\ln 2} \\ &\quad \times \int_0^\infty \frac{q_1^{OMA} q_2^{OMA}}{1+x} \exp\left(-\left(\frac{I_R}{\rho_S} + \frac{1}{\rho_S}\right) \frac{ix}{\lambda_{1,uk}} - \frac{x}{\rho_R \lambda_{1,dk}}\right) dx,\end{aligned}\quad (69)$$

where $q_1^{OMA} = \frac{\rho_S \lambda_{1,uk}}{i\rho_P \lambda_{r,ps}x + \rho_S \lambda_{1,uk}}$ and $q_2^{OMA} = \frac{\rho_R \lambda_{1,dk}}{\rho_P \lambda_{1,ps}x + \rho_R \lambda_{1,dk}}$.

2) ERGODIC CAPACITY OF S_2 TO D_2

Similarly with computations of G_1 , the closed-form expression for the ergodic capacity of the G_2 can be derived as

$$\begin{aligned}\bar{C}_{G_2-OMA}^{FD} &= \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \frac{1}{2\ln 2} \\ &\quad \times \int_0^\infty \frac{q_3^{OMA} q_4^{OMA}}{1+x} \\ &\quad \times \exp\left(-\left(\frac{I_R}{\rho_S} + \frac{1}{\rho_S}\right) \frac{ix}{\lambda_{2,uk}} - \frac{x}{\rho_R \lambda_{2,dk}}\right) dx,\end{aligned}\quad (70)$$





FIGURE 2. Comparison study on outage performance of D_1 and D_2 (imperfect SIC and perfect SIC) for varying K , where $a_1 = a_3 = 0.6$, $R_1 = 0.1$ (bps/Hz), $R_2 = 2$ (bps/Hz). (a) FD relay-aided NOMA and relay-aided OMA, where $K = 3$.

where $q_3^{OMA} = \frac{\rho_S \lambda_{2,uk}}{i\rho_P \lambda_{r,ps}x + \rho_S \lambda_{2,uk}}$ and $q_4^{OMA} = \frac{\rho_R \lambda_{2,dk}}{\rho_P \lambda_{2,ps}x + \rho_R \lambda_{2,dk}}$.

B. THE HD RELAY-AIDED CR-OMA

Similar to (69) and (70), the condition $I_R = 0$ results in ergodic capacity of G_1 and G_2 in HD-OMA respectively as

$$\begin{aligned}\bar{C}_{G_1-OMA}^{HD} &= \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \frac{1}{4\ln 2} \\ &\quad \times \int_0^\infty \frac{q_1^{OMA} q_2^{OMA}}{1+x} \exp\left(-\frac{ix}{\rho_S \lambda_{1,uk}} - \frac{x}{\rho_R \lambda_{1,dk}}\right) dx,\end{aligned}\quad (71)$$




FIGURE 3. Comparison study on outage performance of D_1 and D_2 (imperfect SIC and perfect SIC) for (a) FD relay-aided CR-NOMA for varying R_1 ($\sigma_1 = \sigma_3 = 0.6$, $R_2 = 2$ (bps/Hz), $I_R = -20$ (dB), $K = 3$). (b) HD relay-aided CR-NOMA for varying R_1 ($\sigma_1 = \sigma_3 = 0.6$, $R_2 = 2$ (bps/Hz), $I_R = -20$ (dB), $K = 3$). (c) FD relay-aided CR-NOMA for varying R_2 ($\sigma_1 = \sigma_3 = 0.6$, $R_1 = 0.1$ (bps/Hz), $I_R = -20$ (dB), $K = 3$). (d) HD relay-aided CR-NOMA for varying R_2 ($\sigma_1 = \sigma_3 = 0.6$, $R_1 = 0.1$ (bps/Hz), $I_R = -20$ (dB), $K = 3$).

and


$$\begin{aligned} \bar{C}_{G_2-OMA}^{HD} &= \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \frac{1}{4 \ln 2} \\ &\times \int_0^\infty \frac{q_3^{OMA} q_4^{OMA}}{1+x} \exp\left(-\frac{ix}{\rho_S \lambda_{2,uk}} - \frac{x}{\rho_R \lambda_{2,dk}}\right) dx. \end{aligned} \quad (72)$$

VII. NUMERICAL RESULTS


This section provides numerical results and relevant discussion. Unless stated otherwise, the simulation parameters and their values are given as follows $\lambda_{1,uk} = d_{1,uk}^{-\nu}$, $\lambda_{1,dk} = d_{1,dk}^{-\nu}$, $\lambda_{2,uk} = d_{2,uk}^{-\nu}$, $\lambda_{2,dk} = d_{2,dk}^{-\nu}$. The path loss exponent is expressed by $\nu = 4$ and $d_{1,uk} = 0.25$, $d_{2,uk} = 0.5$ and $d_{2,dk} = 0.25$ denote the distance in meters from S_1 to Relay, Relay to D_1 , S_2 to Relay and Relay to D_2 , respectively. $\lambda_{r,ps} = \lambda_{1,ps} = \lambda_{2,ps} = 0.01$.

Fig. 2 demonstrates outage probability as a function of increasing values of SNR of the system. It can be noticed that an increase in SNR reduces the probability of occurrence of an outage event. It can be observed in Fig. 2 (a) that the FD relay-aided CR-NOMA outperforms the conventional FD relay-aided CR-OMA. Moreover, as the values of K increase from 1 to 3, the overall outage probability drops significantly. Similarly, for HD relay-aided CR-NOMA in Fig. 2 (b), the outage probability also reduces. However, the gap between the curves of HD relays is high as compared to the gap between the curves for FD.

Fig. 3 illustrates the impact of different values of R_1 and R_3 for both FD and HD relay-aided CR-NOMA/ CR-OMA transmissions. Here, we can note that the simulation curves closely follow the analytical curves. This validates the accuracy of our derived closed-form expressions and asymptotic analysis. From Figs. 3 (a) & (b), we can observe that an increase in FD relay-aided NOMA network considerably outperforms the HD relay-aided CR-NOMA network. This is



(a)



(b)

FIGURE 4. Comparison study on outage performance of D_1 and D_2 (imperfect SIC and perfect SIC) for varying $\tau_1 = \tau_2$, where $(a_1 = a_3 = 0.6, R_1 = 0.1$ (bps/Hz), $R_2 = 2$ (bps/Hz), $I_R = -20$ (dB), $K = 3$). (a) FD relay-aided CR-NOMA (b) HD relay-aided CR-NOMA.

especially true for smaller values of SNR, thus, indicating the utility of FD relay-aided CR-NOMA. Similar trends can be observed in Figs. 3 (c) & (d) where R_2 is varied and R_1 is kept constant. It can be noted that when R_2 increases from 1.5 to 2.5, the overall outage performance increases significantly for the HD relay-aided CR-NOMA network. By contrast, the increase for FD relay-aided CR-NOMA is negligible, especially at higher values of SNR.

Fig. 4 demonstrates the outage probability for varying values of $\tau_1 = \tau_2$ to clarify the impact of τ_1 and τ_2 on the outage performance. It can be observed that the FD relay-aided CR-NOMA network again outperforms the conventional FD relay-aided CR-OMA. However, when comparing Figs. 4 (a) & (b), it becomes clear that a change in $\tau_1 = \tau_2$ has more impact on the HD relay-aided CR-NOMA as compared to FD relay-aided CR-NOMA. Moreover, at higher values of SNR, the asymptotic results closely follow the analytical and simulation results that verify their accuracy.




FIGURE 5. Comparison study on ergodic capacity performance of D_1 and D_2 (imperfect SIC and perfect SIC) for FD relay-aided CR-NOMA, with varying K , where $a_1 = a_3 = 0.9, I_R = 20$ (dB).




FIGURE 6. Comparison study on ergodic capacity performance of D_1 and D_2 (imperfect SIC and perfect SIC) for FD relay-aided CR-NOMA with varying $a_1 = a_3$, where $K = 3, I_R = 20$ (dB).

Fig. 5 shows the ergodic capacity against the increasing values of SNR. It can be noted that an increase in the value of K generally results in increasing the ergodic capacity of the system. However, this impact is far more significant for G_2 as compared to G_1 . More specifically, at high SNR, the distance between the curves of G_1 becomes negligible for different values of K . Whereas, for G_2 , the distance between different curves of K grows indicating the higher impact of change in K .

To illustrate the effects of a_1 and a_3 on the ergodic capacity of FD relay-aided CR-NOMA networks, Fig. 6 shows the ergodic capacity for different values of $a_1 = a_3$. It can be seen that the performance for imperfect SIC scenario is significantly lower than that for the perfect SIC scenario. Moreover, an increase in the values of a_1 and a_3 results in decreasing the performance of the network. The analytical results closely follow the simulations that validates the analytical expressions.




FIGURE 7. Comparison study on ergodic capacity performance of D_1 and D_2 (imperfect SIC and perfect SIC) for HD/FD relay-aided CR-NOMA and relay-aided CR-OMA, where $a_1 = a_3 = 0.9$, $K = 3$, $I_R = 20$ (dB). (a) FD relay-aided NOMA and relay-aided OMA. (b) HD relay-aided NOMA and relay-aided OMA.

Fig. 7 presents a comparative analysis of FD and HD relay-aided CR-NOMA network against FD and HD relay-aided CR-OMA network. It can be noted that the ergodic capacity of G_1 is better than G_2 at higher values of SNR. Moreover, it is also worth highlighting that the FD relay aided the CR-NOMA network outperforms the HD relay aided CR-OMA network. The difference between FD and HD increases more at higher values of SNR. The ceiling is reached at very high SNR values that are because of the limiting effect of interference.

VIII. CONCLUSION

Relay-aided CR-NOMA networks are going to play a critical role in the beyond 5G networks. In this regard, this paper has provided a performance analysis for FD and HD relay-aided CR-NOMA networks. Specifically, the closed-form expressions for FD and HD relay-aided CR-NOMA networks have

been derived by considering the PRS framework. Besides, the analytical expressions for ergodic capacity and asymptotic outage probabilities are also derived to provide more insights on such networks. The results demonstrate that the changes in the outage probability of the FD relay-aided CR-NOMA network are negligible, especially at higher values of SNR. Moreover, the difference between FD and HD ergodic capacity increases more at higher values of SNR and a ceiling is reached at very high SNR values due to the effect of interference. We anticipate that the analytical expressions provided in this work will be helpful in the practical realization of relay-aided CR-NOMA networks.

APPENDIX A

PROOF OF THE PROPOSITION 1

By implementing order statistics of separated components, OP_{1-isic}^{FD} can be obtained as

$$OP_{1-isic}^{FD} = 1 - \underbrace{\Pr\left(\gamma_{x1}^{S1-Rk*} \geq \gamma_{th1}^{FD}\right)}_{A_1} \times \underbrace{\Pr\left(\gamma_{x1}^{Rk*-D1} \geq \gamma_{th1}^{FD}\right)}_{A_2}. \quad (73)$$

To compute such outage, A_1 can be first calculated as

$$\begin{aligned} A_1 &= \Pr\left(\frac{a_1 \rho_S |g_{1,uk*}|^2}{a_2 \rho_S |g_{2,uk*}|^2 + \rho_P |g_{r,ps}|^2 + I_R + 1} \geq \gamma_{th1}^{FD}\right) \\ &= \Pr\left(|g_{1,uk*}|^2 \geq \alpha_2^{FD} |g_{2,uk*}|^2 + \alpha_3^{FD} |g_{r,ps}|^2 + \alpha_4^{FD}\right) \\ &= \int_0^\infty \int_0^\infty \left(1 - F_{|g_{1,uk*}|^2}(\alpha_2^{FD} x + \alpha_3^{FD} y + \alpha_4^{FD})\right) \\ &\quad \times f_{|g_{2,uk*}|^2}(x) f_{|g_{r,ps}|^2}(y) dy. \end{aligned} \quad (74)$$

By using partial integration and the CDF and probability density function (PDF), A_1 can be first calculated as

$$\begin{aligned} A_1 &= \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \frac{j}{\lambda_{2,uk}} \frac{1}{\lambda_{r,ps}} \\ &\quad \times \exp\left(-\frac{i\alpha_4^{FD}}{\lambda_{1,uk}}\right) \int_0^\infty \int_0^\infty \exp\left(-\left(\frac{i\alpha_2^{FD}}{\lambda_{1,uk}} + \frac{j}{\lambda_{2,uk}}\right)x\right) dx \\ &\quad \times \exp\left(-\left(\frac{i\alpha_3^{FD}}{\lambda_{1,uk}} + \frac{1}{\lambda_{r,ps}}\right)y\right) dy \\ &= \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \frac{j}{\lambda_{2,uk}} \frac{1}{\lambda_{r,ps}} \\ &\quad \times \exp\left(-\frac{i\alpha_4^{FD}}{\lambda_{1,uk}}\right) \int_0^\infty \exp\left(-\left(\frac{i\alpha_2^{FD}}{\lambda_{1,uk}} + \frac{j}{\lambda_{2,uk}}\right)x\right) dx \\ &\quad \times \int_0^\infty \exp\left(-\left(\frac{i\alpha_3^{FD}}{\lambda_{1,uk}} + \frac{1}{\lambda_{r,ps}}\right)y\right) dy \end{aligned}$$

$$\begin{aligned}
&= \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \\
&\quad \times \frac{j\lambda_{1,uk}\lambda_{1,uk}}{(i\alpha_2^{FD}\lambda_{2,uk} + j\lambda_{1,uk})(i\alpha_3^{FD}\lambda_{r,ps} + \lambda_{1,uk})} \\
&\quad \times \exp\left(-\frac{i\alpha_4^{FD}}{\lambda_{1,uk}}\right). \quad (75)
\end{aligned}$$

Besides, A_2 can be expressed by

$$\begin{aligned}
A_2 &= \Pr\left(\frac{a_3\rho_R|h_{1,dk}|^2}{a_4\rho_R|h_{1,dk}|^2 + \rho_P|h_{1,ps}|^2 + 1} \geq \gamma_{th1}^{FD}\right) \\
&= \Pr\left(|h_{1,dk}|^2 \geq \frac{\gamma_{th1}^{FD}\rho_P|h_{1,ps}|^2 + \gamma_{th1}^{FD}}{a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R}\right). \quad (76)
\end{aligned}$$

It is worth noting that A_2 satisfies $a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R > 0 \rightarrow a_3 > \gamma_{th1}^{FD}a_4$, then it can be further computed as

$$\begin{aligned}
A_2 &= \int_0^\infty \left(1 - F_{|h_{1,dk}|^2}\left(\frac{\gamma_{th1}^{FD}\rho_P x + \gamma_{th1}^{FD}}{a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R}\right)\right) \\
&\quad \times f_{|h_{1,ps}|^2}(x) dx \\
&= \int_0^\infty \exp\left(-\frac{\gamma_{th1}^{FD}\rho_P x + \gamma_{th1}^{FD}}{(a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R)\lambda_{1,dk}}\right) \frac{1}{\lambda_{1,ps}} \\
&\quad \times \exp\left(-\frac{x}{\lambda_{1,ps}}\right) dx \\
&= \frac{(a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R)\lambda_{1,dk}}{\gamma_{th1}^{FD}\rho_P\lambda_{1,ps} + (a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R)\lambda_{1,dk}} \\
&\quad \times \exp\left(-\frac{\gamma_{th1}^{FD}}{(a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R)\lambda_{1,dk}}\right). \quad (77)
\end{aligned}$$

Finally, replacing (74) and (77) into (73), the outage probability for D_2 in this mode can be computed.

It completes the proof.

APPENDIX B

PROOF OF THE PROPOSITION 2

Similarly, OP_{2-isic}^{FD} will be processed as

$$\begin{aligned}
OP_{2-isic}^{FD} &= 1 - \Pr\left(\underbrace{\gamma_{x2}^{S1-Rk*} \geq \gamma_{th2}^{FD}}_{B_1}\right) \\
&\quad \times \Pr\left(\underbrace{\gamma_{x2}^{Rk*-D2} \geq \gamma_{th2}^{FD}}_{B_2} \times \underbrace{\gamma_{x1 \rightarrow x2}^{Rk*-D2} \geq \gamma_{th1}^{FD}}_{B_3}\right). \quad (78)
\end{aligned}$$

To compute such outage, B_1 can be first calculated as

$$\begin{aligned}
B_1 &= \Pr\left(\gamma_{x2}^{S1-Rk*} \geq \gamma_{th2}^{FD}\right) \\
&= \Pr\left(\frac{a_2\rho_S|g_{2,uk*}|^2}{a_1\rho_S|g_{1,uk*}|^2 + \rho_P|g_{r,ps}|^2 + I_R + 1} \geq \gamma_{th2}^{FD}\right) \\
&= \Pr\left(\frac{|g_{2,uk*}|^2 \geq \frac{\gamma_{th2}^{FD}a_1\rho_S}{a_2\rho_S}|g_{1,uk*}|^2 + \frac{\gamma_{th2}^{FD}\rho_P}{a_2\rho_S}|g_{r,ps}|^2}{+\frac{\gamma_{th2}^{FD}(I_R+1)}{a_2\rho_S}}\right). \quad (79)
\end{aligned}$$

Similar to A_1 , B_1 can be simplified as

$$\begin{aligned}
B_1 &= \sum_{i=1}^K \sum_{j=1}^K \binom{K}{i} \binom{K}{j} (-1)^{i+j-2} \\
&\quad \times \frac{j\lambda_{2,uk}\lambda_{2,uk}}{(i\beta_2^{FD}\lambda_{1im} + j\lambda_{2,uk})(i\beta_3^{FD}\lambda_{r,ps} + \lambda_{2,uk})} \\
&\quad \times \exp\left(-\frac{i\beta_4^{FD}}{\lambda_{2,uk}}\right). \quad (80)
\end{aligned}$$

Then, B_2 is formulated as

$$\begin{aligned}
B_2 &= \Pr\left(\frac{a_4\rho_R|h_{2,dk}|^2}{a_3\rho_R|h_{2,dk}|^2 + \rho_P|h_{2,ps}|^2 + 1} \geq \gamma_{th2}^{FD}\right) \\
&= \Pr\left(|h_{2,dk}|^2 \geq \frac{m_1^{FD}|h_{2,dk}|^2 + m_2^{FD}|h_{2,ps}|^2 + m_3^{FD}}{a_3\rho_R - \gamma_{th2}^{FD}a_4\rho_R}\right) \\
&= \int_0^\infty \int_0^\infty \left(1 - F_{|h_{2,dk}|^2}\left(\frac{m_1^{FD}x + m_2^{FD}y + m_3^{FD}}{a_3\rho_R - \gamma_{th2}^{FD}a_4\rho_R}\right)\right) \\
&\quad \times f_{|h_{2,dk}|^2}(x) dx f_{|h_{2,ps}|^2}(y) dy \\
&= \frac{1}{\lambda_{2im}} \frac{1}{\lambda_{2,ps}} \exp\left(-\frac{m_3^{FD}}{\lambda_{2,dk}}\right) \\
&\quad \times \int_0^\infty \exp\left(-\left(\frac{m_1^{FD}}{\lambda_{2,dk}} + \frac{1}{\lambda_{2im}}\right)x\right) dx \\
&\quad \times \int_0^\infty \exp\left(-\left(\frac{m_2^{FD}}{\lambda_{2,dk}} + \frac{1}{\lambda_{2,ps}}\right)y\right) dy \\
&= \frac{\lambda_{2,dk}\lambda_{2,dk}}{(m_1^{FD}\lambda_{2im} + \lambda_{2,dk})(m_2^{FD}\lambda_{2,ps} + \lambda_{2,dk})} \exp\left(-\frac{m_3^{FD}}{\lambda_{2,dk}}\right). \quad (81)
\end{aligned}$$

Next, B_3 can be computed as

$$\begin{aligned}
B_3 &= \Pr\left(\frac{a_3\rho_R|h_{2,dk}|^2}{a_4\rho_R|h_{2,dk}|^2 + \rho_P|h_{2,ps}|^2 + 1} \geq \gamma_{th1}^{FD}\right) \\
&= \Pr\left(|h_{2,dk}|^2 \geq \frac{\gamma_{th1}^{FD}\rho_P|h_{2,ps}|^2 + \gamma_{th1}^{FD}}{a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R}\right). \quad (82)
\end{aligned}$$

Noticing that B_3 satisfies $a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R > 0 \rightarrow a_3 > \gamma_{th1}^{FD}a_4$, then B_3 is given as

$$\begin{aligned}
B_3 &= \int_0^\infty \left(1 - F_{|h_{2,dk}|^2}\left(\frac{\gamma_{th1}^{FD}\rho_P x + \gamma_{th1}^{FD}}{a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R}\right)\right) f_{|h_{2,ps}|^2}(x) dx \\
&= \int_0^\infty \exp\left(-\frac{\gamma_{th1}^{FD}\rho_P x + \gamma_{th1}^{FD}}{(a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R)\lambda_{2,dk}}\right) \frac{1}{\lambda_{2,ps}} \\
&\quad \times \exp\left(-\frac{x}{\lambda_{2,ps}}\right) dx \\
&= \frac{(a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R)\lambda_{2,dk}}{\gamma_{th1}^{FD}\rho_P\lambda_{2,ps} + (a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R)\lambda_{2,dk}} \\
&\quad \times \exp\left(-\frac{\gamma_{th1}^{FD}}{(a_3\rho_R - \gamma_{th1}^{FD}a_4\rho_R)\lambda_{2,dk}}\right). \quad (83)
\end{aligned}$$

Finally, replacing (80), (81) and (83) into (78), the outage probability for D_2 in this mode can be computed.

It completes the proof.

APPENDIX C

PROOF OF THE PROPOSITION 3

OP_{1-OMA}^{FD} is processed as

$$OP_{1-OMA}^{FD} = 1 - \underbrace{\Pr\left(\gamma_{x1-OMA}^{S1-Rk*} \geq \gamma_{th1}^{FD-O}\right)}_{C_1} \times \underbrace{\Pr\left(\gamma_{x1-OMA}^{Rk*-D1} \geq \gamma_{th1}^{FD-O}\right)}_{C_2}. \quad (84)$$

To compute such outage probability, C_1 is calculated as

$$\begin{aligned} C_1 &= \Pr\left(\frac{\rho_S |g_{1,uk*}|^2}{\rho_P |g_{r,ps}|^2 + I_R + 1} \geq \gamma_{th1}^{FD-O}\right) \\ &= \Pr\left(|g_{1,uk*}|^2 \geq \frac{\gamma_{th1}^{FD-O} \rho_P}{\rho_S} |g_{r,ps}|^2 + \frac{\gamma_{th1}^{FD-O} I_R}{\rho_S} + \frac{\gamma_{th1}^{FD-O}}{\rho_S}\right) \\ &= \int_0^\infty \left(1 - F_{|g_{1,uk*}|^2}\left(\frac{\gamma_{th1}^{FD-O} \rho_P}{\rho_S} x + \frac{\gamma_{th1}^{FD-O} I_R}{\rho_S} + \frac{\gamma_{th1}^{FD-O}}{\rho_S}\right)\right) \\ &\quad \times f_{|g_{r,ps}|^2}(x) dx \\ &= \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \exp\left(-\frac{i}{\lambda_{1,uk}} \left(\frac{\gamma_{th1}^{FD-O} I_R}{\rho_S} + \frac{\gamma_{th1}^{FD-O}}{\rho_S}\right)\right) \\ &\quad \times \frac{1}{\lambda_{r,ps}} \int_0^\infty \exp\left(-\left(\frac{i \gamma_{th1}^{FD-O} \rho_P}{\rho_S \lambda_{1,uk}} + \frac{1}{\lambda_{r,ps}}\right) x\right) dx \\ &= \sum_{i=1}^K \binom{K}{i} (-1)^{i-1} \frac{\rho_S \lambda_{1,uk}}{i \gamma_{th1}^{FD-O} \rho_P \lambda_{r,ps} + \rho_S \lambda_{1,uk}} \\ &\quad \times \exp\left(-\frac{i}{\lambda_{1,uk}} \left(\frac{\gamma_{th1}^{FD-O} I_R}{\rho_S} + \frac{\gamma_{th1}^{FD-O}}{\rho_S}\right)\right). \quad (85) \end{aligned}$$

Then, C_2 is expressed by

$$\begin{aligned} C_2 &= \Pr\left(\frac{\rho_R |h_{1,dk}|^2}{\rho_P |h_{1,ps}|^2 + 1} \geq \gamma_{th1}^{FD-O}\right) \\ &= \Pr\left(|h_{1,dk}|^2 \geq \frac{\gamma_{th1}^{FD-O} \rho_P}{\rho_R} |h_{1,ps}|^2 + \frac{\gamma_{th1}^{FD-O}}{\rho_R}\right) \\ &= \int_0^\infty \left(1 - F_{|h_{1,dk}|^2}\left(\frac{\gamma_{th1}^{FD-O} \rho_P}{\rho_R} x + \frac{\gamma_{th1}^{FD-O}}{\rho_R}\right)\right) \\ &\quad \times f_{|h_{1,ps}|^2}(x) dx \end{aligned}$$

$$\begin{aligned} &= \int_0^\infty \exp\left(-\frac{1}{\lambda_{1,dk}} \left(\frac{\gamma_{th1}^{FD-O} \rho_P}{\rho_R} x + \frac{\gamma_{th1}^{FD-O}}{\rho_R}\right)\right) \\ &\quad \times \frac{1}{\lambda_{1,ps}} \exp\left(-\frac{x}{\lambda_{1,ps}}\right) dx \\ &= \frac{\rho_R \lambda_{1,dk}}{\gamma_{th1}^{FD-O} \rho_P \lambda_{1,ps} + \rho_R \lambda_{1,dk}} \exp\left(-\frac{\gamma_{th1}^{FD-O}}{\rho_R \lambda_{1,dk}}\right). \quad (86) \end{aligned}$$

Finally, substituting (85) and (86) into (84), the outage behavior for D_2 can be computed.

It completes the proof.


REFERENCES

- [1] Y. Liu, Z. Qin, M. ElKashlan, Z. Ding, A. Nallanathan, and L. Hanzo, "Non-orthogonal multiple access for 5G and beyond," *Proc. IEEE*, vol. 105, no. 12, pp. 2347–2381, Dec. 2017.
- [2] W. U. Khan, F. Jameel, G. A. S. Sidhu, M. Ahmed, X. Li, and R. Jantti, "Multiobjective optimization of uplink NOMA-enabled Vehicle-to-Infrastructure communication," *IEEE Access*, vol. 8, pp. 84467–84478, 2020.
- [3] X. Li, Q. Wang, H. Peng, H. Zhang, D.-T. Do, K. M. Rabie, R. Kharel, and C. C. Cavalcante, "A unified framework for HS-UAV NOMA networks: Performance analysis and location optimization," *IEEE Access*, vol. 8, pp. 13329–13340, 2020.
- [4] B. M. ElHalawany, F. Jameel, D. B. da Costa, U. S. Dias, and K. Wu, "Performance analysis of downlink noma systems over κ - μ shadowed fading channels," *IEEE Trans. Veh. Technol.*, vol. 69, no. 1, pp. 1046–1050, Jan. 2020.
- [5] Z. Ding, Z. Zhao, M. Peng, and H. V. Poor, "On the spectral efficiency and security enhancements of NOMA assisted multicast-unicast streaming," *IEEE Trans. Commun.*, vol. 65, no. 7, pp. 3151–3163, Jul. 2017.
- [6] D.-T. Do, M.-S. Van Nguyen, T.-A. Hoang, and B. M. Lee, "Exploiting joint base station equipped multiple antenna and full-duplex D2D users in power domain division based multiple access networks," *Sensors*, vol. 19, no. 11, p. 2475, May 2019.
- [7] D.-T. Do and M.-S. Van Nguyen, "Device-to-device transmission modes in NOMA network with and without wireless power transfer," *Comput. Commun.*, vol. 139, pp. 67–77, May 2019.
- [8] Z. Zhang, H. Sun, and R. Q. Hu, "Downlink and uplink non-orthogonal multiple access in a dense wireless network," *IEEE J. Sel. Areas Commun.*, vol. 35, no. 12, pp. 2771–2784, Dec. 2017.
- [9] W. U. Khan, F. Jameel, T. Ristaniemi, S. Khan, G. A. S. Sidhu, and J. Liu, "Joint spectral and energy efficiency optimization for downlink NOMA networks," *IEEE Trans. Cognit. Commun. Netw.*, vol. 6, no. 2, pp. 645–656, Jun. 2020.
- [10] H.-P. Dang, M.-S. Van Nguyen, D.-T. Do, H.-L. Pham, B. Selim, and G. Kaddoum, "Joint relay selection, full-duplex and Device-to-Device transmission in wireless powered NOMA networks," *IEEE Access*, vol. 8, pp. 82442–82460, 2020.
- [11] J. Mitola, "Cognitive radio for flexible mobile multimedia communications," in *Proc. IEEE Int. Workshop Mobile Multimedia Commun. (MoMuC)*, Nov. 1999, pp. 3–10.
- [12] D.-T. Do and A.-T. Le, "NOMA based cognitive relaying: Transceiver hardware impairments, relay selection policies and outage performance comparison," *Comput. Commun.*, vol. 146, pp. 144–154, Oct. 2019.
- [13] F. Zhou, N. C. Beaulieu, Z. Li, J. Si, and P. Qi, "Energy-efficient optimal power allocation for fading cognitive radio channels: Ergodic capacity, outage capacity, and minimum-rate capacity," *IEEE Trans. Wireless Commun.*, vol. 15, no. 4, pp. 2741–2755, Apr. 2016.
- [14] A. Goldsmith, S. A. Jafar, I. Maric, and S. Srinivasa, "Breaking spectrum gridlock with cognitive radios: An information theoretic perspective," *Proc. IEEE*, vol. 97, no. 5, pp. 894–914, May 2009.
- [15] Y. Liu, Z. Ding, M. ElKashlan, and J. Yuan, "Nonorthogonal multiple access in large-scale underlay cognitive radio networks," *IEEE Trans. Veh. Technol.*, vol. 65, no. 12, pp. 10152–10157, Dec. 2016.
- [16] L. Lv, J. Chen, Q. Ni, and Z. Ding, "Design of cooperative non-orthogonal multicast cognitive multiple access for 5G systems: User scheduling and performance analysis," *IEEE Trans. Commun.*, vol. 65, no. 6, pp. 2641–2656, Jun. 2017.

- [17] L. Lv, Q. Ni, Z. Ding, and J. Chen, "Application of non-orthogonal multiple access in cooperative spectrum-sharing networks over Nakagami-m fading channels," *IEEE Trans. Veh. Technol.*, vol. 66, no. 6, pp. 5506–5511, Jun. 2017.
- [18] Z. Ding, P. Fan, and H. V. Poor, "Impact of user pairing on 5G nonorthogonal multiple-access downlink transmissions," *IEEE Trans. Veh. Technol.*, vol. 65, no. 8, pp. 6010–6023, Aug. 2016.
- [19] T.-L. Nguyen and D.-T. Do, "Power allocation schemes for wireless powered NOMA systems with imperfect CSI: System model and performance analysis," *Int. J. Commun. Syst.*, vol. 31, no. 5, p. e3789, 2018.
- [20] R. Tang, J. Cheng, and Z. Cao, "Contract-based incentive mechanism for cooperative NOMA systems," *IEEE Commun. Lett.*, vol. 23, no. 1, pp. 172–175, Jan. 2019.
- [21] R. Tang, J. Cheng, and Z. Cao, "Energy-efficient power allocation for cooperative NOMA systems with IBFD-enabled two-way cognitive transmission," *IEEE Commun. Lett.*, vol. 23, no. 6, pp. 1101–1104, Jun. 2019.
- [22] X. Wang, M. Jia, I. W.-H. Ho, Q. Guo, and F. C. M. Lau, "Exploiting full-duplex two-way relay cooperative non-orthogonal multiple access," *IEEE Trans. Commun.*, vol. 67, no. 4, pp. 2716–2729, Apr. 2019.
- [23] H. Tabassum, M. S. Ali, E. Hossain, M. J. Hossain, and D. I. Kim, "Uplink vs. downlink NOMA in cellular networks: Challenges and research directions," in *Proc. IEEE 85th Veh. Technol. Conf. (VTC Spring)*, Jun. 2017, pp. 1–7.
- [24] Z. Zhang, P. Zhang, D. Liu, and S. Sun, "SRSM-based adaptive relay selection for D2D communications," *IEEE Internet Things J.*, vol. 5, no. 4, pp. 2323–2332, Aug. 2018.
- [25] F. Jameel, Z. Hamid, F. Jabeen, S. Zeadally, and M. A. Javed, "A survey of device-to-device communications: Research issues and challenges," *IEEE Commun. Surveys Tuts.*, vol. 20, no. 3, pp. 2133–2168, 3rd Quart., 2018.
- [26] Z. Ding, H. Dai, and H. V. Poor, "Relay selection for cooperative NOMA," *IEEE Wireless Commun. Lett.*, vol. 5, no. 4, pp. 416–419, Aug. 2016.
- [27] Z. Yang, Z. Ding, Y. Wu, and P. Fan, "Novel relay selection strategies for cooperative NOMA," *IEEE Trans. Veh. Technol.*, vol. 66, no. 11, pp. 10114–10123, Nov. 2017.
- [28] S. Lee, D. B. da Costa, Q.-T. Vien, T. Q. Duong, and R. T. de Sousa, "Non-orthogonal multiple access schemes with partial relay selection," *IET Commun.*, vol. 11, no. 6, pp. 846–854, Apr. 2017.
- [29] D. Deng, L. Fan, X. Lei, W. Tan, and D. Xie, "Joint user and relay selection for cooperative NOMA networks," *IEEE Access*, vol. 5, pp. 20220–20227, 2017.
- [30] H.-S. Nguyen, D.-T. Do, T.-S. Nguyen, and M. Voznak, "Exploiting hybrid time switching-based and power splitting-based relaying protocol in wireless powered communication networks with outdated channel state information," *Automatika*, vol. 58, no. 1, pp. 111–118, Jan. 2017.
- [31] D.-T. Do, "Optimal throughput under time power switching based relaying protocol in energy harvesting cooperative networks," *Wireless Pers. Commun.*, vol. 87, no. 2, pp. 551–564, 2016.
- [32] D.-T. Do, "Power switching protocol for two-way relaying network under hardware impairments," *Radioengineering*, vol. 24, no. 3, pp. 765–771, Sep. 2015.



MINH-SANG VAN NGUYEN was born in Bentre, Vietnam. He is currently pursuing the master's degree in wireless communications. He has worked closely with Dr. Thuan at the Wireless Communications and Signal Processing Research Group, Industrial University of Ho Chi Minh City, Vietnam. His research interests include electronic design, signal processing in wireless communications networks, non-orthogonal multiple access, and physical-layer security.



FURQAN JAMEEL received the B.S. degree in electrical engineering (under the ICT R&D funded Program) from the COMSATS Institute of Information Technology (CIIT), Lahore Campus, Pakistan, in 2013, and the master's degree in electrical engineering (funded by the prestigious Higher Education Commission Scholarship) from CIIT, Islamabad. In September 2018, he visited the Simula Research Laboratory and the University of Oslo, Norway. From 2018 to 2019, he was with the University of Jyväskylä, Finland, and Nokia Bell Labs, Espoo, where he was a Researcher and a Summer Trainee. He is currently with the Department of Communications and Networking, Aalto University, Finland. His research interests include modeling and performance enhancement of vehicular networks, machine/deep learning, ambient backscatter communications, and wireless power transfer. He was a recipient of the Outstanding Reviewer Award 2017 from Elsevier.



DINH-THUAN DO (Senior Member, IEEE) received the M.Eng. and Ph.D. degrees from Vietnam National University (VNU-HCM), in 2007 and 2013, respectively, all in communications engineering. He was a Senior Engineer at the VinaPhone Mobile Network, from 2003 to 2009. He was a Visiting Ph.D. Student with the Communications Engineering Institute, National Tsing Hua University, Taiwan, from 2009 to 2010. He joined Ton Duc Thang University. He has published over 65 SCI/SCIE journal articles, one book, and five book chapters. His research interests include signal processing in wireless communications networks, cooperative communications, non-orthogonal multiple access, full-duplex transmission, and energy harvesting. He was a recipient of the Golden Globe Award from the Vietnam Ministry of Science and Technology, in 2015 (top ten excellent young scientists nationwide). He is currently serving as an Associate Editor for the *EURASIP Journal on Wireless Communications and Networking*, *Computer Communications* (Elsevier), *Electronics*, and the *KSII Transactions on Internet and Information Systems*.



RIKU JÄNTTI (Senior Member, IEEE) received the M.Sc. degree (Hons.) in electrical engineering and the D.Sc. degree (Hons.) in automation and systems technology from the Helsinki University of Technology (TKK), in 1997 and 2001, respectively. He was a Professor (pro term) with the Department of Computer Science, University of Vaasa. In 2006, he joined the School of Electrical Engineering, Aalto University (formerly known as TKK), Finland, where he is currently a Professor in communications engineering and the Head of the Department of Communications and Networking. His research interests include radio resource control and optimization for machine-type communications, cloud-based radio access networks, spectrum and co-existence management, and RF inference. He is an Associate Editor of the *IEEE TRANSACTIONS ON VEHICULAR TECHNOLOGY*. He is also an IEEE VTS Distinguished Lecturer (Class 2016).



IMRAN SHAFIQUE ANSARI (Member, IEEE) received the B.Sc. degree (Hons.) in computer engineering from the King Fahd University of Petroleum and Minerals (KFUPM), in 2009, and the M.Sc. and Ph.D. degrees from the King Abdullah University of Science and Technology (KAUST), in 2010 and 2015, respectively.

From May 2009 to August 2009, he was a Visiting Scholar with Michigan State University (MSU), East Lansing, MI, USA. From

June 2010 to August 2010, he was a Research Intern with Carleton University, Ottawa, ON, Canada. From April 2015 to November 2017, he was a Postdoctoral Research Associate (PRA) with Texas A&M University at Qatar (TAMUQ). From November 2017 to July 2018, he was a Lecturer (Assistant Professor) with the Global College of Engineering and Technology (GCET) (affiliated with University of the West of England (UWE), Bristol, U.K.). Since August 2018, he has been a Lecturer (Assistant Professor) with the University of Glasgow, Glasgow, U.K. He has been affiliated with IEEE and IET, since 2007, and has served in various capacities. He is serving on the IEEE Nominations and Appointments (N&A) Committee, since February 2020, and the IEEE Communication Society Young Professionals (ComSoc YP) Board, since April 2016. He is a part of the IEEE 5G Tech

Focus Publications Editorial Board, since February 2017. He is serving as the Chair for the IET Young Professionals Communities Committee (YPCC), from October 2019 to September 2020. He is serving on the IET Satellites Technical Network (TN), from March 2016 to September 2020. He has served on the IET CC-EMEA (Communities Committee-Europe, Middle East, and Africa) for two complete terms, from October 2015 to September 2018 and from October 2010 to September 2013. He has served as a TPC member of various IEEE conferences. He was a recipient of appreciation for an exemplary reviewer for the IEEE TRANSACTIONS ON COMMUNICATIONS, in 2018 and 2016, a recipient of appreciation for an exemplary reviewer for the IEEE WIRELESS COMMUNICATIONS LETTERS, in 2017 and 2014, a recipient of the TAMUQ ECEN Research Excellence Award 2016 and 2017, a recipient of the recognized reviewer certificate by *Optics Communications* (Elsevier), in 2015, a recipient of the recognized reviewer certificate by OSA Publishing, in 2014, a recipient of the Post-Doctoral Research Award (PDRA) (first cycle) with the Qatar National Research Foundation (QNRF), in 2014, a recipient of the KAUST Academic Excellence Award (AEA), in 2014, and a recipient of the IEEE Richard E. Merwin Student Scholarship Award, in July 2013. He is an active reviewer for various IEEE TRANSACTIONS and various other journals.

...