



This is an electronic reprint of the original article. This reprint may differ from the original in pagination and typographic detail.

Evin, Inan; Pesola, Toni; Kaos, Maximus; Takala, Tuukka M.; Hämäläinen, Perttu **3PP-R: Enabling Natural Movement in 3rd Person Virtual Reality**

Published in: CHI PLAY 2020 - Proceedings of the Annual Symposium on Computer-Human Interaction in Play

DOI: 10.1145/3410404.3414239

Published: 02/11/2020

Document Version Peer-reviewed accepted author manuscript, also known as Final accepted manuscript or Post-print

Please cite the original version:

Evin, I., Pesola, T., Kaos, M., Takala, T. M., & Hämäläinen, P. (2020). 3PP-R: Enabling Natural Movement in 3rd Person Virtual Reality. In *CHI PLAY 2020 - Proceedings of the Annual Symposium on Computer-Human Interaction in Play* (pp. 438-449). ACM. https://doi.org/10.1145/3410404.3414239

This material is protected by copyright and other intellectual property rights, and duplication or sale of all or part of any of the repository collections is not permitted, except that material may be duplicated by you for your research use or educational purposes in electronic or print form. You must obtain permission for any other use. Electronic or print copies may not be offered, whether for sale or otherwise to anyone who is not an authorised user.

Inan Evin inan.evin@aalto.fi Aalto University Toni Pesola toni.pesola@aalto.fi Aalto University Maximus D. Kaos maximus.kaos@aalto.fi Aalto University

Tuukka M. Takala tuukka.takala@aalto.fi Aalto University & Waseda University Perttu Hämäläinen perttu.hamalainen@aalto.fi Aalto University



Figure 1: 3PP-R allows the user to interact in 3rd-Person Perspective (3PP) using natural movements, including body rotation without losing sight of the avatar. A virtual display such as a 3D miniature world model hovers in air in front of the user, showing a 3rd-person avatar. When the user turns, the display orbits around the user but does not rotate except for the avatar. From the user's perspective, the display appears fixed in the field of vision, and the world rotates around the avatar.

ABSTRACT

We propose 3PP-R, a novel Virtual Reality display and interaction technique that allows natural movement in 3rd-person perspective (3PP), including body rotation without losing sight of the avatar. A virtual display such as a World-in-Miniature model orbits around the user when the user turns, but does not rotate except for the user's avatar. From the user's perspective, the display appears fixed in the field of vision, while the world rotates around the avatar. 3PP-R combines the strengths of 3PP and 1st-person perspective (1PP): Similar to 1PP, it allows interacting with rich natural movements, while also reaping the benefits of 3PP, i.e., superior spatial awareness and animating the avatar without nauseating viewpoint movement, e.g., for joystick-controlled locomotion. We test 3PP-R in a maze navigation study, which indicates considerably less cybersickness in 3PP-R than in 1PP. We also demonstrate 3PP-R in

CHI PLAY '20, November 2–4, 2020, Virtual Event, Canada

© 2020 Copyright held by the owner/author(s). Publication rights licensed to ACM. ACM ISBN 978-1-4503-8074-4/20/11...\$15.00 https://doi.org/10.1145/3410404.3414239 dynamic game interaction including running, jumping, swinging on bars, and martial arts.

CCS CONCEPTS

 $\bullet Computing methodologies \rightarrow Virtual reality; \bullet Human-centered computing \rightarrow Interaction techniques.$

KEYWORDS

Virtual reality display; 3rd person perspective; Virtual camera design

ACM Reference Format:

Inan Evin, Toni Pesola, Maximus D. Kaos, Tuukka M. Takala, and Perttu Hämäläinen. 2020. 3PP-R: Enabling Natural Movement in 3rd Person Virtual Reality. In Proceedings of the Annual Symposium on Computer-Human Interaction in Play (CHI PLAY '20), November 2–4, 2020, Virtual Event, Canada. ACM, New York, NY, USA, 12 pages. https://doi.org/10.1145/3410404.3414239

1 INTRODUCTION

A fundamental problem of Virtual Reality (VR) is how to seamlessly combine three features: 1) interaction using natural body movements, 2) the ability to navigate large virtual spaces, and 3) keeping cybersickness to a minimum. Using a 1st person perspective (1PP) and one-to-one viewpoint tracking minimizes cybersickness and allows natural interaction, but at the same time, it prevents navigating virtual spaces larger than the real interaction space. To solve the

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

problem, various locomotion approaches have been developed, but they all have their drawbacks. For example, moving using a joystick can be nauseating [44], point-and-teleport or world-in-miniature (WiM) [66] approaches can break interaction flow or be unrealistic during interactions such as martial arts fighting. Walk-in-Place (WiP) locomotion can feel more immersive than teleporting, but may cause discomfort [13], and the required movement detection and classification inevitably adds latency and may interfere with detecting other movements such as jumping.

Alternatively, some VR experiences utilize 3rd person perspective (3PP) where the user views the avatar from outside. This is also common in non-VR movement-based games, e.g., for the Kinect [71]. 3PP provides multiple benefits. First, 3PP enables controlling the avatar using a joystick without inducing a visual-vestibular sensory conflict, a major cause of motion sickness [1]. Seeing one's avatar from outside also allows for more artistic freedom, e.g., in animation design. The ability to freely animate the avatar also overcomes the need for tactile feedback, e.g., in making impacts knock back the avatar during a melee. In 1PP, such reactions would deprive the user from control of the viewpoint, which is strongly advised against in order to minimize nausea [48, 51].

3PP interaction is not without problems, however. In particular, *the need to watch the avatar means the player cannot freely turn around*, which limits interaction using natural body movement. This is not ideal, especially as modern wireless VR headsets such as the Oculus Quest allow free body rotation without the user getting tangled up with wires.

To solve both the 3PP rotation problem and the 1PP locomotion problem, we propose and evaluate a novel VR display and interaction technique we call 3PP-R, illustrated in Figure 1. In 3PP-R, a virtual display such as a miniature 3D world model hovers in air in front of the user, showing a 3rd person avatar of the user. When the user turns, the display orbits around the user but does not rotate except for the avatar. From the user's perspective, the display appears fixed in the field of vision, and the 3D world rotates around the avatar.¹ To prevent the feeling of self-motion and minimize cybersickness, both the user and the 3PP-R display are embedded in a non-moving 1st person reference world, and the display volume is limited using a cutout shader.

This paper makes the following contributions:

- A novel VR display and interaction approach that combines the strengths of both 1PP and 3PP, and can replace a traditional 1PP camera without any changes to application content. Similar to 1PP, one can naturally walk and turn around; in our prototype, the avatar mimics the user's movement using movement tracking and inverse kinematics (IK). Similar to 3PP, the avatar can also be freely animated without nauseating viewpoint movement, e.g., for joystick-controlled locomotion or reacting to enemy hits in combat.
- A user study on maze navigation (N=38, within-subjects) that indicates very low cybersickness in 3PP-R and considerably more cybersickness in 1PP.

• A demonstration of 3PP-R in rich, dynamic VR game interactions (Figure 5, supplemental video), including joystickcontrolled running, exaggerated jumping between platforms, physically simulated swinging on bars, and martial arts fighting where the user dodges and counters attacks with fullbody movements, all in a small real-world space. In 1PP, this would inevitably cause cybersickness due to the deviation from natural one-to-one viewpoint tracking required by the joystick control and physics simulation of the avatar.

Our 3PP-R prototypes work on low-cost VR hardware. The user study was conducted and the supplemental video was captured on an Oculus Quest mobile VR headset.

2 BACKGROUND AND RELATED WORK

Display and interaction approaches other than natural 1PP are primarily motivated by the limited space available for the user in the real world, which makes it impossible to walk or run around large virtual spaces. To address the problem, various VR locomotion and navigation approaches have been developed. There is also some, albeit much more limited, research on 3PP interaction and approaches combining 1PP and 3PP. Below, we review these topics briefly. We also discuss cybersickness, as it is the main obstacle for using simple and obvious locomotion controls such as a joystick. Following [3, 26], we use the term cybersickness for motion sickness induced by VR. A related term is Visually Induced Motion Sickness (VIMS), but Arcioni et al. [3] argue that cybersickness can also be non-visual or multisensory in origin.

2.1 Locomotion Techniques and Cybersickness

A multitude of VR locomotion techniques exists. The following discussion utilizes a categorization into continuous virtual movement, discrete transitions, and manipulations of natural locomotion. However, this is only scratching the surface, and for more comprehensive reviews, the reader is referred to LaViola Jr et al. [46, p. 318] and Boletsis [12].

2.1.1 Continuous Virtual Movement. The joystick-controlled locomotion of our 3PP-R prototypes belongs to a larger class of steering locomotion [46, p. 339]. In steering locomotion, virtual movement is commonly generated by pressing a button or pushing a joystick, while the forward direction for locomotion is usually determined by the direction of the user's gaze or by pointing. Other alternatives for generating virtual movement include walking-in-place [64] and arm-swinging gestures [77].

Locomotion techniques differ in the amount of cybersickness that they cause, and steering locomotion is known to be a serious offender in this regard [17, 44]. The oldest and most prominent cybersickness theory — the sensory conflict theory — proposes that sensory conflicts between visual and vestibular cues induce cybersickness [45]. Therefore many approaches for reducing cybersickness focus on minimizing optical flow that is unrelated to the user's physical motion, particularly when it comes to acceleration. In the case of steering locomotion, such cybersickness mitigation approaches include field of view restriction [24] and Independent Visual Background (IVB) that matches the vestibular cues [21]. Wu and Rosenberg [79] utilized both of the aforementioned approaches.

¹Hence the "R" in 3PP-R, denoting the ability to rotate one's body without losing sight of the 3PP world and avatar.

We extend the approach to 3PP, while adding the ability to turn around without losing sight of the 3rd person avatar.

2.1.2 *Discrete Transitions.* Instead of continuous virtual movement, one can also use discrete transitions in the form of teleportation [16] and its "dash" variants [9, 14], where the user viewpoint is quickly translated to the target location. Instantaneous teleportation induces less cybersickness than steering [17, 25, 44], but this comes at the expense of spatial orientation [6, 15].

Clifton and Palmisano [18] noted large individual differences between participants of their study, where they compared steering and teleport locomotion in terms of cybersickness and presence. They concluded that it may be difficult to devise a universally favored locomotion method. This has not gone unnoticed by VR developers either; many popular VR games like Arizona Sunshine [76], Half-Life: Alyx [74], and Raw Data [70] provide both steering and teleport locomotion options for players to choose from.

One can also trigger discrete transitions using the World-in-Miniature (WiM) interaction metaphor [66]. WiM utilizes one or more minimaps of the virtual environment, which one can hold and orient in one's hand. If the minimap is focused on the area where the user is located, this location on the minimap contains a human figure that indicates the user's position and orientation. Locomotion can be achieved in WiM by selecting the human figure and dragging it to another location in the minimap, after which the user experiences an animated transition in 1PP from the current location to the target location. Wingrave et al. [78] extended WiM by allowing users to scale the WiMs and work at different levels of scale. In contrast to WiM, the 3PP-R miniature display is always in front of the user and the user's avatar is always at the center of the display. Moreover, locomotion in 3PP-R does not require selection and dragging. In the context of WiMs, it should also be noted that since 3PP-R combines a miniature display with a natural-scale 1st person reference world, 3PP-R could be considered an instance of a Multi-Scale Virtual Environment (MSVE) [41].

2.1.3 Manipulating Natural Locomotion. The real-world space required by natural locomotion can be decreased by manipulating scale and orientation. In GulliVR [42], the user moves across the virtual environment by walking within the motion-tracked interaction space. The user has the ability to switch between being a giant and normal size, former of which allows traversing large areas in the virtual environment. The drawback of GulliVR is that it is not ideal for virtual environments that have ceilings. Redirected walking techniques, on the other hand, tackle the issue of limited interaction space by redirecting the user away from its boundaries. This redirection can be achieved in various manners, for example by continuously applying imperceptible rotations to the virtual world while the user is walking [35], or by leveraging change blindness and covertly rearranging the layout of the virtual environment while the user is looking away [69]. In practice, redirected walking techniques still require a relatively large interaction space, when compared to our 3PP-R and joystick locomotion.

2.2 3rd Person VR

Some VR platformer games, like Astro Bot Rescue Mission [65], Lucky's Tale [58], and Moss [59], utilize 3PP in a manner analogous to that of traditional 3D games; the viewpoint location follows the gamepad-controlled player character from a distance, while the player's head movements act as the primary camera control in 1PP fashion. In 3PP-R the avatar can be controlled using natural movements in addition to a gamepad or handheld VR controller, without losing sight of the avatar when turning. Also, 3PP-R uses field-of-view restriction and an independent visual background to reduce cybersickness, both of which are absent in the above-mentioned VR games.

Although having a 3rd person, bird's eye view of an environment provides spatial awareness superior to 1PP, it should be noted that 3PP sets some limits on interaction: interaction with virtual objects is less accurate, e.g., when catching or deflecting projectiles [2, 30]. On the other hand, the problems can be mitigated by techniques such as predictive visualization of movement trajectories, or sliding the avatar towards a target while punching [2]. We implement the latter in our 3PP-R prototype. Another limitation of 3PP may be in the degree of presence [32]. Presence, a key aspect of VR experiences, denotes the feeling of being or acting in a place, regardless of where one is physically located [60]. 1PP is considered to provide the greatest feeling of presence [53, 57, 63], and 3PP inherently detaches the user and the avatar, although some studies have not found an effect of perspective on presence [20, 30].

2.3 Combining 1st and 3rd Person Perspectives

The VR game Front Defense: Heroes [23] includes a locomotion technique called V-move, where pushing a button moves the avatar in the controller's forward direction, while the viewpoint does not move until the button is released, at which point the viewpoint teleports to the avatar position. Effectively, this means that the 1PP changes to 3PP for the duration of the locomotion. Griffin and Folmer [32] presented a similar locomotion technique, where a button can switch from 1PP to 3PP for the duration of steering locomotion. Cmentowski et al. [19] introduced a related technique, where switching to 3PP gives the user a giant's viewpoint over the virtual environment, but leaves the avatar's size is unaffected. Common to these three locomotion techniques is that they alternate between 1PP and 3PP. This is different from 3PP-R, where the miniature display maintains a 3PP view on the avatar, while the surrounding independent visual background is simultaneously seen in 1PP. Also, in Front Defense: Heroes [23] as well as [19, 32], the user loses sight of the avatar if turning around while in the 3PP view.

2.4 Summary

Using the terminology of the approaches reviewed above, 3PP-R combines 3PP with steering locomotion, field-of-view restriction, independent visual background, and a novel WiM-style minimap that orbits the user to stay visible when the user turns. This provides considerable freedom for interaction design and can be directly applicable to games such as Boneworks [68], which uses physically based interactions that allow the world to affect the avatar's movement. Games like Boneworks could and possibly should utilize 3PP-R; players love the interaction and the game quickly sold over 100k copies during its launch week, but the present 1PP version is divisive in how much nausea and discomfort it causes [4, 75].

3 SYSTEM

Our proposed 3PP-R approach can be summarized as follows, with more details and design rationale provided in the sections below.

- A virtual 3PP display hovers in the air in front of the user, as shown in Figure 1. The display orbits around the user, allowing 360 degree rotation. We use a World-in-Miniature 3D model, but it should also be possible to use a virtual planar 2D screen.
- The virtual display shows both the virtual world and a 3rdperson avatar. When the user turns, the avatar turns as well, but the world around the avatar does not rotate, as illustrated in Figure 1.
- The avatar mimics the user's movements but large-scale locomotion is also enabled using a joystick.
- To minimize conflicting visual and vestibular cues caused by the joystick control, 1) the visible game world is limited by only rendering a volume around the avatar, and 2) both the user and the virtual display are embedded in a static 1PP reference world (an IVB). In our prototype, we use a floor plane with a checkerboard pattern as the reference.

To allow dynamic action gameplay and demonstrate how 3PP-R allows flexible manipulation of the user-avatar movement mapping, our 3PP-R game prototype also implements additional features detailed in Section 3.5. We exaggerate the user's tracked locomotion speed and jump height, and increase punching reach by sliding the user towards punch targets. We also limit sideways joystick locomotion speed to encourage using body movements instead of "cheating" by using the joystick all the time.

Our 3PP-R prototypes were implemented for the mobile standalone Oculus Quest VR head-mounted display (HMD) [55]. The Quest's handheld controllers feature analog joysticks and 6 degreeof-freedom tracking. We used the Unity 3D game engine [72] which provides basic tools such as inverse kinematics, avatar animation and physics simulation. Below, we also discuss 3PP-R in terms of standard 3D graphics view and model matrices, in order to allow reproducing our work without a specific game engine.

3.1 The Miniature Display

At first thought, it may seem that implementing our World-in-Miniature 3PP-R display is simply a matter of scaling. However, scaling the game world is not desirable for a number of reasons. In modern game production, one often works with a number of 3rd party 3D assets and scripts which may not work with scaling. As pointed out by [42], resizing the environment may also interfere with baked lighting. Finally, adjusting the scale dynamically during a game—together with physics simulation time step and object masses to preserve natural physics simulation behavior—can easily result in simulation glitches.

To make 3PP-R a simple drop-in replacement for traditional 1PP VR without requiring changes to game content, we do not scale the game world and only provide an illusion of miniaturization. We implement this through 1) manipulating the VR camera (the view matrix), and 2) scaling and moving the 1PP reference world around the player. It is assumed that the 1PP world is only a visual reference without physics simulation and can thus be freely moved and scaled. In standard computer graphics terms, recall that when using homogenous coordinates, a rendered point \mathbf{x}' is computed from a model point \mathbf{x} through matrix multiplication as:

$$\mathbf{x}' = \mathbf{PVMx},\tag{1}$$

where **P**, **V**, **M** are the projection, view, and model matrices, respectively. Usually, VR tools like the Oculus VR plugin handle the projection matrix, and a developer only manipulates the view and model matrices. The model matrix transforms points from local model coordinates to the world space, and the view matrix transforms from world space to camera-local coordinates.

The model matrix can be expressed as:

$$\mathbf{M} = \begin{bmatrix} \mathbf{s}_m \mathbf{R}_m & \mathbf{p}_m \\ \mathbf{0} & \mathbf{1} \end{bmatrix},\tag{2}$$

where \mathbf{R}_m , \mathbf{p}_m , s_m are the rotation, position, and scale of the displayed 3D object. For simplicity, we assume uniform scale, i.e., scalar s_m . When using a game engine like Unity, one typically manipulates rotation, position, and scale using an API and/or a graphical user interface, and the model matrix is composed by the engine under the hood.

If one considers the camera as another 3D object in the world, the view matrix can be expressed as:

$$\mathbf{V} = \begin{bmatrix} s_c \mathbf{R}_c & \mathbf{p}_c \\ 0 & 1 \end{bmatrix}^{-1},\tag{3}$$

where \mathbf{R}_c , \mathbf{p}_c , s_c are the camera rotation, position and scale.

The important thing to note is that usually, one does not manipulate the camera scale. However, it is useful in our case, as a large s_c makes everything appear smaller. We let the HMD control \mathbf{R}_c , treat s_c as a parameter adjusted by the developer or user, and calculate camera position as:

$$\mathbf{p}_c = \mathbf{p}_a + s_c (-d\mathbf{f}_{hmd} + (p_{hmd \ y} - h)\mathbf{u}_y), \tag{4}$$

where \mathbf{p}_a is the avatar's position, \mathbf{f}_{hmd} is the HMD's forward vector projected on the ground plane and \mathbf{u}_y is the global up vector (y-axis). As illustrated in Figure 2, *d* denotes the horizontal camera distance from the avatar, *h* is the desired elevation of the avatar in relation to the 1PP ground plane, and the tracked vertical HMD position is denoted by p_{hmd_y} . The avatar's position \mathbf{p}_a is controlled both by HMD movement and a handheld controller/joystick.

3.2 The 1st Person Reference World

To provide the user a feeling of natural movement and non-conflicting visual and vestibular sensations, we include a 1st person reference world surrounding both the user and the miniature display, as illustrated in Figure 1. This kind of Independent Visual Background (IVB) has been previously found to alleviate simulator sickness [21]. Since we want the IVB to appear static despite the camera manipulation, we scale it up by s_c , and set its position as:

$$\mathbf{p}_{1st} = \mathbf{p}_a + \mathbf{s}_c (-d\mathbf{f}_{hmd} - h\mathbf{u}_y - \mathbf{p}_{hmd}_{xz}), \tag{5}$$

where \mathbf{p}_{hmd}_{xz} is the HMD's tracked horizontal position.

It should be noted that for stereographic rendering, two cameras are needed. However, VR toolkits usually handle this under the

3PP-R: Enabling Natural Movement in 3rd Person Virtual Reality



Figure 2: In 3PP-R, the virtual camera is placed at p_c , behind and above the avatar's position p_a . The camera's and avatar's rotation follow the HMD, and camera position is adjusted using the parameters d and h. The tracked vertical position of the user's eyes is denoted by p_{hmd-y} .

hood, and defining a single camera position is enough, corresponding to the midpoint between the two.

3.3 Calibration

In our Oculus Quest implementation, no 3PP-R specific calibration is needed for basic locomotion and interaction. The Quest itself provides HMD tracking and floor plane estimation, and also allows the user to reset the origin of the HMD tracking with a dedicated button. In our action game demo, we utilize inverse kinematics for punching, grabbing objects, and crouching, which requires additional knowledge of the user's height and limb lengths. These are estimated from a set of calibration poses the user is instructed to take.

When the user loads and starts a 3PP-R application, the initial HMD position is saved, and the HMD positions used in equations 4 and 5 are offset such that the origin of the HMD tracking corresponds to the initial avatar position.

3.4 Limiting the display volume

Large virtual worlds can penetrate the user's body even when miniaturized, which can feel disturbing. Also, to prevent feelings of self-motion, moving objects that take up a large portion of the user's field of view should be avoided [51]. Because of this, we utilize a cutout shader that culls geometry further from the avatar than a distance threshold t_D .

3.5 Locomotion Control

For horizontal movement, we implement a dual approach:

• *HMD and hand tracking*: The HMD's horizontal movement is mapped to avatar locomotion speed with an exaggeration scale *s_H* if the HMD is moving faster than a threshold *t_L*. Movement is also empowered by sliding the avatar towards targets when the user punches. Punching is detected as hands moving away from the shoulders faster than a threshold *t_P*.

• *Joystick control:* The user can move the avatar using the Oculus Quest handheld controller's joystick. Pushing the joystick slightly forward or back makes the avatar move at walking speed, and pushing the joystick all the way forward or back makes the avatar run. Sideways movement speed is limited by scaling it with a parameter *s*_S.

Limiting the sideways movement speed is crucial: With the limit, joystick control allows convenient navigation of large virtual worlds, while also encouraging the use of natural body movement. The latter is desirable from the perspective of presence, engagement, and body ownership [11, 29, 62, 73]. Without the speed limit, one very easily stops rotating or moving one's body and only uses the joystick for all movement. We noticed this in initial testing, e.g., in the game demo scene where the user needs to dodge projectiles by moving sideways (Figure5A, supplemental video at 00:50). The observation is in line with research that shows that human behavior can to a large extent be explained as utility maximization, albeit with limited computational capabilities [27]. The joystick control has high utility and low cost, in particular in 3PP-R, where it does not cause nausea, which explains how users might adopt it as the primary locomotion approach. Research on movement-based games has also found that players tend to minimize movements not needed for a task [10]. We also tried completely disabling joystick-based sideways locomotion, but that made it difficult to precisely control locomotion direction.

The slide-to-target punch mechanism allows hitting targets with less walking/running and enables dynamic martial arts fighting in a small real-world play area.

For vertical movement, we employ the following:

- *Exaggerated jumping:* If the player moves upwards faster than a threshold t_J and is on the ground or has been on the ground during past 200ms, the avatar's vertical velocity is set to the HMD's vertical velocity multiplied by a scalar s_J . Otherwise, the avatar's vertical velocity is affected by gravity.
- Staircases and ramps: The avatar's animation controller uses a standard spherically capped cylinder as the collision geometry, which allows it to slide on stairs and ramps when it is moved horizontally.

In summary, we implement multiple ways of exaggerating and empowering movement. We scale up the user's walking/running speed and jumping height, and also increase punching reach through the avatar sliding. These reduce the space needed by natural movement interaction, and are also motivated by research that has found exaggerated movement desirable for the user experience [31, 33, 47], and that users can perceive moderately exaggerated movement as more natural than fully realistic movement [31].

3.6 Parameters

Table 1 summarizes the parameters discussed above and their values used in our 3PP-R prototype. The parameter values were determined empirically by the authors during initial prototyping. An in-depth investigation of the user preferences for the parameter values is deferred to future work.

Name	Value	Description
s _c	50	Camera scale
d	0.75 m	Camera horizontal distance from avatar
h	0.79 m	Avatar elevation from 1PP ground plane
t_D	0.28 m	Cutout shader distance threshold
t_J	2.3 m/s	Tracked jump speed threshold
sj	3.84	Tracked jump speed scale
\$G	8.0	Gravity speed scale
t_P	2.2m/s	Tracked punch speed threshold
t_L	0.46 m/s	Tracked locomotion speed threshold
s_L	2.66	Tracked locomotion speed scale
ss	0.33	Joystick sideways locomotion speed scale

Table 1: Parameters and their values used in our prototypes.

4 EXPERIMENT 1: MAZE NAVIGATION

To verify that 3PP-R—similar to 3PP in general—offers more possibilities for avatar control without cybersickness, we conducted a single-session within-subjects study (N=38) comparing 3PP-R to 1PP. We used the joystick-controlled maze navigation task illustrated in Figure 3. The study was designed to answer six research questions:

- RQ1. Which approach causes the least cybersickness?
- RQ2. Which approach produces the strongest feeling of embodiment?
- RQ3. Which approach is the easiest to use?
- RQ4. Which approach produces the strongest feeling of competence? Feeling competent is a basic psychological need, a central intrinsic motivation factor [61], and considered essential for good user experience [34].
- RQ5. Which approach is considered more natural?
- RQ6. Which approach do participants prefer?

4.1 Task design

The participants were asked to navigate through a maze using an Oculus Quest handheld controller's joystick, collecting 22 waypoint spheres. The task was repeated in both 1PP and 3PP-R, with the order of experimental conditions counterbalanced. The task was designed to last 1-2 minutes, which we expected to be long enough



Figure 3: The user's view in the maze navigation study. The user's task is to collect all the spheres. Left: 1st-person perspective (1PP). Right: 3PP-R. for cybersickness to manifest, but short enough to avoid excessive sickness. The maze started from an empty room where the participants could try out the locomotion, and maze completion time was measured starting from reaching the first sphere placed in a corridor leading out from the initial room.

As the amount of head rotation may affect cybersickness [8, 52, 56], we minimized head rotation differences between the experimental conditions by using maze walls so high that one could not see the next sphere in 3PP-R without turning one's head in the correct direction, similar to 1PP.

4.2 Hypotheses

We formulated the following hypotheses for RQ1 and RQ2:

- H1: Joystick-controlled locomotion causes significantly less cybersickness in 3PP-R than in 1PP.
- H2: 1PP causes a stronger feeling of embodiment.

As detailed in Section 2, 3PP-R should reduce cybersickness due to the display volume limitation and the independent visual background. Testing H1 was still considered essential, as no previous study had tested a 3PP display that orbits around the user when the user turns; this novel visual stimuli might feel unnatural or cause unpleasant sensations.

Regarding H2, while there is some evidence to the contrary [20], first-person perspective is generally considered to offer higher embodiment [57, 63].

4.3 Exploratory Research Questions

RQ3-RQ6 are exploratory, without strong a priori hypotheses. We investigated them to inform future research and applications of 3PP-R.

Regarding RQ3 and RQ4, given the greater spatial awareness that 3PP-R provides over 1PP (Figure 3, also [30]), navigating a maze in 3PP-R could be considerably faster, which could lead to higher ratings on ease of use and competence. However, the high walls of our maze prevented participants from perceiving more navigation targets and planning further ahead in 3PP-R.

Regarding RQ5 and RQ6, there are a multitude of factors that may affect perceived naturalness and the preferred perspective. Hence, we avoided making a priori hypotheses.

4.4 Inclusion Criteria

Eligibility criteria were primarily based on the Oculus Quest Health and Safety Warnings guide [22]. We instructed people to only consent to participate when unimpaired and not suffering from preexisting medical conditions that may be exacerbated by use of the virtual reality headset and controllers. Exclusionary impairments included being tired or needing sleep, under the influence of drugs or hung-over, currently experiencing digestive issues, under emotional stress or anxiety, or suffering from cold, flu, headaches, migraines, or earaches. Exclusionary pre-existing medical conditions included being pregnant, having pre-existing binocular vision abnormalities (such as double vision), or suffering from a heart or other serious medical condition. In addition, participants who had a history of seizures or an implanted medical device (e.g., cardiac pacemakers, hearing aids, and defibrillators) were excluded from participating.

4.5 Participants and Recruitment

38 participants were recruited from Aalto University campus using advertisements placed at building entrances. A movie ticket was given as an honorarium for participating in the study. In a demographics questionnaire, gender was asked in short answer format. 13 participants reported being female (34.2%), and 25 participants reported being male (65.8%). Participant age ranged from 15 to 44 years old (M = 27.6, Mdn = 27.0, SD = 6.11). Participants were asked to rate their video game experience and virtual reality experience on 5-point Likert scales. The results of these questions indicated significant video game experience, M = 3.67, Mdn = 4.00, SD = 1.08; and relatively low virtual reality experience, M = 2.00, Mdn = 2.00, SD = .771.

4.6 Outcome Measures

The study had six outcome measures: cybersickness, avatar embodiment, usability (comprising two measures: ease of use and naturalness), competence, and player preferences. We measured cybersickness using the Simulator Sickness Questionnaire [39]. The SSQ is a multi-faceted measure of sickness with factors of Nausea (e.g., stomach awareness, increased salivation, sweating), Oculomotor (e.g., eyestrain, difficulty focusing, blurred vision), and Disorientation (e.g, dizziness, vertigo). While there is some debate over its applicability to virtual reality [67], recent findings suggest that the symptoms of cybersickness and motion sickness are not different [49]. In addition, the SSQ has stood the test of time [7], VR-specific questionnaires have been derived directly from the SSQ [40], and recent VR studies still use the SSQ as a basis for measuring cybersickness [32, 44].

To further test cybersickness, in line with postural instability theory and prior cybersickness research [54], we used the stand on preferred leg (SOPL) test [39]. As we did not have a method readily available for measuring hip sway, we elected to use complete failure (i.e., participant fails when they must put both feet down) as the failure criteria, or a maximum of 30 seconds, whichever came first.

To measure embodiment, we use the standardized questionnaire from Gonzales-Franco and Peck [28]. The questionnaire contains 25 seven-point Likert scale questions with six subscales. After reviewing the questions, only the agency subscale was deemed applicable to our study. For instance, the body ownership subscale contains the question, "I felt as if the virtual ______ I saw when looking in the mirror was my own _____", which was not applicable since there was no mirror in the game. The tactile sensations subscale was not applicable because there was no direct interaction with objects in the game.

For usability, including whether the VR interaction method was easy and natural to use, we modified the questionnaire proposed by McMahan et al. [50] to fit our study. This questionnaire consists of 12 VR usability questions, and while not validated, the questions were deemed highly relevant to measuring the usability of our interaction method.

To measure competence, we used the competence subscale of the Ubisoft Perceived Experience Questionnaire, a validated questionnaire consisting of five-point Likert scale questions based on Self-Determination Theory [5]. We also measured task completion time as a potential contributor to competence. To assess player preferences, we conducted semi-structured interviews after the last questionnaire was filled out. In the approximately two-minute interviews, we asked:

- (1) You played through a maze in first and third person perspective. If you had to choose, which of the two navigation methods would you prefer to use in a VR action game and why?
- (2) What do you think are the pros and cons of each perspective?
- (3) Do you have any additional feedback you would like to provide?

4.7 Procedure

Prior to study commencement, consent was obtained if the participant was at least 15 years old, as per the national research ethics board recommendation of Finland. If the participant was under the age of 15, parental consent and child assent were obtained. Once deemed eligible, the participant first filled out a demographics questionnaire. Next, a sickness/nausea rating was obtained related to the participant's current health status. In accordance with Howarth and Finch [36], this rating was measured by a single four-point Likert scale question, current sickness rating (SR), with possible responses of "No symptoms", "Any symptoms, but no nausea", "Mild nausea", and "Moderate nausea". The participant was instructed to tell the experimenter and discontinue the experiment if moderate nausea was selected. Otherwise, the participant then filled out the Simulator Sickness Questionnaire (SSQ) [39]. The participant then completed the first maze navigation task. Once complete, the participant again answered the SR. If "Moderate nausea" was selected, the study was discontinued. Otherwise, the participant next filled out the SSQ and performed the SOPL postural stability test [54]. The participant then completed the primary study questionnaire (PSQ), which measured avatar embodiment [28], usability [50], and competence [5]. The participant then completed the second maze navigation task. Once complete, the participant answered the SR, followed by the SSQ if "Moderate nausea" was not selected, then performed the SOPL stability test, and filled out the PSQ. Finally, the participant answered questions in a semi-structured interview regarding their preferences.

4.8 Sample Size Determination

G*Power 3 was used to conduct a priori power analysis to determine the total sample size necessary for the study. Power analysis for paired-samples t-tests showed a sample of 34 participants would be required to detect a medium effect size (Cohen's d_z = .50) with a type one error rate 0.05, and 80% power [43].

4.9 Statistical Analyses

Statistical analyses were performed using SPSS version 26.0 [37]. All statistical tests were two-tailed and maintained a 5% confidence interval. Paired-samples t-tests were performed on avatar embodiment and UPEQ competence. Related-samples Wilcoxon signed rank tests were performed on cybersickness, usability, and task completion time, due to Shapiro-Wilk tests of normality indicating that the data was not normally distributed. For all hypothesis testing, Holm-Bonferroni adjusted p-values are reported. CHI PLAY '20, November 2-4, 2020, Virtual Event, Canada



Figure 4: Results comparing 3PP-R and 1PP in the maze navigation test. 3PP-R scores significantly better in the Simulator Sickness Questionnaire (SSQ), at the cost of somewhat lower embodiment. Holm-Bonferroni corrected p-values are reported.

4.10 Results

The results are summarized in Figure 4. The data provides support for both hypotheses H1 and H2, indicating that participants experienced very little cybersickness in 3PP-R, and considerably more cybersickness in 1PP, but on the other hand, 1PP offered a stronger feeling of embodiment/agency. Despite the high 1PP cybersickness scores, there was no participant dropout. There were no statistically significant differences in the other outcome measures. Participant preferences were roughly equally divided, some favoring 3PP-R because of less cybersickness, and some favoring 1PP because of greater immersion. Below, we explain the results in more detail.

Cybersickness: Results of a Shapiro-Wilk test of normality showed that SSQ data was not normally distributed. Thus, a Wilcoxon signed rank test was performed. Results of this test showed a statistically significant difference in SSQ ratings, with 1PP (M = 12.7, SD = 15.2) resulting in statistically significantly greater SSQ ratings over 3PP-R (M = 3.94, SD = 6.04); Z = -3.96, p < .001. The effect size is large, r = .883.

Results of a Shapiro-Wilk test of normality showed that SOPL (stand on preferred leg) data was not normally distributed. Thus, a Wilcoxon signed rank test was performed. Results of this test showed there was not a significant difference in SOPL between 1PP (M = 20.4 s, SD = 11.3 s) and 3PP-R (M = 21.2 s, SD = 10.7 s) conditions.

Avatar Embodiment/Agency: Recall that we used the agency subscale of the standardized embodiment questionnaire for this measure [28]. Results of a Shapiro-Wilk test of normality showed that avatar embodiment data was normally distributed. Thus, a pairedsamples t-test was performed. Results of this test showed there was a significant difference in embodiment ratings, with 1PP (M = 12.3, SD = 3.89) resulting in statistically significantly greater embodiment ratings over 3PP-R (M = 9.37, SD = 4.25); t = -2.55, p = .006. The effect size is medium, Cohen's d = .614.

Usability: Results of Shapiro-Wilk tests of normality on ease and naturalness of use showed neither were normally distributed. Thus, Wilcoxon signed rank test were performed. Results of this test showed no significant difference in ease of use ratings between 1PP (M = 28.6, SD = 4.16) and 3PP-R (M = 28.6, SD = 4.20) conditions. Additionally, there was no significant difference in naturalness of use between 1PP (M = 27.7, SD = 5.40) and 3PP-R (M = 26.7, SD = 4.92) conditions.

Competence: Results of a Shapiro-Wilk test of normality showed that UPEQ Competence data was normally distributed. Thus, a paired-samples t-test was performed. Results of this test showed there was not a significant difference in UPEQ Competence ratings between 3PP-R (M = 24.4, SD = 3.27) and 1PP (M = 22.8, SD = 3.77) conditions.

Task completion time: Results of a Shapiro-Wilk test of normality showed that task completion time data was not normally distributed. Thus, a Wilcoxon signed rank test was performed. Results of this test showed no significant difference in task completion time data between 1PP (M = 96.9 s, SD = 37.4 s) and 3PP-R (M = 95.0 s, SD = 62.0 s) conditions.

Participant Preferences: The semi-structured interview shed light on what perspective people preferred and why. 18 participants stated they preferred 1PP, 15 participants stated they preferred 3PP-R, and 4 participants were unsure or thought it was situational (e.g., depends on the game). One participant was in a hurry and did not complete the interview. Participants generally stated that 1PP was more immersive than 3PP-R. 3PP-R was thought to be more disconnected from the avatar and game. However, 3PP-R was also less dizzying; this lines up with the SSQ results, which show there was a significant difference in cybersickness reported, favoring 3PP-R over 1PP. Participants generally liked the extra view of 3PP-R. They stated it was easier to see the environment, providing, as stated by P2, an "eagle eye perspective". However, this extra view could have been a detriment by removing the challenge of the maze navigation task, as participants generally stated 3PP-R "made the game very easy [P7]". Some participants, however, saw the potential of this perspective in other games to, for instance, "solve more technical puzzles [P1]".

5 EXPERIMENT 2: GAME INTERACTION

To test how well 3PP-R scales to rich and dynamic interactions typical to action games, we developed the game prototype shown in Figure 5 and on the supplemental video.

The game begins by placing the user's avatar in a room and prompting the player to try out the locomotion and body rotation. The user then proceeds through a series of locations, each demonstrating different movements and interactions:

 Dodging projectiles by sidestepping (Figure 5A, video at 00:35). This showcases agile exaggerated locomotion and the

CHI PLAY '20, November 2-4, 2020, Virtual Event, Canada



Figure 5: Screenshots of our 3PP-R game prototype, captured from an Oculus Quest mobile VR headset. See the supplemental video for more. A) Dodging projectiles. B) Walking up a winding staircase. C) Exaggarated leaping between platforms, D) Grabbing and dropping objects. E) Punching enemies. F) Jumping to hang from a bar, and then swinging to gain momentum for a leap onto the next platform.

ability to use a death animation for the avatar if the player fails to dodge. In 1PP, such a death animation would cause nauseating viewpoint movement.

- A winding staircase, demonstrating viewpoint rotation and vertical movement (Figure 5B, video at 01:07).
- Exaggerated jumping between platforms (Figure 5C, video at 01:12).
- Grabbing and dropping objects, with target acquisition logic that counteracts the reduced interaction accuracy in 3PP compared to 1PP (e.g., [2, 30]). Objects are pulled to the user's hand when the user presses the grab button. (Figure 5D, video at 01:23).
- Punching target dummies, demonstrating the slide-to-target exaggerated punching (Figure 5E, video at 01:46).
- Leaping to hang from a bar, swinging back and forth to gain momentum, and then leaping onto a new platform (Figure 5F, video at 02:06). This is implemented by temporarily making the avatar a physics-simulated ragdoll, connecting the ragdoll hands to the bar using ball-and-socket joints, and using shoulder joint motors controlled with the hand tracking data. Together with the exaggerated jumping and punching, this demonstrates how 3PP-R allows flexible manipulation of avatar movement without taking viewpoint control away from the user.

• Leaping onto an enemy from high above and fighting waves of enemies on an arena (video at 02:44). This demonstrates combining multiple interactions: joystick locomotion, exaggerated tracked locomotion for dodging attacks, and exaggerated punching.

We tested the prototype informally with 10 participants, one being a family member of an author, and others recruited from students and faculty of Aalto University. The participants included a professional animator / animation teacher and a professional game designer / game design teacher. Each participant played through the game, after which we asked which parts of the game were the most interesting, how the participants would improve the game, what else they would like to experience in this type of VR, and whether they experienced nausea or discomfort. Data was analyzed and discussed by two researchers, but was not coded independently.

What was interesting? Three primary themes were mentioned in the interviews. First, participants liked the laser dodging. This is despite the fact that some participants could not complete this section of the game or had to have assistance from the experimenters. They found it the most interesting because of that very challenge, as well as the requirement to make dynamic movements with their bodies in order to dodge. Second, participants liked the activities where it was clear that real-world movements caused the avatar to respond in the same way, e.g., the bar swinging. Finally, participants stated they liked the combat section of the game because it was easy, intuitive, and allowed for dynamic and varied movements. This was emphasized in particular by the animator and game designer. It was also commented that the punch exaggeration elevated the fighting to a new level, making it more spatial and dynamic.

Suggested improvements: Several participants reported difficulties in determining the distance between the avatar and interactive objects, such as the cubes they had to pick up, as well as bars they had to jump to and grab. This is in line with prior research on how a 3rd person perspective can make precise interactions more difficult [2, 30]. More research is needed to determine the best ways to mitigate this, e.g., by switching to 1PP for some interactions like in [32], or designing lighting and shadows in a way that gives extra depth cues. For example, a bar to jump to could cast a shadow that shows when it is directly above the player. One participant also wished to see further ahead; it may be that the 3PP-R display volume should be expanded in the direction the user and avatar are facing. Other complaints and suggestions were mostly about general usability issues, such as the laser dodging being too difficult for some players. This kind of feedback is to be expected, given that the game is a research prototype that has not yet been comprehensively tested and finetuned.

What would the participants like to experience? Participants generally stated they would like even more varied and dynamic movements, such as crouching, flying, swimming, or swinging around using a "ninja rope". In addition, some stated they would like a larger world to explore.

Nausea and discomfort: All participants stated they had no experience of nausea. Two participants mentioned having experienced nausea when they played first-person virtual reality games and said that 3PP-R worked well in that regard. The only discomfort mentioned by a participant was about the fit of the headset, as real-world jumping would sometimes slightly dislodge the headset.

6 **DISCUSSION**

Our experiments indicate that 3PP-R works as expected, and enables full-body interaction and agile locomotion in VR spaces larger than the real space, with little or no cybersickness. In our maze navigation study, the difference in Simulator Sickness Questionnaire scores between 3PP-R and 1PP was clear, and none of the participants reported nausea in testing the game prototype.

Naturally, we do not aim to replace all VR interaction with 3PP-R. Instead, we consider 3PP-R an additional tool for VR design, and 3PP-R could also be combined with 1PP interaction sequences. For example, an action game could use 1PP for precise object manipulation (levers, machines) and dialogue with non-player characters, and switch to 3PP-R for navigation and/or combat. User preferences based on our maze task were divided, and users also commented that the suitability of each perspective depends on the game or application.

In light of the results, the strength of 3PP-R is in games that combine interaction and agile locomotion in large spaces, e.g., in hand-to-hand arena combat. Based on our bar swinging implementation, 3PP-R is also well suited for the physically based gameplay features requested by our participants, e.g., a ninja rope, which could be highly nauseating in 1PP. Previously, interactive control interfaces for physically based avatar movement have been investigated in the computer animation literature [38]. 3PP-R appears to provide a convenient way of displaying and integrating such interaction in VR.

We also consider 3PP-R useful for video games for health and physical exercise, as turning around for real induces more body movement than only utilizing a controller, and many participants especially liked the parts of the game prototype where they could use their bodies and not just the joystick. From a health perspective, it would of course be better to be running and walking long distances physically, but this is not feasible except in warehouse-scale VR installations. 3PP-R gameplay should be able to induce substantial physical exertion even in a limited space, if using enough jumping, crouching, punching, and/or other gross-motor movements.

7 LIMITATIONS AND FUTURE WORK

We have not yet comprehensively investigated the design space of 3PP-R interaction. Our user study only manipulated viewpoint, and the experimental conditions did not include variations of other variables. In future work, we plan to conduct more experiments, investigating user preferences of the parameters in Table 1 and the effect of other modifications, such as exaggerated user rotation speed and different visualization volume sizes and shapes. For example, if one removes the cutout shader, one gains better spatial awareness; the trade-off between this and possibly greater VR sickness needs to be better understood in 3PP-R.

We also plan to test different virtual display types; with the miniature 3D model we use, it is natural to only make the display orbit around the vertical axis when the user turns. Presently, the user can't look up at the sky of the 3rd person virtual world. However, this could possibly be implemented with a planar virtual 2D display that orbits around the user both vertically and horizontally. Furthermore, the 3PP-R setup was designed for the widely available 6 degrees of freedom head and hand tracking, but future work should investigate whether it is better to control the 3PP-R WiM position based on head or body rotation.

In addition, given the simple nature and short duration of the maze navigation task, we did not measure presence. We expect 3PP-R to be generally similar to 3PP in that regard, eliciting less presence than 1PP [53, 57, 63]. However, 3PP-R provides more freedom of movement and more diverse embodied interaction than 3PP, with less cybersickness than 1PP. As our game prototype was praised for dynamic and varied movements, a reasonable hypothesis to test in future work is that such movement enabled by 3PP-R, as demonstrated in our game prototype, may increase presence over 3PP and joystick control and be on par with traditional 1PP.

8 CONCLUSION

We have presented 3PP-R, a simple but powerful VR display and interaction technique that allows a new range of interactive experiences with less cybersickness. 3PP-R allows interacting with natural movements (e.g., walking, turning, punching) and multiple ways of manipulating and empowering user-avatar movement mapping. Our game prototype employs techniques such as exaggerated

locomotion speed, slide-to-target punching, and joystick-based locomotion, which all reduce the need for real-world space. Thanks to the reduced visual-vestibular sensory conflict, the movement manipulation also causes less cybersickness in 3PP-R than in 1PP. Our Simulator Sickness Questionnaire (SSQ) results indicate no or very little sickness in 3PP-R maze navigation using steering locomotion, and considerably more sickness in 1PP. Also, none of our game prototype testers experienced any nausea.

The main novelty of 3PP-R is allowing the user to turn 360 degrees without losing sight of a 3rd person avatar. This is convenient with recent low-cost wireless VR headsets that allow body rotation without getting tangled with cords. Additionally, many other features come together in a novel way in our prototype. To our knowledge, no previous system has both empowered user movement in multiple ways and counteracted the associated visual-vestibular sensory conflict through limiting the 3PP view volume and using an additional 1st-person reference world.

ACKNOWLEDGEMENTS

This project was supported by Academy of Finland grant 299358. Tuukka M. Takala is a JSPS International Research Fellow.

REFERENCES

- Hironori Akiduki, Suetaka Nishiike, Hiroshi Watanabe, Katsunori Matsuoka, Takeshi Kubo, and Noriaki Takeda. 2003. Visual-vestibular conflict induced by virtual reality in humans. *Neuroscience letters* 340, 3 (2003), 197–200.
- [2] Felipe Marjalizo Alonso, Raine Kajastila, Tuukka Takala, Mikael Matveinen, Mikko Kytö, and Perttu Hämäläinen. 2016. Virtual ball catching performance in different camera views. In Proceedings of the 20th International Academic Mindtrek Conference. ACM, 104–112.
- [3] Benjamin Arcioni, Stephen Palmisano, Deborah Apthorp, and Juno Kim. 2019. Postural stability predicts the likelihood of cybersickness in active HMD-based virtual reality. *Displays* 58 (2019), 3–11.
- [4] ashleyriott. 2019. BONEWORKS VR Game Review the Physics are Phenomenal but Pukey. https://www.vrfitnessinsider.com/review/boneworks-vr-gamereview-the-physics-are-phenomenal-but-pukey/.
- [5] Ahmad Azadvar and Alessandro Canossa. 2018. Upeq: ubisoft perceived experience questionnaire: a self-determination evaluation tool for video games. In Proceedings of the 13th International Conference on the Foundations of Digital Games. ACM, 5.
- [6] Niels H Bakker, Peter O Passenier, and Peter J Werkhoven. 2003. Effects of head-slaved navigation and the use of teleports on spatial orientation in virtual environments. *Human factors* 45, 1 (2003), 160–169.
- [7] Stacy A Balk, Mary Anne Bertola, and Vaughan W Inman. 2013. Simulator sickness questionnaire: Twenty years later. (2013).
- [8] Judy Barrett. 2004. Side effects of virtual environments: A review of the literature. Technical Report. Defence Science And Technology Organisation Canberra (Australia).
- [9] Jiwan Bhandari, Paul MacNeilage, and Eelke Folmer. 2018. Teleportation without spatial disorientation using optical flow cues. In *Proceedings of Graphics Interface*, Vol. 2018.
- [10] Nadia Bianchi-Berthouze. 2013. Understanding the role of body movement in player engagement. Human–Computer Interaction 28, 1 (2013), 40–75.
- [11] Nadia Bianchi-Berthouze, Whan Woong Kim, and Darshak Patel. 2007. Does body movement engage you more in digital game play? and why?. In International conference on affective computing and intelligent interaction. Springer, 102-113.
- [12] Costas Boletsis. 2017. The new era of virtual reality locomotion: a systematic literature review of techniques and a proposed typology. *Multimodal Technologies* and Interaction 1, 4 (2017), 24.
- [13] Costas Boletsis and Jarl Erik Cedergren. 2019. VR locomotion in the new era of virtual reality: an empirical comparison of prevalent techniques. Advances in Human-Computer Interaction 2019 (2019).
- [14] Benjamin Bolte, Frank Steinicke, and Gerd Bruder. 2011. The jumper metaphor: an effective navigation technique for immersive display setups. In Proceedings of Virtual Reality International Conference. 1–7.
- [15] Doug A Bowman, David Koller, and Larry F Hodges. 1997. Travel in immersive virtual environments: An evaluation of viewpoint motion control techniques. In *Proceedings of IEEE 1997 Annual International Symposium on Virtual Reality*. IEEE, 45–52.

- [16] Evren Bozgeyikli, Andrew Raij, Srinivas Katkoori, and Rajiv Dubey. 2016. Point & teleport locomotion technique for virtual reality. In Proceedings of the 2016 Annual Symposium on Computer-Human Interaction in Play. ACM, 205–216.
- [17] Chris G Christou and Poppy Aristidou. 2017. Steering versus teleport locomotion for head mounted displays. In *International Conference on Augmented Reality*, *Virtual Reality and Computer Graphics*. Springer, 431–446.
- [18] Jeremy Clifton and Stephen Palmisano. 2019. Effects of steering locomotion and teleporting on cybersickness and presence in HMD-based virtual reality. *Virtual Reality* (2019), 1–16.
- [19] Sebastian Cmentowski, Andrey Krekhov, and Jens Krueger. 2019. Outstanding: A Perspective-Switching Technique for Covering Large Distances in VR Games. In Extended Abstracts of the 2019 CHI Conference on Human Factors in Computing Systems. ACM, LBW1612.
- [20] Henrique G Debarba, Eray Molla, Bruno Herbelin, and Ronan Boulic. 2015. Characterizing embodied interaction in first and third person perspective viewpoints. In 2015 IEEE Symposium on 3D User Interfaces (3DUI). IEEE, 67–72.
- [21] Henry Been-Lirn Duh, Donald E Parker, and Thomas A Furness. 2001. An "independent visual background" reduced balance disturbance envoked by visual scene motion: implication for alleviating simulator sickness. In *Proceedings of the* SIGCHI conference on human factors in computing systems. ACM, 85–89.
- [22] Facebook Technologies, LLC. 2020. Legal Documents Health and Safety Warnings. https://www.oculus.com/legal/health-and-safety-warnings/
- [23] Fantahorn Studio. 2017. Front Defense: Heroes. https://store.steampowered.com/ app/763430/Front_Defense_Heroes.
- [24] Ajoy S Fernandes and Steven K Feiner. 2016. Combating VR sickness through subtle dynamic field-of-view modification. In 2016 IEEE Symposium on 3D User Interfaces (3DUI). IEEE, 201–210.
- [25] Julian Frommel, Sven Sonntag, and Michael Weber. 2017. Effects of controllerbased locomotion on player experience in a virtual reality exploration game. In Proceedings of the 12th international conference on the foundations of digital games. ACM, 30.
- [26] Alireza Mazloumi Gavgani, Keith V Nesbitt, Karen L Blackmore, and Eugene Nalivaiko. 2017. Profiling subjective symptoms and autonomic changes associated with cybersickness. Autonomic Neuroscience 203 (2017), 41–50.
- [27] Samuel J Gershman, Eric J Horvitz, and Joshua B Tenenbaum. 2015. Computational rationality: A converging paradigm for intelligence in brains, minds, and machines. *Science* 349, 6245 (2015), 273–278.
- [28] Mar Gonzalez-Franco and Tabitha C Peck. 2018. Avatar embodiment. towards a standardized questionnaire. Frontiers in Robotics and AI 5 (2018), 74.
- [29] Mar Gonzalez-Franco, Daniel Perez-Marcos, Bernhard Spanlang, and Mel Slater. 2010. The contribution of real-time mirror reflections of motor actions on virtual body ownership in an immersive virtual environment. In 2010 IEEE virtual reality conference (VR). IEEE, 111–114.
- [30] Geoffrey Gorisse, Olivier Christmann, Etienne Armand Amato, and Simon Richir. 2017. First-and Third-Person Perspectives in immersive Virtual environments: Presence and Performance analysis of embodied Users. Frontiers in Robotics and AI 4 (2017), 33.
- [31] Antti Granqvist, Tapio Takala, Jari Takatalo, and Perttu Hämäläinen. 2018. Exaggeration of Avatar Flexibility in Virtual Reality. In Proceedings of the 2018 Annual Symposium on Computer-Human Interaction in Play. ACM, 201–209.
- [32] Nathan Navarro Griffin and Eelke Folmer. 2019. Out-of-body Locomotion: Vectionless Navigation with a Continuous Avatar Representation. In 25th ACM Symposium on Virtual Reality Software and Technology. ACM, 1.
- [33] Perttu Hämäläinen, Tommi Ilmonen, Johanna Höysniemi, Mikko Lindholm, and Ari Nykänen. 2005. Martial arts in artificial reality. In Proceedings of the SIGCHI conference on Human factors in computing systems. ACM, 781–790.
- [34] Celia Hodent. 2017. The gamer's brain: How neuroscience and UX can impact video game design. CRC Press.
- [35] Eric Hodgson and Eric Bachmann. 2013. Comparing four approaches to generalized redirected walking: Simulation and live user data. *IEEE transactions on visualization and computer graphics* 19, 4 (2013), 634–643.
- [36] PA Howarth and M Finch. 1999. The nauseogenicity of two methods of navigating within a virtual environment. *Applied Ergonomics* 30, 1 (1999), 39–45.
- [37] IBM Corp. Released 2019. IBM SPSS Statistics for Windows, Version 26.0. Armonk, NY: IBM Corp.
- [38] Satoru Ishigaki, Timothy White, Victor B Zordan, and C Karen Liu. 2009. Performance-based control interface for character animation. ACM Transactions on Graphics (TOG) 28, 3 (2009), 61.
- [39] Robert S Kennedy, Norman E Lane, Kevin S Berbaum, and Michael G Lilienthal. 1993. Simulator sickness questionnaire: An enhanced method for quantifying simulator sickness. *The international journal of aviation psychology* 3, 3 (1993), 203–220.
- [40] Hyun K Kim, Jaehyun Park, Yeongcheol Choi, and Mungyeong Choe. 2018. Virtual reality sickness questionnaire (VRSQ): Motion sickness measurement index in a virtual reality environment. *Applied ergonomics* 69 (2018), 66–73.
- [41] Regis Kopper, Tao Ni, Doug A Bowman, and Marcio Pinho. 2006. Design and evaluation of navigation techniques for multiscale virtual environments. In *Ieee* virtual reality conference (vr 2006). Ieee, 175–182.

CHI PLAY '20, November 2-4, 2020, Virtual Event, Canada

- [42] Andrey Krekhov, Sebastian Cmentowski, Katharina Emmerich, Maic Masuch, and Jens Krüger. 2018. GulliVR: A walking-oriented technique for navigation in virtual reality games based on virtual body resizing. In Proceedings of the 2018 Annual Symposium on Computer-Human Interaction in Play. ACM, 243–256.
- [43] Daniël Lakens. 2013. Calculating and reporting effect sizes to facilitate cumulative science: a practical primer for t-tests and ANOVAs. Frontiers in psychology 4 (2013), 863.
- [44] Eike Langbehn, Paul Lubos, and Frank Steinicke. 2018. Evaluation of locomotion techniques for room-scale vr: Joystick, teleportation, and redirected walking. In Proceedings of the Virtual Reality International Conference-Laval Virtual. ACM, 4.
- [45] Joseph J LaViola Jr. 2000. A discussion of cybersickness in virtual environments. ACM Sigchi Bulletin 32, 1 (2000), 47–56.
- [46] Joseph J LaViola Jr, Ernst Kruijff, Ryan P McMahan, Doug Bowman, and Ivan P Poupyrev. 2017. 3D user interfaces: theory and practice. Addison-Wesley Professional.
- [47] Lauri Lehtonen, Maximus D Kaos, Raine Kajastila, Leo Holsti, Janne Karsisto, Sami Pekkola, Joni Vähämäki, Lassi Vapaakallio, and Perttu Hämäläinen. 2019. Movement Empowerment in a Multiplayer Mixed-Reality Trampoline Game. In Proceedings of the Annual Symposium on Computer-Human Interaction in Play. ACM, 19–29.
- [48] Joe Ludwig. 2013. What We Learned Porting Team Fortress 2 to Virtual Reality. https://www.gdcvault.com/play/1017798/What-We-Learned-Porting-Team.
- [49] Alireza Mazloumi Gavgani, Frederick R Walker, Deborah M Hodgson, and Eugene Nalivaiko. 2018. A comparative study of cybersickness during exposure to virtual reality and "classic" motion sickness: are they different? *Journal of Applied Physiology* 125, 6 (2018), 1670–1680.
- [50] Ryan P McMahan, Doug A Bowman, David J Zielinski, and Rachael B Brady. 2012. Evaluating display fidelity and interaction fidelity in a virtual reality game. *IEEE transactions on visualization and computer graphics* 18, 4 (2012), 626–633.
- [51] Susan Michalak. 2017. Guidelines for Immersive Virtual Reality Experiences. https://software.intel.com/en-us/articles/guidelines-for-immersivevirtual-reality-experiences.
- [52] Earl F Miller II and Ashton Graybiel. 1970. Motion sickness produced by head movement as a function of rotational velocity. Vol. 1101. Naval Aerospace Medical Institute, Naval Aerospace Medical Center.
- [53] Diego Monteiro, Hai-Ning Liang, Wenge Xu, Marvin Brucker, Vijayakumar Nanjappan, and Yong Yue. 2018. Evaluating enjoyment, presence, and emulator sickness in VR games based on first-and third-person viewing perspectives. *Computer Animation and Virtual Worlds* 29, 3-4 (2018), e1830.
- [54] Ronald R Mourant and Thara R Thattacherry. 2000. Simulator sickness in a virtual environments driving simulator. In Proceedings of the human factors and ergonomics society annual meeting, Vol. 44. SAGE Publications Sage CA: Los Angeles, CA, 534–537.
- [55] Oculus VR. 2019. Oculus Quest. https://www.oculus.com/.
- [56] Stephen Palmisano, Rebecca Mursic, and Juno Kim. 2017. Vection and cybersickness generated by head-and-display motion in the Oculus Rift. *Displays* 46 (2017), 1–8.
- [57] Valeria Ivanova Petkova, Mehrnoush Khoshnevis, and H Henrik Ehrsson. 2011. The perspective matters! Multisensory integration in ego-centric reference frames determines full-body ownership. *Frontiers in psychology* 2 (2011), 35.
- [58] Playful. 2016. Lucky's Tale. https://www.oculus.com/experiences/rift/ 909129545868758/.
- [59] Polyarc. 2018. Moss. https://www.oculus.com/experiences/quest/ 1654565391314903/.

- [60] Holger T Regenbrecht, Thomas W Schubert, and Frank Friedmann. 1998. Measuring the sense of presence and its relations to fear of heights in virtual environments. *International Journal of Human-Computer Interaction* 10, 3 (1998), 233–249.
- [61] Richard M Ryan and Edward L Deci. 2000. Intrinsic and extrinsic motivations: Classic definitions and new directions. *Contemporary educational psychology* 25, 1 (2000), 54–67.
- [62] Mel Slater, John McCarthy, and Francesco Maringelli. 1998. The influence of body movement on subjective presence in virtual environments. *Human Factors* 40, 3 (1998), 469–477.
- [63] Mel Slater, Bernhard Spanlang, Maria V Sanchez-Vives, and Olaf Blanke. 2010. First person experience of body transfer in virtual reality. *PloS one* 5, 5 (2010).
- [64] Mel Slater, Martin Usoh, and Anthony Steed. 1995. Taking steps: the influence of a walking technique on presence in virtual reality. ACM Transactions on Computer-Human Interaction (TOCHI) 2, 3 (1995), 201–219.
- [65] Sony Interactive Entertainment Japan Studio. 2018. Astro Bot Rescue Mission. https://www.playstation.com/en-us/games/astro-bot-rescue-mission-ps4/.
- [66] Richard Stoakley, Matthew J Conway, and Randy Pausch. 1995. Virtual reality on a WIM: interactive worlds in miniature. In CHI, Vol. 95. 265–272.
- [67] William Bruce Stone III. 2017. Psychometric evaluation of the Simulator Sickness Questionnaire as a measure of cybersickness. Ph.D. Dissertation. Iowa State University.
- [68] Stress Level Zero. 2019. Boneworks VR game. https://store.steampowered.com/ app/823500/BONEWORKS/.
 [69] Evan A Suma, Seth Clark, David Krum, Samantha Finkelstein, Mark Bolas, and
- [69] Evan A Suma, Seth Clark, David Krum, Samantha Finkelstein, Mark Bolas, and Zachary Warte. 2011. Leveraging change blindness for redirection in virtual environments. In 2011 IEEE Virtual Reality Conference. IEEE, 159–166.
- [70] Survios. 2017. Raw Data. https://store.steampowered.com/app/436320/Raw_ Data/.
- [71] Tuukka M Takala, Perttu Hämäläinen, Mikael Matveinen, Taru Simonen, and Jari Takatalo. 2013. Enhancing spatial perception and user experience in video games with volumetric shadows. In Australian Computer-Human Interaction Conference. Springer, 91–113.
- [72] Unity Technologies. 2020. Unity 3D. https://unity.com/.
- [73] Martin Usoh, Kevin Arthur, Mary C Whitton, Rui Bastos, Anthony Steed, Mel Slater, and Frederick P Brooks Jr. 1999. Walking> walking-in-place> flying, in virtual environments. In Proceedings of the 26th annual conference on Computer graphics and interactive techniques. ACM Press/Addison-Wesley Publishing Co., 359–364.
- [74] Valve. 2020. Half-Life: Alyx. https://store.steampowered.com/app/546560/ HalfLife_Alyx/.
- [75] Veritan. 2019. Boneworks: Tips to reduce Motion Sickness. https:// steamcommunity.com/app/823500/discussions/0/3963662399212243926/.
- [76] Vertigo Games. 2016. Arizona Sunshine. https://store.steampowered.com/app/ 342180/Arizona_Sunshine/.
- [77] Preston Tunnell Wilson, William Kalescky, Ansel MacLaughlin, and Betsy Williams. 2016. VR locomotion: walking> walking in place> arm swinging. In Proceedings of the 15th ACM SIGGRAPH Conference on Virtual-Reality Continuum and Its Applications in Industry-Volume 1. ACM, 243–249.
- [78] Chadwick A Wingrave, Yonca Haciahmetoglu, and Doug A Bowman. 2006. Overcoming world in miniature limitations by a scaled and scrolling WIM. In 3D User Interfaces (3DUI'06). IEEE, 11–16.
- [79] Fei Wu and Evan Suma Rosenberg. 2019. Combining Dynamic Field of View Modification with Physical Obstacle Avoidance. In 26th IEEE Conference on Virtual Reality and 3D User Interfaces, VR 2019. Institute of Electrical and Electronics Engineers Inc., 1882–1883.